SEP 1 5 1975

WATER RESOURCES DEPT. *APPLICATION FOR PERMIT
SALEM, OREGON
"CERTIFICATE NO. ________"

To Appropriate the Public Waters of the State of Oregon

I, Calvin Chaistensen Name of applicant) Of BOX 4/87/7/2/TVIEW R. (City)	· · · · · · · · · · · · · · · · · · ·
BOX 4/87 F3/TV/PW RT COSULLE	
(Mailing address) (City)	,
cate of 1-0.9011, 77423 do hereby make application for a permit to appropri	iate the
llowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is # LUND3/11 ed S.P. 119.00	Propo
North Fort Coguille Miver; a tributary of Coguille Miver	
	CES
2. The amount of water which the applicant intends to apply to beneficial use is O. O.	
ibic feet per second O. O/CFS From Spring O. O. SCFS. From Viver	
3. The use to which the water is to be applied is Dollas Tre O O Cf. S. (Irrigation, power, mining, manufacturing, domestic supplied)	e atc.
Trispilion C.O. 8 C.F.S.	
4. The point of diversion is located $\frac{560}{100}$ ft. $\frac{5}{100}$ and $\frac{700}{100}$ ft. $\frac{5}{100}$ ft. $\frac{5}{100}$ ft. $\frac{5}{100}$ ft. $\frac{5}{100}$ ft. $\frac{5}{100}$	NA
4. The point of diversion is located 1.0.0. It	1.VG4
orner of Sec. 27 (Section or subdivision)	
(If preferable, give distance and bearing to section corner)	
eing within the SEANEL of Sec. 29, Tp. 265	, r S.)
eing within the SEANEL of Sec. 29, Tp. 265	r S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEANEA of Sec. 29, Tp. 265	r S.)
eing within the SEANEL of Sec. 29, Tp. 265	r S.)
eing within the SFA NEY of Sec. 29, Tp. 26.5 (Give smallest legal subdivision) (E. or W.) (Main ditch, canal or pipe line) (Smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 29, Tp. 26.5 (N. or W.) (Miles or feet) (Smallest legal subdivision)	, r S.)
eing within the SEA NEW of Sec. 29, Tp. 265 (Give smallest legal subdivision) (E. or W.) (Main ditch, canal or pipe line) (Smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 29, Tp. 265 (N. or W.) (Miles or feet) (Smallest legal subdivision)	, r S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SFANES of Sec. 29, Tp. 26.5 (Give smallest legal subdivision) (N. of Sec. 29, Tp. 26.5 (N. of Sec. 29, Tp. 26.5 (N. of Sec. 29, Tp. 26.5 (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (E. or W.) (E. or W.) (B. or W.)	, r S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEA NEA Of Sec. 29, Tp. 26.5 (Give smallest legal subdivision) (E. or W.) 5. The Pyle Lines (Main ditch, canal or pipe line) a length, terminating in the SEA ASEA OF Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS	, r S.)
eing within the SEA (Give smallest legal subdivision) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) of Sec. 29, Tp. 26.5 (Give smallest legal subdivision) (E. or W.) The Pupe Lines (Main ditch, canal or pipe line) n length, terminating in the SEA (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS	nap.
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEA NEW of Sec. 29, Tp. 26.5 (Give smallest legal subdivision) The Pipe Lines of Sec. 29, Tp. 26.5 (Main ditch, canal or pipe line) (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS feet, length at feet; material to be used and character of construction	nap.
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEA NEW of Sec. 27, Tp. 26.5 (Give smallest legal subdivision) 5. The Pipe Lines to be #2-200 (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (E. or W.) DESCRIPTION OF WORKS	nap.
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEA NEA (Give smallest legal subdivision) (Give smallest legal subdivision) (E. or W.) (E. or W.) DESCRIPTION OF WORKS OF Sec. 29 (Milles or feet) (Milles or feet) (N. o.	nap. bottom
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEA (Give smallest legal subdivision) (Give smallest legal subdivision) (No of Sec. 29, Tp. 26, 5) (E. or W.) (Main ditch, canal or pipe line) (Miles or feet) (In or W.) (E. or W.) (E. or W.) (E. or W.) (DESCRIPTION OF WORKS DESCRIPTION OF WORKS DESCRIPTION OF WORKS (Loose rock, concrete, wasteway over or around dam) (Loose rock, concrete, westeway over or around dam)	nap. bottom
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) Defing within the SEGON TO SEC. 29. TO SEC. 2	nap. bottom
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) peing within the SEA (Give smallest legal subdivision) A. (Give smallest legal subdivision) 5. The Py2e Lines (Main ditch, canal or pipe line) (Miles or feet) (N. o. (R. or W.) (E. or W.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at feet; material to be used and character of construction (Loose rock, concrete, ock, and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings)	nap. bottom , masonry.
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) eing within the SEA NEA (Give smallest legal subdivision) (Give smallest legal subdivision) (E. or W.) (E. or W.) DESCRIPTION OF WORKS OF Sec. 29 (Milles or feet) (Milles or feet) (N. o.	nap. bottom , masonry.

^{*} A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

				nanged in size, stating miles from
				feet; width on bottom
thousand feet.				water line)
	feet; width on	bottom	feet; depth	of water feet;
grade	feet fall	per one th	ousand feet.	
(c) Lengt	h of pipe,	f	t.; size at intake,	in.; size at ft.
from intake	in.;	size at place	e of use in.;	difference in elevation between
intake and place	of use,	ft.	Is grade uniform?	Estimated capacity,
0 7				
8. Locaiio	n of area to be a	rrigatea, or	place of use	
Township North or South	E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
26 S.	// W.	37	SEY NE. 4	633 Acres + Domesi
				, , , , , , , , , , , , , , , , , , , ,
· ·				
- Villambour A (All All All All All All All All All				
the state of the s				
r video rekishida mrik shikakimiyalim aka danak komunika da shikakimiya sa salak wakadan wa	COMPANY OF THE COLD AS A MARKATER COMPANY AND STATE AND ASSAULT AND ASSAULT AND ASSAULT AND ASSAULT AS			
Philosophia and the statement of the sta				
	tegan (ter and deleterate the territorial description to the territorial description description to the territorial description des			
nde is die helderleigte der gegen voorsterpen een een verster de deer verste verste verste bestelle vers	and the first of the state of t	No. 20 CHARLEST HANDSCORPER TO THE SERVICE SERVICE		
-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1		(If more sp	ace required, attach separate sheet)	
(a) Chara	cter of soil	<u> </u>	60Jm	T-C
(b) Kind	of crops raised .	OFTE	en Apr Postu	re
Power or Minin	g Purposes—			
9. (a) To	tal amount of po	wer to be de	eveloped	theoretical horsepower.
(b) Qu	antity of water	to be used f	or power	sec. ft.
(c) Tot	al fall to be uti	lized	feet.	
				be developed
(e) Suc	h works to be l	ocated in		of Sec,
Tp(No. N. or S				
			stream?	
,	,		(Yes or No)	
,			,	, R, W. M.

(i) The nature of the mines to be served

•••••	·
	الم المعادلية الله الله الله الله الله الله الله الل
i.	
	•
f families to be supplied	One
11, 12, 13, and 14 in all cases)	
3000	•
•	
ine proposed use on or bejo	те
0/-0/	ş • J
(Signature	e of applicant)
	••••••
	······
	•
lication must be returned t	o the State Engineer, wi
19	
	40
<u> </u>	, 19
	STATE ENGINEER
	in 19

ASSISTANT

PERMIT

STATE	OF	OREGON,	·)
		of Marion	ss.

					rant the same,
The right herein	granted is limited to t	he amount of	water which ca	n be applied to	beneficial use
shall not exceed	0.09 cubic fe	eet per second	measured at th	e point of dive	ersion from the
am, or its equivaler	nt in case of rotation u	ith other wate	er users, from	a spring and	North
k Coquille Rive	r, being 0.01 c.f.	s. from spr	ing for domes	tic and 0.08	c.f.s.
m North Fork Co	quille River for i	rrigation			•••••
The use to which	this water is to be app	olied is domes	stic use for	one family a	and irrigation
······································		,			
If for irrigation	this appropriation sha	Il ha limited t	o 1/80th	of one	auhia foot nan
				•	•
	_				
		re for each	acre irrigat	ed during th	e irrigation
son of each year	r,		•••••••••••••••••••••••••••••••••••••••		
······································			•••••••••••••••••••••••••••••••••••••••		
		······································			
••••					
•••••			•••••••••••	······································	••••••
•••••			••••••	•••••	
•••••			······································		
shall be subject to	such reasonable rotat	ion system as	may be ordered	d by the prope	r state officer.
The priority date	e of this permit is	June 10, 197	75		
Actual constructi	ion work shall begin o	n or before	February 13	, 1977	and shall
	_				
			-		
			i	n or before Oc	tober 1, 19(\$.
WITNESS my ha	and this13th da	y of Febr	ruary	, 19.76	
			jam c	Sepa	*
		WARTER	RESOURCES DI	RECTOR .	
B	n		, 44		
	n the		Ċ	EER	7
SLIC	ed in, Or,			NGIN	22
PUF	ceiv			C VIE E	page .
	at So				эd
MI' THE T	fire ck.			66	17
IAT OF OR!	was ngin of	ınt:	N. N.		
PH OPR OF	nent te E day	plica	Poor	9	No.
	Sta un	ар	3.	page	4 3.
PP]			; ~~	3 :	I S V:
	s instr of the S	ed to	rded:	s on	ye Bas
TO APP	This instr office of the S on the	Returned to applicant:	Approved:	Permits on	Drainage Basin No. Fees
	The right herein shall not exceed am, or its equivalent k Coquille Rive m North Fork Co The use to which If for irrigation, and or its equivalent not to exceed 2 son of each yea Shall be subject to The priority date Actual construct eafter be prosecute Complete applicat WITNESS my ho	The right herein granted is limited to the shall not exceed	The right herein granted is limited to the amount of shall not exceed	The right herein granted is limited to the amount of water which cae shall not exceed	The use to which this water is to be applied is domestic use for one family a lift for irrigation, this appropriation shall be limited to 1/80th of one and or its equivalent for each acre irrigated and shall be further limited to shoot to exceed 2st acre feet per acre for each acre irrigated during the son of each year, shall be subject to such reasonable rotation system as may be ordered by the proper the priority date of this permit is June 10, 1975. Actual construction work shall begin on or before Pebruary 13, 1977. seafter be prosecuted with reasonable diligence and be completed on or before October Complete application of the water to the proposed use shall be made on or before October WITNESS my hand this 13th day of February 1976. WATER RESOURCES DIRECTOR