

RECEIVED JUN 11 1975

\*APPLICATION FOR PERMIT

STATE ENGINEER SALEM, OREGON

To appropriate the Public Waters of the State of Oregon

I, Oregon State Parks and Recreation Branch (Name of applicant) of 300 State Highway Building - Salem (Mailing address) State of Oregon 97310, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Owyhee River (Name of stream), a tributary of the Snake River

2. The amount of water which the applicant intends to apply to beneficial use is 0.13 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation of lawn, trees and landscape plantings. (See Remarks) (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 3,500ft. N and 220 ft. W from the SE corner of Section 31 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 of NE 1/4 of Sec. 31, Tp. 22S, R. 45 E, W. M., in the county of Malheur (Give smallest legal subdivision) (N. or S.)

R. 45 E, W. M., in the county of Malheur (E. or W.)

5. The Pipeline (Main ditch, canal or pipe line) to be 1,500 ft. (Miles or feet) in length, terminating in the SW 1/4 of NW 1/4 of Sec. 32, Tp. 22S, R. 45 E, W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1-1/2" x 2" end suction centrifugal 7-1/2 HP, 3 phase, 240 volt electric motor, 60 gpm against 165' TDH. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Pump mounted on a float.

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1,500 ft.; size at intake, 2 in.; size at 110 ft. from intake 1-1/2 in.; size at place of use 1 in.; difference in elevation between intake and place of use, 40 ft. Is grade uniform? Yes Estimated capacity, 0.13 sec. ft.

8. Location of area to be irrigated, or place of use Lake Owyhee State Park

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
22 S	45 E	31	SE 1/4 of NE 1/4	1.4
22 S	45 E	32	NW 1/4 of NW 1/4	0.5
22 S	45 E	32	SW 1/4 of NW 1/4	8.5
				10.4

(If more space required, attach separate sheet)

(a) Character of soil Sandy loam

(b) Kind of crops raised Landscape planting and lawn

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....


(i) The nature of the mines to be served .....

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_  
(Name of) County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 5,000.00 \_\_\_\_\_
- 12. Construction work will begin on or before \_\_\_\_\_ completed \_\_\_\_\_
- 13. Construction work will be completed on or before \_\_\_\_\_ completed \_\_\_\_\_
- 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ completed \_\_\_\_\_

  
(Signature of applicant)  
Assistant State Parks Superintendent

Remarks: The water applied for in this application will be supplemental to the water used under Permit No. 25571, for public park purposes, which is filed in the State Record of Water Right Certificates, Volume 22, Page 30502. Due to expansion of the overnight camp in recent years, the quantity of water proved to be inadequate for potable and irrigation use. The water source contained in Permit No. 25571 will only be used to provide water for potable and sanitary purposes and the water applied for under this application will be used to provide irrigation for the area presently covered by Permit No. 25571.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.13 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Owyhee River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 11, 1975

Actual construction work shall begin on or before February 13, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 13th day of February 1976.

*James E. Shea*  
WATER RESOURCES DIRECTOR STATE ENGINEER FH S

Application No. 53236  
Permit No. 39506

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of June 1975, at 1:37 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of  
Permits on page 39506

STATE ENGINEER

Drainage Basin No. 11 page 16A

Fees