the

JUL 1 1975
WATER RESOURCES DEPT.
SALEM, OREGON

*APPLICATION FOR PERMIT

CERETIFICATE NO. 46764

To Appropriate the Public Waters of the State of Oregon

I, Jack J. Callahan
of Route 1, Box 116 Scappoose
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Jackson Creek and two springs (Name of stream)
on my property , a tributary of Multnomah Channel
2. The amount of water which the applicant intends to apply to beneficial use is 0.0125
cubic feet per second from Jackson Creek and , 0013 co ff rec from Spri
3. The use to which the water is to be applied is <u>irrigation of lawn and garden</u> (Irrigation, power, mining, manufacturing, domestic supplies, etc.) and domestic use for house.
for Jackson Creek 4. The point of diversion/is located 750 ft. S and 650 ft. E from the N. (E. or W.)
corner of Sections 24, Township 3N, Range 2W. Point of diversion
tl spring is 250 ft. S and 850 ft. E from the corner of Sections
S and 800 ft. E of the same corner. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the N.W. 4 of N.W. 44 of Sec. 24 , Tp. 3N (Give smallest legal subdivision) (N. or S.)
R, W. M., in the county of Columbia
5. The pipeline for the creek to be 850 ft. (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the
R
DESCRIPTION OF WORKS Diversion Works—
6. (a) Height of dam feet, length on top feet, length at botto
feet; material to be used and character of construction
(Loose rock, concrete, mason: rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description 1 hp shallow well pump with 1-1/4" plastic line (for creek) (Size and type of pump)
3/4 hp. for the Spring with 14" plastic line
"4 hp for the Spring with 174" plastic line

headgate. At head	lgate: width on t	top (at water	line)	feet; width on botto		
-	feet; depth of we	ater	feet; grade feet fall per or			
thousand feet. (b) At	ท	niles from he	eadgate: width on top (at wat	er line)		
-1 -			feet; depth of 1			
				•		
grade						
· 1			size at intake, 1-1/4			
		•	f use $\frac{1-1/4}{}$ in.; diff			
intake and place	of use,75	ft. Is	s grade uniform?Yes	Estimated capacit		
	sec. ft.	minated on al	ace of use			
8. Location	Range	rigatea, or pi	lace of use			
Township North or South	E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated		
3N	2W	24	NOW OF NOW Y	, l acro appress		
3N	Zw	13	5w 14 of 5w 14			
Marc:	SECTION	LINE	CUTS THROUGH	HOMESITE		
NoTE:			in Sec 24 \$			
			7 74 300	2 301017 11		
	Section	/3.				
DOMESTIC:			4. 4	MOBILE TRAIGER		
3 //	2ω	24	NW 14 OF NW 14	SPRING		
			•			
(a) Chara	cter of soil		e required, attach separate sheet)			
			egetable and flower	garden		
(b) Kina	oj crops raisea					
Power or Minin	-			· · · · · · · · · · · · · · · · · · ·		
9. (a) To	tal amount of po	wer to be dev	veloped	theoretical horsepou		
(b) Qu	antity of water	to be used fo	r power	sec. ft.		
(c) To	tal fall to be uti	lized	feet.			
(d) Th	ie nature of the i	vorks by mea	ns of which the power is to be	e developed		
(e) Su	ch works to be	located in	(Legal subdivision)	of Sec		
			· •	-		
Tp. (No. N. or s						
			stream?(Yes or No)			
(g) If	so, name stream	and locate p	ooint of return			
W	· · · · · · · · · · · · · · · · · · ·	Sec	, Tp(No. N. or S.)	, R, W.		

VATER RESOURCES DEF

JAMES E. SENSON
Director
WELFANKENSEE
Thomas E. Shook
ASSISTANT

PERMIT

STATE	OF	OREGON,	
Coun	tu o	of Marion.	ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

and stre	The right here shall not exceed	TING RIGHTS and the in granted is limited to 0.014 cubic lent in case of rotation	the amount feet per seco	of water w	hich can be ap	oplied to beneficial us
		ch this water is to be ap				
		0.012 c.f.s. from c	reek for i	rrigation	and 0,002 c	.f.s. from spring
for	domestic.		•••••••••••	······		
		ı, this appropriation sh				_
		ent for each acre irriga				
		2½ acre feet per a	cre for ea	ch acre in	rigated dur	ing the irrigation
Sea	son or each ye	ar,		••••••		·····
•••••	•••••		·····		·	
•••••••			•••••••••••••••••••••••••••••••••••••••	••••••		
•	••••••			•••••	••••••••••••	
*******	······································	·····		•••••		
*******	······································			······································		
and s	shall he subject t	<u> </u>	1 (7)			
w		o such reasonable rotar			rdered by the	proper state officer.
		tion work shall begin o			- 17 1077	e e e e e e e e e e e e e e e e e e e
there		ed with reasonable dili				
		ation of the water to the				
		and this13th da			, 19.76	ore October 1, 19(8.
				Deme.	E	
			AT	R RESOURCE	ES DIRECTOR	90.000 GMG/MEDA
	ll .	9 2 :	,		•	
	2	in the regon,			0	WEER C
160	PUBLIC	nved em, O				STATE ENGINEER
39589	ST	t rece tt Salu (U)			ည်	раде
3 8		This instrument was first received ce of the State Engineer at Salem, Othe 15th day of 12/2 M. 25, at 8:00.000cck A.M.			92	100
Application NoCLESCE	"" "" " " " " " " " " " " " " " " " "	tent was fi	cant:		36 No.	
Application Permit No.	PI APPROPI WATERS OF	nstrumen he State b \$7 day	ıpplic		n boc age	n No.
Appu Perm	_ '	instr f the S IS f at E	d to (.;;	ded i	Basi
	TO	This instrument was first received in the office of the State Engineer at Salem, Oregon on the 15th day of 2014	Returned to applicant:	Approved.	Recorded in book No.	Drainage Basin No Tees まくらい
^ .		on 19	Ret	Apı	Pern	Drai