

RECEIVED

JAN 8 1975

*APPLICATION FOR PERMIT

CERTIFICATE NO. 47132

STATE ENGINEER

To appropriate the Public Waters of the State of Oregon

I, Robert R. Luoto (Name of applicant) of Rt. 1 Box 172 (Mailing address), Carlton (City), State of Oregon, 97111 (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Luoto Spring (Name of stream), a tributary of Dunning Creek.
2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second (If water is to be used from more than one source, give quantity from each).
3. The use to which the water is to be applied is stock water (Irrigation, power, mining, manufacturing, domestic supplies, etc.).
4. The point of diversion is located 600 ft. N and 3180 ft. E from the SW corner of Section 25 T3S R5W WM (Section or subdivision).

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 25, Tp. 3S, R. SW, W. M., in the county of Yamhill.
5. The pipeline to be 800 feet in length, terminating in the NW 1/4 NE 1/4 of Sec. 36, Tp. 3S, R. SW, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow system (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before *completed*

Bob Luato
(Signature of applicant)
Robert R. Luato

Remarks: *maximum of twenty head will use water*

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Luoto Spring

The use to which this water is to be applied is stock purposes

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 8, 1974

Actual construction work shall begin on or before March 4, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 4th day of March, 1976

James C. [Signature]
WATER RESOURCES DIRECTOR

Application No. 54462K
Permit No. 39695

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of January 1975, at 3:10 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. 39695 of Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 20819

Fees