

JUL 22 1975

WATER RESOURCES DEPT.  
SALEM, OREGON

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 47627

To Appropriate the Public Waters of the State of Oregon

I, Thomas M. & Freeda M. Bell (Name of applicant)

of P.O. Box 136 (Mailing address), Myrtle Creek (City)

State of Oregon, 97457 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Myrtle Creek (Name of stream)

, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 of a cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic (Including not to exceed 1/2 acre non-commercial lawn and garden irrigation) (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1780 ft. South and 200 ft. West from the N.E. corner of Section 30 (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NE 1/4 of Sec. 30, Tp. 29S (Give smallest legal subdivision) (N. or S.)

R. 4W, W. M., in the county of Douglas (E. or W.)

5. The Pipeline to be 100 Feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the SE 1/4 NE 1/4 of Sec. 30, Tp. 29S (Smallest legal subdivision) (N. or S.)

R. 4W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.



Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... 1 .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$1,000.00.....

12. Construction work will begin on or before October 15, 1975.....

13. Construction work will be completed on or before October 15, 1976.....

14. The water will be completely applied to the proposed use on or before October 15, 1976.....

Thomas M. Bell  
(Signature of applicant)  
Thomas M. Bell

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... completion .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 12, 1975.....

WITNESS my hand this 9th day of September, 1975.....

JAMES E. SEXSON, Director

By .....

Wayne J. Overcash ASSISTANT

RECEIVED  
SEP 17 1975  
WATER RESOURCES DEPT.  
SALEM, OREGON

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Myrtle Creek

The use to which this water is to be applied is domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 22, 1975

Actual construction work shall begin on or before March 4, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977...

Complete application of the water to the proposed use shall be made on or before October 1, 1978...

WITNESS my hand this 4th day of March, 1976

*James E. ...*  
WATER RESOURCES DIRECTOR FH  
A

Application No. 53447  
Permit No. 39768

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of July, 1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 39768 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 376

Fees