

RECEIVED

39871

Permit No.

JUL 29 1975

WATER RESOURCES DEPT.
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 53975

To Appropriate the Public Waters of the State of Oregon

I, Aloysius R. VanderZanden
(Name of applicant)

of Route 1 Box 170, Banks,
(Mailing address) (City)

State of Oregon, 97106, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is drainage w8ymn and reservoir
(Name of stream)
a tributary of tributary of east fork of Dairy Creek.

2. The amount of water which the applicant intends to apply to beneficial use is .295
cubic feet per second

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Sup'l Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 76° N 450 ft. front the S.W. corner of the last half of the S.E. one fourth or section corner (SW 1/4 SE 1/4 Sec. 30)
(N. or S.) (E. or W.)
corner of SW 1/4 SE 1/4 Sec. 30 from SW corner of the last half of the S.E. one fourth or section corner (SW 1/4 SE 1/4 Sec. 30)

N 76° E 450' from the SW cor. SE 1/4 SE 1/4 Sec. 30

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SE 1/4 SE 1/4 of Sec. 30, Tp. 2 N,
(Give smallest legal subdivision) (N. or S.)

R. 3W, W. M., in the county of Washington
(E. or W.)

5. The main ditch, canal or pipe line to be
(Miles or feet)
in length, terminating in the of Sec., Tp.,
(Smallest legal subdivision) (N. or S.)

R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS (SUMP)

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry.)

rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate None
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Elec. driven Centrifugal
(Size and type of pump)
25 H.P. Elec. 150 ft.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
..... feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft.
from intake in.; size at place of use in.; difference in elevation between
intake and place of use, ft. Is grade uniform? Estimated capacity,
..... sec. ft.

..... sec. jt.
8. Location of area to be irrigated, or place of use Banks Rd.

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Berries, Grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.,
(Legal subdivision)

Tp. , *R.* , *W.M.*
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

Municipal or Domestic Supply+

1000-10000

10. (a) To supply the city of.....

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 6000

12. Construction work will begin on or before Aug. 1

13. Construction work will be completed on or before Oct. 1

14. The water will be completely applied to the proposed use on or before 1978

14. The water will be completely applied to the proposed use on or before 1970

Alloysius R. Tandayanda
(Signature of applicant)

(Signature of applicant)

Remarks: This reservoir will be used for supplemental irrigation.

Point No. 4 is now corrected to read:

N. "76° E., and 450 Feet ~~from~~^{from} East of the SW. ~~SE~~

Corner of the East half of the ~~3~~ one-fourth
of Section 30." T 2 N, R 3 W.

The original description was in error.

DEPT. STATE OF OREGON, }
County of Marion, } ss.

OREGON This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same forcorrection and completion.....

WATER SA In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before **November 12, 1975**.

WITNESS my hand this 12th day of September, 1975.

James E. Saxson, Director

By Wayne Overcash
Wayne J. Overcash

PERMIT

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
 SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
 and shall not exceed 0.295..... cubic feet per second measured at the point of diversion from the
 stream, or its equivalent in case of rotation with other water users, from an unnamed drainageway
 and Reservoir to be constructed under Application No. R-53477, Permit No. R- 6385

The use to which this water is to be applied is ...supplemental irrigation.....

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
 second or its equivalent for each acre irrigated ..from direct flow and shall be further.....
 limited to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre.....
 irrigated during the irrigation season of each year from direct flow and storage.....
 from reservoir to be constructed under Permit No. R-6385 ; provided further that.....
 the right allowed herein shall be limited to any deficiency in the available supply.....
 of any prior right existing for the same land and shall not exceed the limitation.....
 allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 29, 1975.....

Actual construction work shall begin on or beforeMarch 4, 1977..... and shall
 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19....77.

Complete application of the water to the proposed use shall be made on or before October 1, 19....78..

WITNESS my hand this ...4th..... day ofMarch..... 19.76


 WATER RESOURCES DIRECTOR

FH
A

Application No. 53478
 Permit No. 39871

PERMIT

TO APPROPRIATE THE PUBLIC
 WATERS OF THE STATE
 OF OREGON

This instrument was first received in the
 office of the State Engineer at Salem, Oregon,
 on the 29th day of July ,
 1975, at 11:15 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
 Permits on page 39871

STATE ENGINEER

Drainage Basin No. 2 page 62820

Fees