DERTIFICATE NO: 52101

STATE ENGINEER *APPLICATION FOR PERMIT SALEM. SALEM!

To Appropriate the Public Waters of the State of Oregon

| I, Jack Shelburn | Dundee, |
|---|--|
| (Mailing address) | (City) |
| State of | nereby make application for a permit to appropriate the |
| following described public waters of the State of | Oregon, SUBJECT TO EXISTING RIGHTS: |
| If the applicant is a corporation, give date a | nd place of incorporation |
| | is Yamhill River |
| , a tr | ibutary of Willarmette River |
| 2. The amount of water which the applicant | intends to apply to beneficial use is |
| cubic feet per second(If water is to be | used from more than one source, give quantity from each) |
| 3. The use to which the water is to be appl | ied is |
| 4. The point of diversion is located 150. | o ft. $\frac{1}{N \cdot \text{or S.}}$ and 1450 ft. $\frac{N}{(E. \text{ or W.})}$ from the SE |
| corner of Sec 11 | Section or subdivision) |
| C Dame point as Shone | on map supporting pemit |
| (37635) | |
| (If there is more than one point of diversion, each | e and bearing to section corner) th must be described. Use separate sheet if necessary) |
| | of Sec |
| R. 3 W., W. M., in the county of | <u> </u> |
| 5. The Main Dipe Mue (Main ditch, canal or pipe line | to be /200 (Miles or feet) |
| in length, terminating in the SE4 NE | of Sec. (Miles or feet) Tp. 4 S (N. or S.) |
| ~ / | being shown throughout on the accompanying map. |
| | TION OF WORKS |
| Diversion Works— | |
| | , length on top feet, length at bottom |
| feet; material to be used and cha | racter of construction(Loose rock, concrete, masonry |
| rock and brush, timber crib, etc., wasteway over or around dam) | |
| (b) Description of headgate | (Timber, concrete, etc., number and size of openings) |
| (c) If water is to be pumped give general d | description 75 HP electric (Size and type of pump) |
| /Al4 · | be used and bed seas to be 1864 and |
| (Size and type of engine or motor to | be used, total head water is to be lifted, etc.) |

^{*}A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

| Canal | System | or Pipe | Line- |
|-------|--------|---------|-------|
|-------|--------|---------|-------|

| 7. (a) Giv | e dimensions at | each point o | f canal where materially char | nged in size, stating miles from |
|----------------------------|---------------------------------------|---------------|-------------------------------------|------------------------------------|
| headgate. At hea | dgate: width on | top (at wate | r line) | feet; width on bottom |
| | feet; depth of w | ater | feet; grade | feet fall per one |
| thousand feet. (b) At | 1 | miles from | headgate: width on top (at w | pater line) |
| | feet; width on b | oottom | feet; depth o | f water feet; |
| grade | feet fall | per one tho | usand feet. | |
| (c) Length | of pipe, | ft. | ; size at intake, | in.; size at ft. |
| from intake | in.; s | size at place | of use in.; d | ifference in elevation between |
| intake and place | of use, | ft. | Is grade uniform? | Estimated capacity, |
| 9 T anadin | • | | -1 | |
| | Range | rigatea, or p | place of use | |
| Township North or South | E. or W. of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
| 4.5 | 3 W | 2 | SE14 SE19 | 1.6 |
| 4-5 | 3 🗸 | 2 | 548 119-SE 114 | 0,1 |
| 45 | 3 W | 12. | NW 14 NW49 | 101 |
| 4-5 | 3 W | | NE 14 NE 1/4. | 36.4 |
| 45 | 3 01 | | NW 14 NE 14 | 3.6 |
| 45 | 344 | | SE 14-NE 14- | 2.5 |
| | | | | 453 |
| | | | | |
| | | | | |
| | | (If more spa | ce required, attach separate sheet) | |
| | | | • | our M |
| (b) Kind o | of crops raised | | | |
| Power or Mining | - | | | |
| 9. (a) Tot | al amount of por | ver to be de | veloped | theoretical horsepower. |
| (b) Que | antity of water t | o be used fo | or power | sec. ft. |
| (c) Tot | al fall to be util | ized | feet. | |
| (d) The | e nature of the w | orks by mea | ins of which the power is to b | pe developed |
| (e) Suc | ch works to be lo | ocated in | (Legal subdivision) | of Sec. , |
| Tp(No. N. or S. | , R(No. E | , W | 7. M. | |
| (f) Is a | vater to be retur | ned to any | stream?(Yes or No) | |
| | | | oint of return | |
| | · · · · · · · · · · · · · · · · · · · | Sec | , Tp(No. N. or S.) | , R, W. M. |
| (h) The | e use to which p | ower is to b | e applied is | . |
| (i) The | e nature of the n | nines to be s | erved | • ,) \(\) = \(\) 2 \(\) |

| WITNESS my hand this day of, 19, 19 | funicipal or Domestic Supply— | 39960 |
|--|---|-------------------|
| the an estimated population of the state number of families to be supplied (b) If for domestic use state number of families to be supplied (however questions 11. 12. 13. and 11 in sil cases) 11. Estimated cost of proposed works, \$ | 10. (a) To supply the city of | |
| the an estimated population of the state number of families to be supplied (b) If for domestic use state number of families to be supplied (however questions 11. 12. 13. and 11 in sil cases) 11. Estimated cost of proposed works, \$ | | |
| Answer questions 11. It. It and It is all correct 11. Estimated cost of proposed works, \$ 3.5 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + 4 + | , | |
| 11. Estimated cost of proposed works, \$ 5.5.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2 | (b) If for domestic use state number of families to be supplied | |
| 11. Estimated cost of proposed works, \$ 5.5.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2 | | |
| 212. Construction work will begin on or before 4-15-7-5 213. Construction work will be completed on or before 10-1-77 214. The water will be completely applied to the proposed use on or before 10-1-75 Plan to Put in largue pump in 77 X Jack Shadurur of applicantial discontinuous disc | | |
| 13. Construction work will be completed on or before 10-1-77 14. The water will be completely applied to the proposed use on or before 10-1-75 Plan to put in langur pump in -77 X Jack Liminature of applicants Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, u corrections on or before WITNESS my hand this | | |
| 14. The water will be completely applied to the proposed use on or before 12-1-7-5 Plan to part in larger pump in -77 X Jack Shall Silignature of application Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, u corrections on or before, 19 WITNESS my hand this | | ••••• |
| Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, we corrections on or before WITNESS my hand this day of | | |
| Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, usorrections on or before WITNESS my hand this day of , 19 | 14. The water will be completely applied to the proposed use on or before | <u>'- /- /-</u> |
| Remarks: STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, uncorrections on or before | Flan to put in larger pump in - 17 Yaak Shell (Signature of applie) | und. |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, user rections on or before | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, uncorrections on or before WITNESS my hand this | Remarks: | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, u corrections on or before | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, uncorrections on or before | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, uncorrections on or before | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, u corrections on or before | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, uncorrections on or before | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, uncorrections on or before | | |
| STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, uncorrections on or before | | |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | | , |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | · · · · · · · · · · · · · · · · · · · | |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | | |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | | ••••• |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | | |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | | |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | | |
| County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for | | |
| This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for | <i>ss</i> . | |
| In order to retain its priority, this application must be returned to the State Engineer, use corrections on or before | | 47. 47 |
| In order to retain its priority, this application must be returned to the State Engineer, use or rections on or before | | |
| WITNESS my hand this day of | naps and data, and return the same for | ••••• |
| WITNESS my hand this day of | | |
| WITNESS my hand this day of, 19, 19 | In order to retain its priority, this application must be returned to the | State Engineer, w |
| STATE ENGINE | corrections on or before, 19, | |
| STATE ENGINE | | |
| | WITNESS my hand this day of | 19 |
| | | |
| | | |
| · | | STATE ENGINEE |
| ••• | n. | |

| STATE | OF | C | REGON, | | |
|-------|------|----|---------|---|-----|
| Coun | tu o | of | Marion, | } | ss. |

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

| and sh | The right herein g | ranted is limited to the 0.57 cubic fee in case of rotation with | e amount of wat | er which can be appli asured at the point of | f diversion from the |
|---|--|---|------------------------|---|--|
| | The use to which t | this water is to be appl | ied isirrigat | ion | |
| | | his appropriation shall | | | |
| ofnot | t to exceed 2½ | for each acre irrigated acre feet per acre | for each acr | e_irrigated_durin | g the irrigation |
| seasor | of each year; | | | | |
| | | | | | |
| | | | | | |
| and sh | hall be subject to | such reasonable rotati | on system as mo | y be ordered by the | proper state officer. |
| | | of this permit isAr | | | |
| there | after be prosecuted | d with reasonable dilig | ence and be com | pleted on or before O | ctober 1, 19.7.7 |
| | | tion of the water to the | | i i | ore October 1, 19.78 |
| | WITNESS my na | nd this16th dag | | SOURCES DIRECTOR | |
| Application No. 5 2763 39960 Permit No. | PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON | This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of 40 ml. 1975, at 9.47 o'clock 1.M. | Returned to applicant: | Approved: Recorded in book No. 39960 | STATE ENGINEER Drainage Basin No. 2. page 86.C. |