To Appropriate the Public Waters of the State of Oregon

<i>I</i> , .	George I. Potterson (Name of applicant)
	whe 2 Box 252 B , Albany (City)
	Oregon, 97321, do hereby make application for a permit to appropriate the
following	described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If t	the applicant is a corporation, give date and place of incorporation
1.	The source of the proposed appropriation is
	, a tributary of Cracker Creek
2 .	The amount of water which the applicant intends to apply to beneficial use is
cubic feet	(If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied is
4. !	The point of diversion is located 260 ft. M and 370 ft. S from the SE
corner of	the Vistor Placer Claim (Section or subdivision)
	(If preferable, give distance and bearing to section corner)
	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being with	hin the NW4 SW4 of Sec. 33 Tp. 85
	(Give smallest legal subdivision) (N. or S.) W. M., in the county of Baker
(E. or	The
1.	, terminating in the
R	, W. M., the proposed location being shown throughout on the accompanying map.
Diversion	DESCRIPTION OF WORKS Works—
6 .	(a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
rock and brus	sh, timber crib, etc., wasteway over or around dam)
(b)	Description of headgate(Timber, concrete, etc., number and size of openings)
(c)	If water is to be pumped give general description
••••••	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
•••••	

[•] A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal	System	or Pipe	Line-
-------	--------	---------	-------

idgate. At hed	adgate: width on	top (at water l	ine)	feet; width on bottor
				feet fall per on
ousand feet.				water line)
				of water feet
	feet fall			
				in.; size at200 ft
m intake	3/4 in.; s	rize at place of	usein.;	difference in elevation between
ake and place	of use,90	ft. Is	grade uniform?	Estimated capacity
0.7	•		·	
8. Locatio	Range	rigated, or pla	ce of use	
Township North or South	E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
85	37E	32	NE'4 SE'4	House
	and the second s	, .		
A STATE OF THE STA				W.
4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				
			·	
(a) Chana	oten of soil		required, attach separate sheet)	
(b) Kind	of crops raised	••••••		
wer or Minin	g Purposes—			
9. (a) To	tal amount of pou	ver to be devel	loped	theoretical horsepower
(b) Qu	antity of water t	o be used for	pow er	sec. ft.
(c) To	tal fall to be util	ized	feet.	
(d) Th	e nature of the w	orks by means	of which the power is to	be developed
(e) Su	ch works to be lo	ocated in		of Sec
	, R. (No. E.			
(1) 18	water to be retur	nea to any str	eam?(Yes or No)	
191-11	so name stream	and locate poli	it of return	
	······································	Sec	, Tp	, R, W. M.
			(No. N. or S	.) (No. E. or W.)
	a nature of the m			

Municipal or Domestic Supply—	3999
10. (a) To supply the city of	
County, having a presen	at population of
nd an estimated population of	,
(b) If for domestic use state number of	families to be supplied
	12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or before	
11. Estimated cost of proposed works, \$12. Construction work will begin on or before13. Construction work will be completed on or	or hatora
14. The water will be completely applied to th	e proposed use on or before
	(Signature) of applicant)
:	- Les D'allerson
Remarks:	
	* •
TATE OF OREGON,	
County of Marion, ss.	
	oregoing application, together with the accompany
aps and data, and return the same for	letion
In order to retain its priority this applic	ation must be returned to the State Engineer, u
orrections on or before July 7	, 19
WITNESS my hand this day of	lay , 1975 , 75
APINA	
CEIVED	CHRIS L. WHEELER
JUL 0 7 1975	STATE ENGINEE

WATER RESOURCES DEPT. SALEM, OREGON

Wayne J. Overcash Assistant

PERMIT

STATE OF OREGON,) ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		ranted is limited to t				
		0.005 cubic fe				
stream,	or its equivalent	in case of rotation w	ith other wate	er users, fro	om	
				•		
7	The use to which t	his water is to be app	olied isdome	stic use	for one fami	l y
						<u> </u>
	f for irrigation, t	his appropriation sho	all be limited	to	of	one cubic foot per
		for each acre irrigat				
	-					
••••••			••••••			
•••••					<u></u>	
•••••			•••••	•••••		
••••••		·····				
•						
	•					
and sh	iall be subject to	such reasonable rota	ition system a	s may be o	rdered by the p	proper state officer.
	The priority date	of this permit is	Apr.il	11, 1975		
		on work shall begin				
		d with reasonable dil				
		tion of the water to t				e October 1, 19 <u>19</u>
	WITNESS my ha	nd this16th 0	lay ofAp	Dam		/s,
					er i	STATE-BACKMER
	n	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	K	· •	. of	
	ບ	in th Oregon				page 2.4.J
	1 -	ed ed.			4	Na l
202	VBLI	eive lem,	li i		9	АТЕ
39994	T THE PUBLI E STATE ON	st receive at Salem, for L	li i		39994	STATE 1
39994	H H H NO.	nas first receive yineer at Salem, fApri_/				STATE
		ent was first receive te Engineer at Salem, day of			ook No	0
nit No.		strument was first receive e State Engineer at Salem, '' 4 day of			ook No	0
Application No. 39994 Permit No.	TATE OF THE OREC	us first receiveneer at Salem April	to applicant:	Approved:	Recorded in book No. 3999 Permits on page	