

RECEIVED

Permit No. 40020

APR 21 1975

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 48777

To Appropriate the Public Waters of the State of Oregon

We Stephen W. Blare and Virginia G. Blare
(Name of applicant)
of 5520 S.W. DOWNS VIEW CT, PORTLAND,
(Mailing address) (City)
State of OREGON, 97221, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is an unnamed stream
(Name of stream)
....., a tributary of Panther Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second ~~0.01~~
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic supply, 1 family
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 934 ft. S and 50 ft. W from the 1/4
(N. or S.) (E. or W.)
corner of common to sections 17 and 20 Township 3 S. Range 5 W.
(Section or subdivision)
W. M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 of the NE 1/4 of Sec. 20, Tp. 3 S,
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Yamhill
(E. or W.)

5. There is an existing pipeline extending
The NW 1/4 of the NW 1/4 to be 14.15 feet (approx.)
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 of the NE 1/4 of Sec. 20, Tp. 3 S,
(Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

One Family at House A
(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before Water in use

Since July 31, 1966

April 18, 1975

Stephen W. Blave
(Signature of applicant)
Virginia J. Blave

Remarks: Applicants own the property identified on the map by Tax Lot
Numbers 2035-7-1-1, 2035-7-1-2 and 2035-7-2-1-1

Applicants' House A and the pipeline extending from the point of diversion
and connected to House A (except for the connection to House B) were in existence
when applicants purchased, July 31, 1966, the property identified by Tax Lot
No. 2035-7-1-1 (Deed recorded Vol. 54, Page 295) and started use of water.

House B was subsequently built and connected to the pipeline. There
are no other houses connected to the pipeline.

Applicants have easements to maintain the pipeline on property crossed
by the pipeline. Pertinent deeds are recorded at ~~Vol. 54~~ Vol. 54, Page 295,
Vol. 54, Page 402, Vol. 61, Page 956 and Vol. 62, Page 234-235.

Applicants have also filed a Notice of Intention To File a Claim
under Certificate of Water Right No. 24447. If such claim is filed
and allowed, this application will be withdrawn.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before July 21, 1975.

WITNESS my hand this 21st day of May, 1975.

CHRIS L. WHEELER

STATE ENGINEER

By

Wayne J. Overcash
Wayne J. Overcash

ASSISTANT

RECEIVED
JUN 25 1975
STATE ENGINEER
SALMON, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.005..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, froman unnamed stream.....

The use to which this water is to be applied isdomestic use for one family.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isApril 21, 1975.....

Actual construction work shall begin on or beforeApril 16, 1977..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19..77..

Complete application of the water to the proposed use shall be made on or before October 1, 19..78..

WITNESS my hand this ..16th..... day of ..April....., 1976

James B. [Signature]
WATER RESOURCES DIRECTOR

Application No. 25025
Permit No. 40020

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of April, 1975, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 40020 of Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 20B21

Fees