

RECEIVED

AUG 13 1975

WATER RESOURCES DEPT  
SALEM, OREGON

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 46433

To Appropriate the Public Waters of the State of Oregon

I, BYRON D. MEADOWS

(Name of applicant)

of Route 1, Box 450

(Mailing address)

Tidewater

(City)

State of Oregon

97390

(Zip Code)

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Bain Creek

(Name of stream)

, a tributary of Alsea River

2. The amount of water which the applicant intends to apply to beneficial use is .03

cubic feet per second

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic, including irrigation not to

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

exceed 1/2 acre lawn & garden

4. The point of diversion is located 1025 ft. N and 350 ft. E from the SW

(N. or S.)

(E. or W.)

corner of NE 1/4 of Sec. 32 on an A2 of 42+

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4, NE 1/4 of Sec. 32, Tp. 13 S

(Give smallest legal subdivision)

(N. or S.)

R. 10 W, W. M., in the county of Lincoln

(E. or W.)

5. The pipe line

(Main ditch, canal or pipe line)

to be 950

(Miles or feet)

in length, terminating in the SW 1/4, NE 1/4

(Smallest legal subdivision)

of Sec. 32

Tp. 13 S

(N. or S.)

R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works— 2' high

6. (a) Height of dam catch basin feet, length on top 5 feet, length at bottom

4

feet; material to be used and character of construction Timber cribbing

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 950 ft.; size at intake,  $\frac{1\frac{1}{4}}{4}$  in.; size at 900 ft. from intake 1" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 300 ft. Is grade uniform? Steep Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use Home, lawn & garden

Township <del>XXXXXX</del> South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S	R 10 W	32	SW $\frac{1}{4}$ NE $\frac{1}{4}$	Domestic use not to exceed $\frac{1}{2}$ acre lawn & garden

(If more space required, attach separate sheet)

(a) Character of soil .....  
(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
(b) Quantity of water to be used for power ..... sec. ft.  
(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....


(i) The nature of the mines to be served .....

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of) and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied **Three**.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ **1,000**.....
- 12. Construction work will begin on or before **Completed**.....
- 13. Construction work will be completed on or before **Completed**.....
- 14. The water will be completely applied to the proposed use on or before **Completed and in use**.....

  
(Signature of applicant)

Remarks: **The pipeline and holding tank and catch basin have been installed and have been in use for 25 years or more.**

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

40070

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Bain Creek

The use to which this water is to be applied is domestic use for 3 families, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 13, 1975

Actual construction work shall begin on or before April 16, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 16th day of April, 1976.

James C. [Signature] Water Resources Director  
STATE ENGINEER FH  
S

Application No. 53056  
Permit No. 40070

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the Water Resources Director office of the State Engineer at Salem, Oregon, on the 13th day of August, 1975, at 2:20 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. 40070 of Permits on page

Water Resources Director

Drainage Basin No. LB page 126

Fees