

RECEIVED

Permit No. 40122

SEP 17 1975

WATER RESOURCES DEPT. *APPLICATION FOR PERMIT
SALEM, OREGON

CERTIFICATE NO. 45599

To Appropriate the Public Waters of the State of Oregon

I, William Archie Sturdevant (Name of applicant)

of Route 2, Box 61-C (Mailing address), Philomath (City)

State of Oregon, 97370 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. The source of the proposed appropriation is spring (Name of stream), a tributary of S. fork of Marys River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cfs cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is domestic supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2350 ft. N and 2920 ft. W from the SE corner of Section 29 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 of Sec. 29, Tp. 12S (Give smallest legal subdivision) (N. or S.)

R. 6W (E. or W.), W. M., in the county of Benton

5. The pipe line to be 1,000 ft. (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 SE 1/4 of Sec. 29, Tp. 12S (Smallest legal subdivision) (N. or S.)

R. 6W (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description gravity flow system (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 3.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1,000.....

12. Construction work will begin on or before complete.....

13. Construction work will be completed on or before complete.....

14. The water will be completely applied to the proposed use on or before in use.....

William Archie Stordewant
(Signature of applicant)

Remarks: Refer to permit 10797 and/or permit 9536 for legal descriptions.

This spring and water distribution system supplies water to three
rental houses owned and directly operated by the applicant.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for three families

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 17, 1975

Actual construction work shall begin on or before May 3, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977...

Complete application of the water to the proposed use shall be made on or before October 1, 1978...

WITNESS my hand this 3rd day of May 1976

James P. Jensen
WATER RESOURCES DIRECTOR

Application No. 53642
Permit No. 40122

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17 day of September, 1975, at 8 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. _____ of 40122 Permits on page _____

STATE ENGINEER

Drainage Basin No. 2 page 22K

Fees _____