## RECEIVED

Permit No. 40124

SEP2 2 1975

CERTIFICATE NO:\_ 53783

WATER RESOURCES DEPPLICATION FOR PERMIT
SALEM, OREGON

## To Appropriate the Public Waters of the State of Oregon

$\mathcal{T}$	0. Box 522		Powers
	(Mailin	ng address)	(City)
ite of .	OREGON	, 97466 , do he	ereby make application for a permit to appropriate the
lowing	described public water	rs of the State of C	Pregon, SUBJECT TO EXISTING RIGHTS:
If t	the applicant is a corpor	ration, give date an	d place of incorporation
1.	The source of the propo	osed appropriation	UNAMED STREAM POD#1 is 50. FORK GOQUILLE R. POD#2 (Name of stream)
•••••	······	, a trib	utary of COQUILLE RIVER
			ntends to apply to beneficial use is
bic fee	t per second 0.05 C	FS. FROM P.	D.D. HI WITH ANY DIFFERENCE HADE UP FROM P.E. sed from more than one source, give quantity from each)
<i>3</i> .	The use to which the w	pater is to be applie	d is
4.	The point of diversion	#1, 810 is located \$1.0	ft. N and 1950 ft. W from the 5E
ner of	SEC.12	(Se	
· • • • • • • • • • • • • • • • • • • •			
••••••			
••••••	(I	f preferable, give distance a	nd bearing to section corner)
••••••			
ng wit	hin the 1, SE 14 SE	smallest legal subdivision	must be described. Use separate sheet if necessary)  SE // of Sec. 12., Tp. 3/5.  (N. or S.)
/ 2 (E. o	W. M., in the co	ounty ofCoc	<u>)                                    </u>
<b>5</b> .	The PIPELIN	E	to be 450 FT.
length	, terminating in the	SWY SEYY	(Miles or feet)
/2_	W. M., the p	oroposed location be	eing shown throughout on the accompanying map.
version	n Works—	DESCRIPTION	ON OF WORKS
<b>6</b> .	(a) Height of dam	feet, l	ength on top feet, length at bottom
••••••	feet; material to	be used and chara	cter of construction(Loose rock, concrete, masonry,
and brus	sh, timber crib, etc., wasteway ove	er or around dam)	
(b)	Description of headga	te	(Timber, concrete, etc., number and size of openings)
(c)	If water is to be pump	ed give general des	cription 3H.P. GASOUNE 11.P. QUE

Canal System or		agah maint of	canal where materially chan		a miles from	
headgate. At headgate: width on top (at water line) feet; width on botto feet; depth of water feet; grade feet fall per on						
housand feet.	·		eadgate: width on top (at w			
	feet; width on b	ottom	feet; depth o	f water	feet;	
grade	feet fall	per one thou	sand feet.			
(c) Length	ı of pipe,	ft.;	size at intake,	in.; size at	ft.	
from intake	in.; s	size at place o	of use in., di	fference in elev	ation between	
intake and place	of use,	ft. 1	s grade uniform?	Estim	ated capacity,	
8. Locatio	sec. ft. n of area to be in	rrigated, or p	lace of use			
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres	To Be Irrigated	
315	12 W	12	SEYY SEYY	1.9		14500 1554
			SWYY SE VY	2.3		., .
				4.3		
				1		
( ) ()			ce required, attach separate sheet)			
			EN + PASTURE			
(b) Kina	of crops raisea		>			
Power or Mini	-	onnom to ha da	veloped	theoretic	al horsepower	
					, <b></b>	•
			or powerfeet	sec. ju.		
	. · · · · · · · · · · · · · · · · · · ·		(Head) feet.	he developed		
(d) T	he nature of the	works by med	ans of which the power is to	de developed	•••••••••••	
(e) S	uch works to be	located in	(Legal subdivision)	of Sec		.,
	, R(No.					
			stream?(Yes or No)			
			point of return			
, , ,			, Tp(No. N. or S.			1.
			be applied is			
			served			

ASSISTANT

## PERMIT

STATE OF OREGON,	)
County of Marion.	ss.

SUB	JECT TO EXIST	y that I have e ING RIGHTS	xamined the and the follow	foregoing appli ving limitations	cation and do h s and conditions	ereby grant the same, :
						oplied to beneficial use
and s	shall not exceed	0.05	cubic feet pe	r second measu	red at the point	of diversion from the
strea Wate in t from	m, or its equivale r to be divert the available s	nt in case of ro ed from the upply from t k Coquille R	tation with or unnamed straine unnamed strained	ther water user. ream when ave stream to be led that the	s, from Fork ( dilable with a made up by a total quanti	Coquille River  Iny deficiency  Appropriation  ty diverted from
	The use to which			•••••••••••••••••••••••••••••••••••••••		
<b></b>		this appropria	tion shall be	limited to 1	/80th	of one cubic foot per
						d to a diversion
of n	ot to exceed 2	acre feet	per acre fo	r each acre	irrigated dur	ing the irriga-
tion	season of eac	h year,	••••••••••	•••••	·····	
•••••						
******	4					
••••••						
•••••••	••••••••••••••••••••••••••••••••		· · · · · · · · · · · · · · · · · · ·	•••••		2.8
*******			19.5	•••••		*
	The priority date Actual constructi after be prosecuted Complete applica	e of this permit on work shall to d with reasonal tion of the wate	t isbegin on or beble diligence of	September 22, efore May 3 and be complete osed use shall be	1975  1977  ed on or before ( e made on or bej	ore October 1, 19 <b>78</b>
	WITNESS my ha	na this <b>Ixa</b>	day of	May		
				WATER RESOU	RCES DIRECTOR	Sent Sent Co
Application No. 40124  Permit No. 40124	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the	19 Z at oo'clock LV. Returned to applicant:	Approved:	Recorded in book No. of Permits on page 40124	STATE ENGINEER  Drainage Basin No. 17 page 22-V  Fees