

RECEIVED

Permit No. 40180

FEB 19 1976

CERTIFICATE NO. 49524

WATER RESOURCES DEPT.
SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Gary J. Heisler and Martha A. Heisler
(Name of applicant)
of Rt. 1, Box 9
(Mailing address), Canyonville
(City)
State of Oregon, 97517
(Zip Code), do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Pat O'Shea Creek
(Name of stream), a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 125
cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation, Livestock
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
125 Irrigation, 01 Livestock

4. The point of diversion is located 450 ft. North and 350 ft. West from the S.E.
(N. or S.) (E. or W.)
corner of the NE 1/4 SE 1/4 Section 27 Township 30 South
(Section or subdivision)
Range 5 West W.M.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 27, Tp. 30 South
(Give smallest legal subdivision) (N. or S.)
R. 5 West, W. M., in the county of Douglas

5. The irrigation pipe to be 800 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE 1/4 SE 1/4 of Sec. 27, Tp. 30 South,
(Smallest legal subdivision) (N. or S.)
R. 5 West, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 hp electric pump
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 750.00
- 12. Construction work will begin on or before June 1976
- 13. Construction work will be completed on or before June 1977
- 14. The water will be completely applied to the proposed use on or before June 1978

Gay J. Heisler
(Signature of applicant)
Martha R. Heisler

Remarks: We will be watering between 5 and 10
head of cattle and about 5 horses. We have a
concrete water tank near our barn, about 300
feet from the creek. We will run a 3/4" plastic
pipe from the same point the irrigation pump will
be located. The water tank holds about 100 gals.
At present the livestock have access to the creek;
the access is denoted by an X on the accompanying
map.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before May 5, 1976.

WITNESS my hand this 5th day of March, 1976.

James E. Sexson
James E. Sexson,
Director

By *Vestal R. Garner*
Vestal R. Garner
ASSISTANT

RECEIVED
MAY 10 1976
STATE ENGINEER
SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.14 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Pat O'Shea Creek

The use to which this water is to be applied is irrigation and stock, being 0.13 c.f.s. for irrigation and 0.01 c.f.s. for stock.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 19, 1976

Actual construction work shall begin on or before May 3, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977.

Complete application of the water to the proposed use shall be made on or before October 1, 1978.

WITNESS my hand this 3rd day of May, 1976.

James E. Sherman
WATER RESOURCES DIRECTOR

Application No. 53928
Permit No. 40180

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 19 day of February, 1976, at 11 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 40180 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 371

Fees