

JAN 20 1976

WATER RESOURCES DEPARTMENT
STATE OF OREGON
***APPLICATION FOR PERMIT**

CERTIFICATE NO. **45928**

To Appropriate the Public Waters of the State of Oregon

I, Forrest Solomon (Name of applicant)

of 33662 East Park Drive, Creswell (Mailing address) (City)

State of Oregon, 97426 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream (Name of stream)

, a tributary of the Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic supply for two dwellings and irrigation of two gardens. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 419 ft. S and 1370 ft. W from the NE corner of Section 18, T. 22 S., R. 8 W. (N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW¹ of NE¹ of Sec. 18, Tp. 22 S., R. 8 W., W. M., in the county of Douglas (Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The Pipe line to be 1,300 feet in length, terminating in the SW¹ of SE¹ of Sec. 7, Tp. 22 S., R. 8 W., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 4 feet, length at bottom 5 feet; material to be used and character of construction concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description No (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1,300 ft.; size at intake, 1½ in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, 60 ft. Is grade uniform? ...yes..... Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
22 S	8 W	7	SW¼ SE¼	Dom ② L & G

(If more space required, attach separate sheet)

(a) Character of soil loam

(b) Kind of crops raised garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied two.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.500.....
- 12. Construction work will begin on or before Now complete.....
- 13. Construction work will be completed on or before Now complete.....
- 14. The water will be completely applied to the proposed use on or before ...present.....

West Selmon
(Signature of applicant)
FEB 23, 1976

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream

The use to which this water is to be applied is domestic use for two families, including the irrigation of lawn and garden not to exceed 1/2 acre in area for each family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 26, 1976

Actual construction work shall begin on or before May 3, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1977...

Complete application of the water to the proposed use shall be made on or before October 1, 1978...

WITNESS my hand this 3rd day of May 1976

James C. Laxon
WATER RESOURCES DIRECTOR

Application No. 22812
Permit No. 40202

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26 day of January 1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page 40202

STATE ENGINEER

Drainage Basin No. 16 page 214

Fees