

SM-
WATER RESOURCES DEPT.
COLUMBIAN BLDG.

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Galord Lambeth

(Name of applicant)

of Canyon City

(Mailing address)

(City)

State of Oregon, 97820

(Zip Code)

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Little Pine Creek

(Name of stream)

, a tributary of John Day River

2. The amount of water which the applicant intends to apply to beneficial use is 1.0

cubic feet per second

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is mining

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 725 ft. N. and 100 ft. E. from the SE

(N. or S.)

(E. or W.)

corner of Section 6, Twp. 14 South, Range 32 East, W.M.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 6 of Sec. 5, Tp. 14 S.

(Give smallest legal subdivision)

(N. or S.)

R. 32 E., W. M., in the county of Grant

(E. or W.)

5. The ditch to be approximately 1/2 Mile

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the ~~Lot 1~~ (Lot 1) of Sec. 6, Tp. 14 S.

(Smallest legal subdivision)

(N. or S.)

R. 32 E., W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete base, timbered frame, metal facing;

(Timber, concrete, etc., number and size of openings)

opening 12 in. wide, 10 in. high.

(c) If water is to be pumped give general description No

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Assigned See Misc. Rec. Vol. 8 Page 388

ASSIGNED, See Misc. Rec., Vol. 7 Page 3030

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$10 to \$15 for headgate; \$20 for pipe

12. Construction work will begin on or before began prior May 1, 1973

13. Construction work will be completed on or before May 1, 1973

14. The water will be completely applied to the proposed use on or before May 1, 1974

Robert J. Lamb
(Signature of applicant)

Remarks: SEDIMENT REMOVAL: Two settling ponds are to used. The

first is approximately 75X100 feet in area and at least 6 feet deep. The second is more in the nature of a catch ditch following the contour of the hill. It is approximately 12X150 in area and at least 3 feet deep.

OPERATIONS, EQUIPMENT, ETC.: This is a placer mining operation. The type of soil is essentially gold bearing gravel and sand deposits on bedrock. A fire hose nozzle is used directly on the end of the plastic pipe in the system, the nozzle having an adjustable opening of 3/4 to 1 inch. Water pressure is obtained by the drop in elevation from point of diversion and is sufficient for this operation. The hose nozzle is used for periods of 3 to 4 hours to move and loosen the gravelly deposits. This material is then washed through a sluice box using water from the ditch not under pressure. The operation does not require 24 hour a day water. It is carried out in several steps, only the first step of moving the deposits requiring full use of water for periods of not more than 4 hours. The remainder of the operation requires only enough water to wash the materials through the sluice box. Timing of each step planned so the capacity of the settling ponds is not exceeded. There are times when not all steps of the operation are carried out in one day, but stretched over two or more days.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Little Pine Creek

The use to which this water is to be applied is mining

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

This permit is issued subject to the maintenance and use of adequate treatment facilities to remove the sediment before returning the water to the stream.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 29, 1976

Actual construction work shall begin on or before May 17, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 17th day of May, 1976

James E. Sexton
WATER RESOURCES DIRECTOR

Application No. 51779
Permit No. 40285

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 29th day of March, 1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Permits on page 40285

STATE ENGINEER

Drainage Basin No. 6 page 22 J

Fees 2000