

SEP - 2 1975

WATER RESOURCES DEPT. APPLICATION FOR PERMIT SALEM, OREGON

CERTIFICATE NO. 54245

To Appropriate the Public Waters of the State of Oregon

I, Ardys Markus of P.O. Box 6, Silver Lake, Oregon 97638, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is a spring, a tributary of Summer Lake.
2. The amount of water which the applicant intends to apply to beneficial use is 0.08 cfs being 0.005 for Dam & 0.075 for Irrigation and irrigation.
3. The use to which the water is to be applied is Domestic/including up to 3 acres of lawn, garden & wild plums.
4. The point of diversion is located 450 ft. N and 330 ft. W from the S.E. corner of Section 4.

(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the S.E. 1/4 S.E. 1/4 of Sec. 4, Tp. 31 S, R. 16 E, W. M., in the county of Lake.
5. The Pipe line to be 1.108 ft. in length, terminating in the NW 1/4 NW 1/4 of Sec. 10, Tp. 31 S, R. 16 E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

- 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction.
(b) Description of headgate.
(c) If water is to be pumped give general description.

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1108 ft.; size at intake, 3 in.; size at 186 ft. from intake 1 1/2 in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 185 ft. Is grade uniform? No Estimated capacity, 0.05 sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Handwritten entries include '31S', '16E', '10', 'NW 1/4 NW 1/4', '3.0 + Dom', and various measurements like '900.00' W OF CORNER MARKER'.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.08 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use for one family and irrigation, being 0.005 c.f.s. for domestic and 0.075 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 2, 1975

Actual construction work shall begin on or before May 17, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 17th day of May 1976.

James E. Livan
WATER RESOURCES DIRECTOR

Application No. 40324
Permit No. 40324

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of September, 1975, at 8 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 40324 of Permits on page 42

STATE ENGINEER

Drainage Basin No. 13 page 42
Fees 45.00