

RECEIVED

Permit No. 40345

OCT 22 1975

WATER RESOURCES DEPT. SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 57483

To Appropriate the Public Waters of the State of Oregon

I, Corwin Myrtle Johnson, of 2620 Fish Hatchery Rd., Grants Pass, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Apple Gate River, a tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second

3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 660 ft. N. and 1110 ft. E. from the center corner of Section 16

being within the SW 1/4 - NE 1/4 of Sec. 16, Tp. 37S, R. 6W, W. M., in the county of Josephine

5. The pipeline to be 660 in length, terminating in the SW 1/4 - NE 1/4 of Sec. 15, Tp. 37S, R. 6W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Electric - Centrifugal 1/2 HP single phase

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 660 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>378.</u>	<u>6W</u>	<u>16</u>	<u>SW 1/4 - NE 1/4</u>	<u>2 acres.</u>

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised Garden + Trees (Fruit) pasture.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500⁰⁰ (or more) ✓
- 12. Construction work will begin on or before October, 1976 ✓
- 13. Construction work will be completed on or before October, 1977 ✓
- 14. The water will be completely applied to the proposed use on or before October, 1978 ✓

Myrtle D. Johnson
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Applegate River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 22, 1975

Actual construction work shall begin on or before May 17, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 17th day of May, 1976

James E. Larson
WATER RESOURCES DIRECTOR

Application No. 40345
Permit No. 40345

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of May, 1976, at 10 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. 40345 of

Permits on page 40345

STATE ENGINEER

Drainage Basin No. 15 page 8.F

Fees 30.00