

RECEIVED

NOV 12 1975

WATER RESOURCES DEPT.
SALEM, OREGON**To Appropriate the Public Waters of the State of Oregon**Permit No. **40368**
"CERTIFICATE NO. **64798**"

I, Theodore E Stiewig,
 (Name of applicant)
 of 14 1/2 Camino Real P.O. Box 1701 Vallejo,
 (Mailing address) (City)
State of Calif., 94596, do hereby make application for a permit to appropriate the
 (Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is two springs, ⁽²⁾ ~~and wet weather springs~~
~~between these two, trib. of Jump~~ ^(Name of stream) ~~off Joe Creek,~~ ⁽²⁾ ~~Rogue River~~

2. The amount of water which the applicant intends to apply to beneficial use is .34
.33 from Spring #2 for irrigation
 cubic feet per second being .01 from Spring #1 for domestic use.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation and domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located #1-960' N 260' W
2-680' ft. N and 110' ft. W from the center
 corner of Section 24
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
 being within the S.E. 1/4 of NW 1/4 of Sec. 24, Tp. 35 S.,
(Give smallest legal subdivision) (N. or S.)

R. 7 W., W. M., in the county of Josephine
(E. or W.)

5. The pipeline to be 800' 2000'
(Main ditch, canal or pipe line) (Miles or feet)
 in length, terminating in the S.E. 1/4 of NW 1/4 of Sec. 24, Tp. 35 S.,
(Smallest legal subdivision) (N. or S.)

R. 7 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS**Diversion Works—**

6. (a) Height of dam feet, length on top feet, length at bottom
 feet; material to be used and character of construction
(Loose rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)
 (b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2000 ft.; size at intake, 2 in.; size at 300 ft. from intake $\frac{3}{4}$ in.; size at place of use $\frac{3}{4}$ in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? yes. Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

(If more space required, attach separate sheet)

(a) Character of soil Clay & loam

(b) Kind of crops raised trees, pasture, gardens

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.,
(Legal subdivision)

Tp. , *R.* , *W. M.*
(No. N. or S.) (No. E. or W.)

(g) If so, name stream and locate point of return

, Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000 00

12. Construction work will begin on or before Dec 1, 1976

13. Construction work will be completed on or before Dec 1, 1977

14. The water will be completely applied to the proposed use on or before Dec 1, 1978

This Estimating
(Signature of applicant)Remarks: Sec 24 SE 1/4 N E 1/4 NW 1/4; E 1/2 SW 1/4 NE 1/4 NW 1/4;
NE 1/4 SE 1/4 NW 1/4; E 1/2 NW 1/4 SE 1/4 NW 1/4 All in T35S R7 WNM

Location of houses.

Since you did not return the map I cannot locate
houses on it.Approximately 350 west of N-5 1/4 section line
Approx. 1200' & 1320' N of South 1/4 line.*Sorry*STATE OF OREGON, }
County of Marion, } ss.

I, This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before January 26, 1976.

WITNESS my hand this 26th day of November, 1975.

James E. Serson

Director

XXXXXX

By

James E. Serson

XXXXXX

PERMIT

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.34 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from 2 springs, being 0.01 c.f.s. from spring No. 1 for domestic and 0.33 c.f.s. from spring No. 2 for irrigation.

The use to which this water is to be applied is domestic use for two families and irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4½ acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 22, 1976

Actual construction work shall begin on or before May 17, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 17th day of May 19 76


WATER RESOURCES DIRECTOR
STATE ENGINEER

Application No. 53-154
Permit No. 40368

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 17 day of March,

1976 at 6 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 40368 of
Permits on page 15 page 78216

STATE ENGINEER

Drainage Basin No. 15 page 78216

Fees