*APPLICATION FOR PERMIT

*APPLICATION FOR PERMIT "CERTIFICATE NO. 63727 To Appropriate the Public Waters of the State of Oregon

I,	ROY and MARY	ANNE FREEMA	*****************		•••••			
of	ROUTE 1, BOX	166	(Name o	f applicant)	AMI TY			
State of	OREGON	(Mailing address) 97101	, do hereb	a maka ann	ligation for	(Ci		to the
		,•				2.4		te the
ollowing	described public	waters of the S	State of Oreg	on, SUBJE	CT TO EXI	STING R	IGHTS:	
If t	the applicant is a	corporation, giv	e date and p	lace of inco	rporation			
•	Not incorpor	ated	***************************************		·	•••••		······
1.	The source of the	proposed appro	priation is F	reeman Re	servoir No	. l and	No. 2	
	located on S	Salt Creek ar	ad Salt Cre	ek, ry of Sout	(Name) h Yamhill	of stream) River		
2.	The amount of we							
	t per second Res							•••••••
	-	(If wa	iter is to be used f	rom more than o	one source, give q			•••••
<i>3</i> .	The use to which	the water is to	be applied is	(Irrigation, 1	ATION power, mining, ma	nufacturing,	domestic supplies,	etc.)
	Point of Diver	sion No.1	3,140	N g	740 1 000	E		
4.	The point of dive	rstoff is tocated	ft.	(N. or S.)	d ft	(E. or W.)	from the	
orner of	Section 29,	T5S, R4W, W.	M. (Section	or subdivision)	••••••	•••••••••••••••••••••••••••••••••••••••	*	
•••••	·	. · · · · · · · · · · · · · · · · · · ·	•••••		•••••			·····
			•••••••••••	••••••••••		•••••		••••••
••••••••		(If preferable, g	ive distance and be	earing to section	corner)	••••••		•••••
•••••••	(If there is mor	••••						
eing wit	No.1 - S hin the No.2 - S	e than one point of div SW/4 NW/4 SW/4 NW/4		of S	Sec32	T	5S p5S	
44W	W. M., in					,	(N. or S	3.)
(E. 01	r W.)					1.50 et		
	The pipeline							•••••
n length	, terminating in t	he NE¼ SE¼		of S	Sec. 30	T	p. 58	,
	₩, W. M.,							
	ne from P.D. N					ine accon	ipunging me	φ.
-		DES	SCRIPTION	_	*			
	Works— DAM N (a) Height of dan			th on ton	64	faat	longth at h	ottom
٠.				_		•	•	
with r	t feet; mater reinforced cond	rial to be used a crete apron.	ind character cutoff wal	of constru ls. sidew	ction dismo	ountable vingwatt	flashboar 'andowwood	d dam
flashk	poards. Flashbook, timber crib, etc., waste to pass throu	ards to be r	emoved dur	ing high	stream flo	w perio	d allowing	floo
Waters	to pass throi	iway over or around da igh and over	dam.					
(0)	Description of h	eaagate	(Tir	nber, concrete, e	xc., number and s	ize of opening	gs)	
••••••••••••••••••••••••••••••••••••••					••••••	•••••		•••••
(c)	If water is to be	pumped give ge	neral descrip	tion P.D.	No.1 - 50	H.P.,	centrifuga	l pum
Electr	cic motor, 500	GPM capacity	, and 200	ft. T.D.H	· ·			
9 1	(Size	and type of engine or	motor to be used,	total head wate	r is to be lifted, e	tc.) r		
•	······································					***************************************		

^{*}A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System o	r Pipe Line—			
7. (a) Gi	ve dimensions at	each point of	canal where materially ch	nanged in size, stating miles fr
headgate. At he	adgate: width on	top (at water	r line)	feet; width on bott
				feet fall per o
tnousana jeet.				
				water line)
400 ton	feet; width on b	ottom	feet; depth	ı of water fe
grade	feet fall	per one thou	isand feet.	
No.1 (c) Lengt	h of pipe,3920)ft.	size at intake 8	in.; size at3920
				difference in elevation between
intake and place	of use,50	ft. 1	Is grade uniform? Yes	Estimated capaci
1.11	sec. ft(500	GPM) Pipe		rtable irrigation system nch pipe.
8. Locatio	n of area to be in	rigated, or p	lace of use	men prpe.
P.D. No. 1	Range E. or W. of Willamette Meridian			AND THE RESIDENCE OF THE PARTY
North or South T5S	Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
	N+W	29 29	SE¼ NW¼ SW¼ NW¼	15•5 17•2
		29	NWX SWX	34.4
		<u>29</u> 29	NEX SWA SEX SWA	26.6
		29	SW/4 SW/4	38.3
		30	NEW NEW	22.3
***************************************		<u>30</u> 30	NWX NEX SWX NEX	15.8 28.0
		30	SE% NE%	40.0
		30 30	NEX SEX NWX SEX	40.0 28.0
		30	SE¼ SE¼	40.0
		<u>30</u> 32	SW¼ SE¼ NW¼ NW¼	28.0
		32	NEX NWX	19.2 4.2 TOTAL 408
P.D. No. 2 T5S	R4W	31 31	NEX NEX NWX NEX	30.4
	I I	31	NW14 NE14 SW14 NE14	19.3
		31	SE% NE%	10.3
		32 32	NW¼ NW¼ SW¼ NW¼	8.2 2.9 TOTAL 72
		,		
		(If more space	required, attach separate sheet)	E - 481
(a) Charac	ter of soilWood	dburn, Amit	ty, Willamette	
(b) Kind o	of crops raised. (irass seed.	grain and hav	
	,	•••••••••••••••••••••••••••••••••••••••		······································
Power or Mining	Purposes—			(
9. (a) Total	al amount of pow	er to be deve	eloped	theoretical horsepowe
			power	-
				sec. jt.
(c) Tota	ıl fall to be utili	zed	feet.	
				be developed
	•		, and passed to the	
	•		•••••••••••••••••••••••••••••••••••••••	
(a) C	h works to be loc	ated in	(Tours with the last	of Sec
(e) Suc				· · · · · · · · · · · · · · · · · · ·
	R	1/1/		
(No. N. or S.)				
(No. N. or S.)			ream? — — —	

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—	
10. (a) To supply the city of	
	nt population of
and an estimated population of	in 19
(b) If for domestic use state number of	families to be supplied
(Annual cuestions 11	12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$30.	
12. Construction work will begin on or before	
•	or before October 1976
14. The water will be completely applied to th	ne proposed use on or beforeJuly 1977
	<i>5</i> — —
	(Signature of applicant) Trany Onnel Fraeman
	Mary anne treeman
Remarks:	
	<u> </u>
:	
	
STATE OF OREGON, ss.	
County of Marion, ss.	
	foregoing application, together with the accompanying
maps and data, and return the same for	
	······································
	cation must be returned to the State Engineer, with
corrections on or before	, 19
WITNESS my hand this day of	, 19
	STATE ENGINEER
	By

ASSISTANT

PERMIT

STATE OF OREGON,
County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: