

STATE OF OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 47829

To Appropriate the Public Waters of the State of Oregon

We, Laurens Cornelis & Rose Marie Driessen, of Rt 3 Box 360, Newberg, State of Oregon, 97132, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Ayers Creek, a tributary of Tualatin River.

2. The amount of water which the applicant intends to apply to beneficial use is 1/100 cubic feet per second.

3. The use to which the water is to be applied is domestic supplies and water for cattle.

4. The point of diversion is located 150 ft. N and 900 ft. E from the S.W. corner of Donation Land Claim of W.S. Ayers, Claim #50 Notification #5774 in Township 2 South, Range 3 West, W.M., Yamhill County.

SE 1/4 SW 1/4

being within the see above of Sec. 21, Tp. 2S, R. 3W, W. M., in the county of Yamhill.

5. The pipe line to be 600 feet in length, terminating in the same as part 4 of Sec. 21, Tp. 2S, R. 3W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top none feet, length at bottom none feet; material to be used and character of construction none.

(b) Description of headgate none.

(c) If water is to be pumped give general description one horsepower Jet Pump, 80 feet of head.

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) NONE feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At NONE miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 1 1/2 in.; size at 300 ft. from intake 1/2 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, house 20ft bar 60ft ft. Is grade uniform? Yes Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use NONE

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>25.</u>	<u>3W</u>	<u>21</u>	<u>NW 1/4 SW 1/4</u>	<u>Stock</u>
			<u>SW 1/4 SW 1/4</u>	<u>Dom. ①</u>

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed NONE theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of none

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... existing

12. Construction work will begin on or before existing

13. Construction work will be completed on or before existing

14. The water will be completely applied to the proposed use on or before existing

Rose Marie Drissen

(Signature of applicant)

Rose Marie Drissen

Remarks: The dwelling we now live in was built approximately in 1905. Residence has used water from Ayers Creek since that time but apparently never filed for water rights. The present system was in when we bought the place in 1973. The water is used for our domestic use and for a small cow herd. In order to avoid erosion, we pipe water to the cattle instead of letting them drink directly from creek.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Ayers Creek

The use to which this water is to be applied is domestic use for one family and stock

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 7, 1976

Actual construction work shall begin on or before May 17, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 17th day of May, 1976

James E. [Signature]
WATER RESOURCES DIRECTOR

Application No. 54118
Permit No. 40438

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7 day of April, 1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____ Permits on page 40438

STATE ENGINEER

Drainage Basin No. 2 page 62, 521

Fees 1000