

SM-1 V

Permit No. 40482

MAR 26 197

CERTIFICATE NO. 53493

WATER SOURCE DIST. SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Dr. Lowell Euhus (Name of applicant) of Box 430 (Mailing address), Enterprise (City), State of Oregon, 97828 (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Stream & Reservoir (Name of stream), a tributary of Wallowa River

2. The amount of water which the applicant intends to apply to beneficial use is 0.1 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Fish culture (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 670 ft. N. and 1390 ft. W. from the SE corner of section 2 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 2, Tp. 2 S., R. 44 E., W. M., in the county of Wallowa (Give smallest legal subdivision) (N. or S.)

5. The main ditch to be 100 feet in length, terminating in the SW 1/4 SE 1/4 of Sec. 2, Tp. 2 S., R. 44 E., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam Existing feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Wooden box 2'x2' x2' (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.10 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream and reservoir to be constructed under application No. R-54057, permit No. R-6454

The use to which this water is to be applied is fish culture

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 23, 1976

Actual construction work shall begin on or before June 23, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 23rd day of June, 1976

James E. Serra
WATER RESOURCES DIRECTOR

Application No. 54058
Permit No. 40182

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 23 day of March,
1976, at 11 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____
Permits on page 40182

STATE ENGINEER

Drainage Basin No. 8 page 38E
Fees 35.00