

RECEIVED

APR 2 1976

Permit No. 40550

"CERTIFICATE NO. 61686"

WATER RESOURCES DEPT
SALEM, OREGON

*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 349

To Appropriate the Public Waters of the State of Oregon

I, Robert H. and/or Rosane Simmons
(212 Gilmore Avenue) (Name of applicant)
of P. O. Box 455, Rogue River, (Mailing address) (City)
State of Oregon, 97537, do hereby make application for a permit to appropriate the (Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation N/A

1. The source of the proposed appropriation is Spring and Wards Creek (see remarks) (Name of stream)
a tributary of Rogue River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
cubic feet per second being 0.01 c.f.s. for domestic from Spring and 0.01 c.f.s. for irrigation from Spring and Wards Creek. (see remarks) (If water to be used from more than one source give remarks)

3. The use to which the water is to be applied is domestic and irrigation. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located from Spring 640 ft. S. and 1090 ft. E. from the NW (N. or S.) (E. or W.)
corner of Sec. 22 and (Section or subdivision)

The point of diversion from Wards Creek is located 690 feet S. and 1070 feet East from the NW corner of Section 22

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

both being within the NW 1/4 NW 1/4 of Sec. 22, Tp. 36 S. (Give smallest legal subdivision) (N. or S.)

R. 4 W., W. M., in the county of Jackson. (E. or W.)

5. The pipeline to be 500 feet (Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 22, Tp. 36 S. (Smallest legal subdivision) (N. or S.)

R. 4 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (2) - 1" x 3/4" centrifugal pumps and (2) 3/4 H.P. electric motors. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one family.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 350

12. Construction work will begin on or before one year from date of priority.

13. Construction work will be completed on or before October 1, 1978.

14. The water will be completely applied to the proposed use on or before October 1, 1979.

Robert H. Simmons
R. Simmons

(Signature of applicant)

Remarks: Any deficiency in 0.01 c.f.s. from Spring for irrigation will be made up with water from Wards Creek.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the a spring and Wards Creek, stream, or its equivalent in case of rotation with other water users, from being 0.005 c.f.s. from spring for domestic and 0.01 c.f.s. from spring and Wards Creek for irrigation. Water to be diverted from spring for irrigation when available with any deficiency in the available supply from the spring for irrigation to be made up by appropriation from Wards Creek

The use to which this water is to be applied is domestic use for one family and irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 21, 1976

Actual construction work shall begin on or before June 23, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 23rd day of June, 1976

James C. Simon
WATER RESOURCES DIRECTOR

Application No. 27162
Permit No. 40550

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 21 day of April 1976, at 8 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page 40550

STATE ENGINEER

Drainage Basin No. 15 page 78716

Fees