REGEIVED

MAY - 81976

WATER RESOURCES DEPTA

*APPLICATION FOR PERMIT

CERTIFICATE NO: 48769_

To Appropriate the Public Waters of the State of Oregon

	, Paul T. Hulse Coramae Hulse (Name of applicant)
of	Rural Route 1, Box 116 Dufur
State o	f
follow	ng described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
1	f the applicant is a corporation, give date and place of incorporation
	. The source of the proposed appropriation is Fifteenmile Creek
	(Name of stream) , a tributary of the Columbia River
	The amount of water which the applicant intends to apply to beneficial use is
cubic j	eet per second(If water is to be used from more than one source, give quantity from each)
	The use to which the water is to be applied isirrigation
:	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
	. The point of diversion is located 500 ft. S and 620 ft. W from the NE
corner	of Section 34 (Section or subdivision)
•••••••••••	
•	
	(If preferable, give distance and bearing to section corner)
1 !	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
	oithin the NE's NE's NE's of Sec. 34 Tp. 1 S (Give smallest legal subdivision)
R	E Wasco Wasco
5	. The pipeline to be 2200 feet (Miles or feet)
in leng	th, terminating in the NE4 SE4 of Sec. 27 Tp. 1 S (Smallest legal subdivision)
R]	3 E, W. M., the proposed location being shown throughout on the accompanying map.
Diversi	DESCRIPTION OF WORKS on Works—
6	. (a) Height of dam feet, length on top feet, length at bottom
••••••••	feet; material to be used and character of construction
rock and l	rush, timber crib, etc., wasteway over or around dam)
	b) Description of headgate(Timber, concrete, etc., number and size of openings)
	c) If water is to be pumped give general description
	30 hp electric (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

anal System or Pipe Line— 7. (a) Give dimensions at each point of canal where materially changed in size, stating miles frow adgate. At headgate: width on top (at water line) feet; depth of water feet; grade feet; grade feet; grade feet; width on bottom feet; (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; depth of water feet; grade feet; depth of water feet; depth of water feet; depth of pipe, feet; size at intake, in.; size at finitiate from intake from intake from feet; feet; depth of water feet; depth of w		1			40574
radgate. At headgate: width on top (at water line) feet; width on botto feet; depth of water feet; grade feet; grade feet fall per on ousand feet. (b) At miles from headgate: width on top (at water line) feet fall per on feet; width on bottom feet; depth of water feet feet feet; depth of pater feet fall per one thousand feet. (c) Length of pipe, feet; size at intake, in.; size at in.; difference in elevation betwee take and place of use, +10. to +80. ft. Is grade uniform? Yes. Estimated capacit sec. ft. 8. Location of area to be irrigated, or place of use. Township North w Bouth Williamste Meridian feeting fee	•	-			
feet; depth of water feet; grade feet; feet fall per or ousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at in.; difference in elevation betweet take and place of use, ±10. to ±80 ft. Is grade uniform? Yes Estimated capacit sec. ft. 8. Location of area to be irrigated, or place of use Township Williamstrie Meridian Section Forty-sere Treat Number Acres To Be Irrigated 1 S 13 E 27 NE4 SE4 7.4 SW4 SE4 7.2 SE4 SE4 30.5 34 NE4 NE4 10.9 TOTAL 56.0 (a) Character of soil Sandy 100mm (b) Kind of crops raised Grass hay	7. (a) Give	dimensions at	each point of	canal where materially cl	hanged in size, stating miles from
ousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; depth of water feet; depth of water feet; depth of water feet; depth of pater feet; width on bottom feet; depth of water feet; depth of wate	eadgate. At head	gate: width on	top (at water	line)	feet; width on botton
(b) At miles from headgate: width on top (at water line)	f	eet; depth of w	ater	feet; grade	feet fall per on
feet; width on bottom feet; depth of water feet ade feet ade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at intition in.; size at in.; difference in elevation between take and place of use, +10. to. +80. ft. Is grade uniform? Yes Estimated capacit sec. ft. 8. Location of area to be irrigated, or place of use Township Engage Number Acres To Be Irrigated 1 S 13 E 27 NE4 SE4 7.4 SP4 SE4 7.2 SE4 SE4 30.5 SE4 SE4 30.5 34 NE4 NE4 NE4 10.9 (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay were or Mining Purposes—		1	niles from h	eadgate: width on top (at	t water line)
ade					
(c) Length of pipe,					to, water jee
om intakein.; size at place of usein.; difference in elevation betwee cake and place of use,+10. to. +80ft. Is grade uniform?					
Township North or South Signature and place of use, the second signature and place of use the south of area to be irrigated, or place of use the south of area to be irrigated, or place of use the south of south south or south signature and the south of south signature and the south signature a	(c) Length	of pipe,	ft.;	size at intake,	in.; size at f
Sec. ft. 8. Location of area to be irrigated, or place of use Township North or South Township North or South 1 S 13 E 27 NE'4 SE'4 7.4 SW'4 SE'4 7.2 SE'4 SE'4 30.5 34 NE'4 NE'4 10.9 TOTAL 56.0 (It more space required, attach separate sheet) (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay	om intake	in.; s	ize at place o	f use in.,	; difference in elevation betwee
8. Location of area to be irrigated, or place of use Township North or South 1 S 13 E 27 NE'4 SE'4 7.4 SW'4 SE'4 7.2 SE'4 SE'4 30.5 SE'4 SE'4 10.9 TOTAL 56.0 (If more space required, attach separate sheet) Sandy 10am (b) Kind of crops raised Grass hay	take and place o	f use,+10 to	+80 ft. I	s grade uniform?	es Estimated capacity
Township North or South Range E. or W. of Williamster Meridian Section Forty-acre Tract Number Acres To Be Irrigated		•			
North or South Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated	8. Location	of area to be ir	rigated, or pl	ace of use	
SWA SEA 7.2 SEA SEA 30.5 34 NEA NEA 10.9 TOTAL 56.0 (It more space required, attach separate sheet) (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay	Township North or South	E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
SE½ SE½ 30.5 34 NE½ NE½ 10.9 TOTAL 56.0 (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—	1 \$	13 E	27	NE4 SE4	7.4
34 NE½ NE½ 10.9 TOTAL 56.0 (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—				SW4 SE4	7.2
TOTAL (If more space required, attach separate sheet) (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—				SE¼ SE¼	30.5
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—			34	NE'4 NE'4	10.9
(If more space required, attach separate sheet) (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—					
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—			,		
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—					7,0
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—					
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—					
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—					
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—					
(If more space required, attach separate sheet) (a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—					
(a) Character of soil Sandy loam (b) Kind of crops raised Grass hay wer or Mining Purposes—				TOTAL	56.0
(b) Kind of crops raised Grass hay wer or Mining Purposes—	(=) Ch				A A A A A A A A A A A A A A A A A A A
ower or Mining Purposes—	. :				
	(b) Kind of	crops raised !!!	rass nay	•••••••••••••••••••••••••••••••••••••••	
9. (a) Total amount of power to be developed theoretical horsepowe	wer or Mining	Purposes—			
	9. (a) Total	l amount of pou	ver to be deve	eloped	theoretical horsepower
	4) M 4 1	. 6		feet.	

(d) The nature of the works by means of which the power is to be developed

....., Sec., Tp., R., W. M.

(i) The nature of the mines to be served

(h) The use to which power is to be applied is

(g) If so, name stream and locate point of return

Tp. (No. N. or S.), R. (No. E. or W.), W. M.

(f) Is water to be returned to any stream?(Yes or No)

Municipal or Domestic Supply—	40574
10. (a) To supply the city of	
County, having a pre	sent population of
and an estimated population of	
	of families to be supplied
	s 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
	ore 1 May 76.
	n or before 1 June 76.
14. The water will be completely applied to	the proposed use on or before 1 June 76.
	Dr. 1. 1. 0. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
	Faul description (Signature of applicant)
	Coramon Tindi
Remarks:	<u> </u>
······································	
STATE OF OREGON,)	
County of Marion, ss.	
	e foregoing application, together with the accompany
maps and data, and return the same jor	
In order to nathin its missies ali-	Jiantian must be assumed to 3 of 5 of 5
	lication must be returned to the State Engineer, w
corrections on or before	, 19
WITNESS my hand this day of	, 19,
•	
	STATE ENGINEE
	Ву

• ASSISTANT

PERMIT

STATE	OF	0	REGON,		
Coun	tai c	.f	Marion	{	<i>ss</i> .

the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING		llowing limitations and		ficial use
The right herein grand shall not exceed			th can be applied to bene	
stream, or its equivalent	in case of rotation wit	h other water users, fr	om Fifteenmile Creek	
The use to which the	his water is to be appli	ed isirrigation		
		1/	80th of one cubi	
			ther limited to a di	
of not to exceed 3	acre feet per acre	for each acre irr	igated during the ir	rigation
season of each year	,			
<u> </u>				
		<u></u>		
	····			
••••				·
•		,		
and shall be subject to			rdered by the proper sta	
	of this permit is	W 2 1076		
	n work shall begin on		23, 1977	and shall
			on or before October 1, 19	78
		•	nade on or before October	1, 19
WITNESS my har	id thisZ3rd day	of June	, 19/6	
		VATER RESOURCE	ES DIRECTOR	
	i, in,		of	t
<u>g</u>	in t		74. STATE ENGINEER	J.
74 PUBLIC	ived		15 EN) at
574 E PUB	rece Ilay		\$774 ATS	page
40574 RMIT IATE THE P OF THE STA OREGON	first ger at		4057	1
PERM PERM SS OF THE	was fir Ingineer	nt:	k No	\
Vo	te Engi	plica	boo ge	1 No.
Permit No. 40574 PERMIT DERMIT NATERS OF THE STAT OF OREGON	istrum he Sta	o ap	ed in b	Basir 27
Peri N W	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the at day of My	Returned to applicant: Approved:	Recorded in book No. mits on page	Drainage Basin No.
T OT	This in office of t^1 on the 19.7 a , at	Returned 1 Approved:	Recor	Drain. Fees
	on 0f.	A A	i a i i	