WATER I & DURGUS DEPTI

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

7	. I, Edward M. Snyder	(Name of applicant)
/ of	Star Rt.	Enterprise (City)
	e of Oregon , 97	7828, do hereby make application for a permit to appropriate the (Zip Code) the State of Oregon, SUBJECT TO EXISTING RIGHTS:
,•	If the applicant is a corporation	on, give date and place of incorporation
••••••		appropriation is Prairie Creek (Name of stream) , a tributary of Wallowa River - Grande Ronde R.
••••••		the applicant intends to apply to beneficial use is 10.39
cubi	c feet per second	(If water is to be used from more than one source, give quantity from each)
		r is to be applied is
corn		cated 700 ft. N. and 505 ft. E. from the Center (N. or S.)
bein	(If prefe	erable, give distance and bearing to section corner) int of diversion, each must be described. Use separate sheet if necessary) of Sec. 5, Tp. 2 Se
		y ofWallowa
	5. The main pipeline (Main ditch	to be 4900 feet (Miles or feet)
in le	ength, terminating in theNE	The least legal subdivision of Sec. 6, Tp. 2 S. (N. or S.)
		osed location being shown throughout on the accompanying map.
Dive	ersion Works—	DESCRIPTION OF WORKS
	6. (a) Height of damnone	9 feet, length on top feet, length at bottom
	feet; material to be	used and character of construction
rock s	and brush, timber crib, etc., wasteway over or a	around dam)
	(b) Description of headgate	steel instream box (Timber, concrete, etc., number and size of openings)
		give general description 3-8" turbine (Size and type of pump)
*******	3= 150 Hp el (Size and type of e	lectric - suction lift of 8 feet engine or motor to be used, total head water is to be lifted, etc.)
		······································

^{*}A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

regate. At headgate: width on top (at water line)	adaate Athen	daate: width on	top (at water li	ne)	feet; width on bottom
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet feet feet feet feet feet feet f					
The state of the s	ousand feet.			•	
(c) Length of pipe. IRRI ft.; size at intake, lB in.; size at 4900 from intake 10 & 12 in.; size at place of use 6 in.; difference in elevation betwee take and place of use, 250 ft. Is grade uniform? YPB Estimated capacity. 10 sec. ft. 8. Location of area to be irrigated, or place of use. 1 S. 45 E. 51 Porty-acre Treat Number Acres To Be Irrigated. 1 S. 45 E. 51 Porty-acre Treat Vulnerate Section Porty-acre Treat 40.0 Number Acres To Be Irrigated. 1 S. 45 E. 51 Porty-acre Treat 40.0 Number Acres To Be Irrigated. 1 S. 45 E. 51 Porty-acre Treat 40.0 Number Acres To Be Irrigated. 2 S. 50		feet; width on b	oottom	feet; depth of w	ater feet,
(c) Length of pipe. IRRI ft.; size at intake, lB in.; size at 4900 from intake 10 & 12 in.; size at place of use 6 in.; difference in elevation betwee take and place of use, 250 ft. Is grade uniform? YPB Estimated capacity. 10 sec. ft. 8. Location of area to be irrigated, or place of use. 1 S. 45 E. 51 Porty-acre Treat Number Acres To Be Irrigated. 1 S. 45 E. 51 Porty-acre Treat Vulnerate Section Porty-acre Treat 40.0 Number Acres To Be Irrigated. 1 S. 45 E. 51 Porty-acre Treat 40.0 Number Acres To Be Irrigated. 1 S. 45 E. 51 Porty-acre Treat 40.0 Number Acres To Be Irrigated. 2 S. 50	ade	feet fall	per one thousa	nd feet.	
mintake 10. k. 12 in.; size at place of use in.; difference in elevation betwee take and place of use, 250 ft. Is grade uniform? YPE Estimated capacity 10 sec. ft. 8. Location of area to be irrigated, or place of use Toronto a South Vullimenta Markitan Section Proty-sers Tract Number Acres To Be irrigated. 1 S. 45 E. 51 SE SW 40.0 SW 58 40.0 SW 58 40.0 SW 58 20.0 SW 58		236	00		size at 4900 ft
Second S					
8. Location of area to be irrigated, or place of use Reserve	_		ft. Is	grade uniform?yos	Estimated capacity
Section Perty-sere Treet Number Area to be influence			rrigated, or plac	ce of use	
1 S. 45 E. 51 SE NE 20.0 NE SW SW 40.0 SW 5SW 5SW 40.0 Total - 415.75 WIS. 41 WIS. 41		Range E. or W. of			Number Asses To De Insigned
NE SN					
SW SW SW SW 40.0 SW SW SW 20.0 SW	- ~ 9			NE T SW	
SE\$ SW\$ SE\$ 20.0 SW\$ SW\$ SE\$ 20.0 SW\$ SW\$ SE\$ 20.0 SW\$ SW\$ SW\$ SE\$ 20.0 SW\$,		7 7	-
2 S. 45 E. 6 NN NE 20.0 2 S. 45 E. 6 NN NE 20.0 NN NE 20.0 NN NE 20.0 NN NE 37.46 NN NE 37.67 Total - 415.75 415.75				SET SW	_
2 S. 45 E. 6 SW NB NB 20.0 NB NB NB 20.0 NB NB NB 37.46 SW NB NB 37.46 Item NB SW NB 37.46 SW NB NB SW NB S	•				
SW NE W 40.34		•			20.0
NE NW	2 S.	45 E.	6	* * *	
SW2 NW2 37.67 SS2 NW2 40.0 Total = 415.75 415.75 415.44 (a) Character of soil Sandy river loam (b) Kind of crops raised Hay & grain ower or Mining Purposes— 9. (a) Total amount of power to be developed theoretical horsepow (b) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (literal) (e) Such works to be located in (literal) (f) Is water to be returned to any stream? (Yes or No) (g) If so, name stream and locate point of return (No. N. or S.), R. (No. E. or W.), W.				NE WI	_
(If more space required, attach separate sheet) (a) Character of soil					
(a) Character of soil Sandy river loam (b) Kind of crops raised Hay & grain (c) Total amount of power to be developed theoretical horsepow (d) Quantity of water to be used for power sec. ft. (c) Total fall to be utilized feet. (d) The nature of the works by means of which the power is to be developed (e) Such works to be located in Clean subdivision) (g) If so, name stream and locate point of return (No. N. or S.) , R. (No. E. or W.) (g) If so, name stream and locate point of return (No. N. or S.) , R. (No. E. or W.) , W.				* * 1	
(a) Character of soil				Total -	415.75
(a) Character of soil				·	415. 47
(a) Character of soil					•
(a) Character of soil					
(a) Character of soil					
(b) Kind of crops raised			(If more space 1	required, attach separate sheet)	
ower or Mining Purposes— 9. (a) Total amount of power to be developed	(a) Chara	cter of soil	Sandy river	loam	
ower or Mining Purposes— 9. (a) Total amount of power to be developed	(h) Kind	of crops raised	Hav & grai	.n	<u>v</u>
9. (a) Total amount of power to be developed	(b) Killa	oj crops raisea	, , , , , , , , , , , , , , , , , , , ,	·····	
(b) Quantity of water to be used for power	ower or Minir	ng Purposes—		i	
(b) Quantity of water to be used for power	9. (a) To	tal amount of po	ower to be deve	loped	theoretical horsepowe
(c) Total fall to be utilized					
(d) The nature of the works by means of which the power is to be developed (e) Such works to be located in			-	-	,
(e) Such works to be located in					
(f) Is water to be returned to any stream?	(d) Ti	ie nature of the	works by means	s of which the power is to be	developed
(f) Is water to be returned to any stream?	***************************************	•••••			
(f) Is water to be returned to any stream?	(e) Si	ich works to be	located in	(Legal subdivision)	of Sec
(f) Is water to be returned to any stream?	p(No. N. or	, R	, W.	M .	
(g) If so, name stream and locate point of return, Sec, Tp, R, W. (No. N. or S.)		•			
				,	
		·	-	•	
IN 1 The aire to albeen meanes as to be ambled as		***************************************	. Sec	, Tp	., K, W.

	10.	(a) To supply the city of	
	• • • • • • • •		population of
nd	an e	stimated population of	in 19
		(b) If for domestic use state number of j	amilies to be supplied
			Short .
			2, 13, and 14 in all cases)
e.		Estimated cost of proposed works, \$14	
		Construction work will begin on or before	
	13.	Construction work will be completed on or	before 15 June 1978
	14.	The water will be completely applied to the	proposed use on or before 15 June 1979
•••••			Edward M. Snyder (Signature of applicant)
		- 10 - 10 - 10 - 10 - 10 - 10 - 10 - 10	
	D	This is on ex	ension of the unit
1	Kei -	marks:	ension of the work
		g was under fu	70278
••••			100
•••••			
••••			
	•••••		
•••••			
		······································	
	•••••		
•••••	•••••		
1-1	ess (
		ଓଷ୍ଟର୍ଷ ପ୍ରକ୍ରିକ ଅଟେ	
U	377	ili Berness (j. espais de la r - Arriba de la granda de l	on the company of the control of the
U	-	Buernaer og besker de de g - Arriva og og og og blev garense garen - Arriva og og og og beske ga	ာ ကြောင်းသော ရေသည် သည် သည် သည် သည် သည် သည် သည် သည် သည်
		် ဗိုလ်လေးကြလေး သည့် လုတ်သည် သည် သည် မောင်လိုက်သည် သည်	on the company of the control of the
		် ဗိုလ်လေးကြလေး သည့် လုတ်သည် သည် သည် မောင်လိုက်သည် သည်	ာ ကြောင်းသော ရေသည် သည် သည် သည် သည် သည် သည် သည် သည် သည်
- 	ATE Coun	OF OREGON, ss.	от — мо м Сж о джице од по драји свјуго да 444 г. о о о му ју о ч одичај (2
 XTZ	ATE Coun	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the fo	oregoing application, together with the accompanyi
 XTZ	ATE Coun	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the fo	
 XTZ	ATE Coun	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the fo	oregoing application, together with the accompanyi
 STA	TI	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the fo	oregoing application, together with the accompanyi
STA (ATE Ti os an	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the fo	pregoing application, together with the accompanying accompanying the state of the State Engineer, with the state Enginee
STA (ATE Ti os an	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the fold data, and return the same for	pregoing application, together with the accompanying accompanying the state of the State Engineer, with the state Enginee
STA (TI Increction	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the found data, and return the same for	oregoing application, together with the accompanying accompanying the state accompanying th
STA (TI Increction	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the found data, and return the same for	pregoing application, together with the accompanying attion must be returned to the State Engineer, wi
STA (TI Increction	OF OREGON, ss. ty of Marion, ss. his is to certify that I have examined the found data, and return the same for	pregoing application, together with the accompanying accompanying the state of the

100,1,5

PERMIT

IM BALTON.

STATE OF OREGON,		GON,)	
Coulo	ta: -c	of Ma	rion.	ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

		anted is limited to the				to beneficial use
		10.39 cubic feet				
		n case of rotation with				4.0
•						
T	he use to which th	is water is to be applie	ed is	rrigation		
11	f for irrigation, th	is appropriation shall	be limited to	1/40th	of c	ne cubic foot per
		for each acre irrigated	•			
		acre feet per aci				
		year,				
			······			<u> </u>
			•••••			•••••

•						•••••••••••••••••••••••••••••••••••••••
3	The priority date Actual constructio	such reasonable rotation of this permit is	or before	1976 June 25,	1977	and shall
		ion of the water to the				·
	WITNESS my han	nd this25th day	ofJune	2	19.76	
	e e e k		WATE	RESOURCE	es director	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
Permit No. 40577	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 m day of June. 19 2 M.	Returned to applicant:	Approved:	Recorded in book No. 405777 Permits on page	Drainage Basin No. 8 page 38 E. Fees 45 89