

SM- RECEIVED

MAY 2 11976

Permit No. 40607

"CERTIFICATE NO. 60990"

WATER RESOURCES DEPT
SALEM, OREGON

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, ~~Eleanor R. Phinney~~
~~Stann W. Phinney Jr.~~
(Name of applicant)

of Rt. 1 Box 500, West Linn,
(Mailing address) (City)

State of Oregon, 97068, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tuolatin River
(Name of stream)

, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.03 cfs
cubic feet per second
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is 0.025 cfs for irrigation of
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
20 ac & 0.005 cfs for domestic use for one family

4. The point of diversion is located 130 ft. N. and 470 ft. W. from the SE
(N. or S.) (E. or W.)
corner of Section 28
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 28, Tp. 25,
(Give smallest legal subdivision) (N. or S.)

R. 1E, W. M., in the county of Clackamas

5. The Pipeline to be 430'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 SE 1/4 of Sec. 28, Tp. 25,
(Smallest legal subdivision) (N. or S.)

R. 1E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

6000

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

Facilities are already existing on property

X11. Estimated cost of proposed works, \$ 0

X12. Construction work will begin on or before 0

X13. Construction work will be completed on or before 0

X14. The water will be completely applied to the proposed use on or before

X Eleanor R. Phinney
(Signature of applicant)

Remarks: The pump for the river water was in use upon the purchase of the property in 1968; we understood water rights were already in existence at that time.

Since application was submitted by Glenn - our marriage has been dissolved. Please issue this permit in my name as owner of the property.

Thank you,

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 21, 1976.

WITNESS my hand this 19th day of April, 19 76

JAMES E. SEXSON
Director

By Vestal R. Garner
Vestal R. Garner

RECEIVED
MAY 21 1976
WATER RESOURCES DEPT.
SASSEM, OREGON

PERMIT

40607

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tualatin River

The use to which this water is to be applied is irrigation and domestic use for one family, being 0.025 c.f.s. for irrigation and 0.005 c.f.s. for domestic.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 13, 1975

Actual construction work shall begin on or before August 5, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978...

Complete application of the water to the proposed use shall be made on or before October 1, 1979...

WITNESS my hand this 5th day of August, 1976.

James P. Olson
WATER RESOURCES DIRECTOR

40607

Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1 day of April, 1976, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 40607 of

Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 54J

Fees 40