

RECEIVED

Permit No.

40637

MAY 13 1976

WATER RESOURCES DEPT
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. **40637-1924**

To Appropriate the Public Waters of the State of Oregon

I, David Lee Solomon

(Name of applicant)

of Box 21 Toketee Falls Rd., Idleyld Park,

(City)

State of Oregon, 97447, do hereby make application for a permit to appropriate the
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River

(Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic including irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

or not to exceed 1/2 A. non-commercial town & garden

4. The point of diversion is located 660 ft. N and 30 ft. W from the SE

(N. or S.)

(E. or W.)

corner of Sec. 17

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 SE 1/4 of Sec. 17, Tp. 26 S.
(Give smallest legal subdivision) (N. or S.)

R. 2 W., W. M., in the county of Douglas
(E. or W.)

5. The Pipe line to be 100 ft.
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SW 1/4 SW 1/4 of Sec. 16, Tp. 26 S.
(Smallest legal subdivision) (N. or S.)

R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wastewater over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

X (c) If water is to be pumped give general description 1/2 HP PRESSURE PUMP
(Size and type of pump)
From Montgomery Woods
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom

..... feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line)
..... feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft.
 from intake in.; size at place of use in.; difference in elevation between
 intake and place of use, ft. Is grade uniform? Estimated capacity,

..... sec. ft.
8. Location of area to be irrigated or place of use

(If more space required, attach separate sheet)

(a) Character of soil Clay

(b) Kind of crops raised Lawn & garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to

(e) Such works to be located in of Sec.
(Legal subdivision)

P. , *R.* , *W. M.*
(No. N. or S.) *(No. E. or W.)*

(g) If so, name stream and locate point of return

, Sec., Tp. R. W. M.

(h) The use to which power is to be applied is

Municipal or Domestic Supply—

40637

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 072.

(Answer questions 11, 12, 13, and 14 in all cases)

- X 11. Estimated cost of proposed works, \$-300.00
12. Construction work will begin on or before Completed
13. Construction work will be completed on or before Completed
14. The water will be completely applied to the proposed use on or before Use

X D. Solomon

(Signature of applicant)

Remarks: Legth DESC Lot 7x8 North Unionia
Village Sub Division

THIS APPLICATION PREPARED BY:

Francis P. Cogswell

FROM INFORMATION FURNISHED BY
THE APPLICANT.

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19.....

WITNESS my hand this day of 19.....

STATE ENGINEER

By
ASSISTANT

PERMIT

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
 SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
 and shall not exceed .01 cubic feet per second measured at the point of diversion from the
 stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is domestic use for one family, including
 the irrigation of lawn and garden not to exceed $\frac{1}{2}$ acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per
 second or its equivalent for each acre irrigated


and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 13, 1976

Actual construction work shall begin on or before August 5, 1977 and shall
 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 5th day of August, 1976.



WATER RESOURCES DIRECTOR

PERMIT

TO APPROPRIATE THE PUBLIC
 WATERS OF THE STATE
 OF OREGON

This instrument was first received in the
 office of the State Engineer at Salem, Oregon,
 on the 13 day of May,
 1976, at 11:00 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 40637
 Permits on page 40637

STATE ENGINEER

Drainage Basin No. 16 page 26 J

Fees \$5.00