

APR 1970

ASSIGNED. See Misc. Rec., Vol.

By Deed Page

Permit No. 40675

CERTIFICATE NO. 75747

WATER RESOURCES DEPT. SALEM, OREGON

\*APPLICATION FOR PERMIT

ASSIGNED. See Misc. Rec., Vol. 7 Page 2414

To Appropriate the Public Waters of the State of Oregon

I, Marc Jones (Name of applicant)

of 4098 Fairview Route (Mailing address), Coquille (City)

State of Oregon, 97423 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Creek A, Creek B, North Fork Coquille (Name of stream)

River, a tributary of Coquille River

2. The amount of water which the applicant intends to apply to beneficial use is see remarks cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation, stock, frost control, domestic supplies for one family (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Creek A: 250 ft E, 400 ft N of Center Sec 33, (cont'd) 600 ft E, 50 ft N of Center Sec 33 Coquille River North Fork: 650 ft E, 600 ft S of Center Sec 33 (Section or subdivision)

Center of Sec 33 is NW corner of SE 1/4 of sec 33, NE corner of SW 1/4, etc. Creek A: diversion pt at existing diversion system. Creek B, diversion: pipe to barrels, a gate at flat area ~ 50 ft upstream from Coquille River. On river bank near existing power pole. (If preferable, give distance and bearing to section corner)

being within the AFB: SW 1/4 NE 1/4 E: NW 1/4 SE 1/4 of Sec. 33, Tp. 26 S (Give smallest legal subdivision) (N. or S.)

R. 11 W, W. M., in the county of Coos (E. or W.)

5. The pipeline to be 400 ft 3" main (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the of Sec. 33, Tp. 26 S (Smallest legal subdivision) (N. or S.)

R. 11 W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 12 1/2 horsepower, approx 150 feet (Size and type of pump)

heat capacity: unknown (specifications unknown due to consultation lag but one (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

rough estimate of frost control, the most essential and water consuming, at 225 gallons per minute this would occur 4-6 times/year.

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 400 ft.; size at intake, 1 1/2 in.; size at ..... ft. from intake ..... in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 150 ft. Is grade uniform? roughly Estimated capacity, 201 sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
26S	11W	33	SW 1/4 NE 1/4	domestic
			NW 1/4 SE 1/4	stock, 6 acres, frost control

(If more space required, attach separate sheet)

(a) Character of soil bottom land, well-draining, old pasture, silt  
 (b) Kind of crops raised Kiwi fruit (Chinese gooseberries)

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
(Head)  
 (d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)  
 (g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....  
 (i) The nature of the mines to be served .....

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied one.....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5,000.....

12. Construction work will begin on or before started.....

13. Construction work will be completed on or before October 1976.....

14. The water will be completely applied to the proposed use on or before October 1977.....

X Marc Jones

(Signature of applicant)

Remarks: .....

stock: 0.01 c.f.s. from creek B

domestic: 0.01 c.f.s. from Creek A

irrigation: 0.085 c.f.s. from North Fork Coquille River

frost control: 0.5 c.f.s. from North Fork Coquille River

Frost control: Expected frost dates (~ 6 times/yr) = <sup>Sept.</sup> ~~Oct~~ 1 to Nov 31 & March 1 to May 31. Temperature range - under 38° F.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

PERMIT

40675

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.52 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Coquille River and creeks A & B, being 0.08 c.f.s. for irrigation and 0.50 c.f.s. for frost protection from N. Fk. Coquille River, 0.01 c.f.s. for domestic from Creek A and 0.01 c.f.s. for stock from Creek B.

The use to which this water is to be applied is Domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area, stock, and irrigation and frost control.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year. The permittee shall record and submit annually to the Water Resources Department all pertinent data pertaining to use of water for temperature control on forms furnished.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 7, 1976

Actual construction work shall begin on or before August 5, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978...

Complete application of the water to the proposed use shall be made on or before October 1, 1979...

WITNESS my hand this 5th day of August, 1976...

*James C. Olson*  
WATER RESOURCES DIRECTOR FH  
B

Application No. 23386  
40675

Permit No. ....

**PERMIT**

TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 7th day of April  
1976 at 8:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. .... of

Permits on page 40675

STATE ENGINEER

Drainage Basin No. 17 page 220

Fees \$75