APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

7	George J Burli						
I,f	Tygh Valley	(Name of App		Wasco			
tate of	(Postoffice)	, do hereby mak					
	cribed public waters of						
	eplicant is a corporation,						
ij the up	pricant is a corporation,	give date and pro-					
	ource of the proposed ap						
		, tributary of	of	UIAGL			
2. The a	mount of water which th	ne applicant intends	s to apply to b	eneficial us	se is	••-•	
0,	cubic feet per	second.	i e				
3. The u	se to which the water is a	to be applied is		/Tuniontion	nower mini		oturing
	Ir	rigati on		(Irrigation,	power, mini		
lomestic supplies	, etc.)						
4. The p	oint of diversion is locat	ed(Give	distance and bea	ring to section	corner)		
seina anithin	the NE NE		of Sec	6	, Tp	4 S	
	the NE NE (Give smallest leg				., T p	4 S	3.)
	E , W. M., in the coun				, Tp		
R. (No. E. or	E., W. M., in the coun	ty of	Wasc	0		,	
R. 13 (No. E. or 5. The	W.) W. M., in the coun ditch (Main ditch,	canal or pipe line)	Wasc	o be		,	
R. 13 (No. E. or 5. The	W.) W. M., in the coun ditch (Main ditch,	canal or pipe line)	Wasc	o be		,	
R. (No. E. or 5. The miles in length E. (No. E. or W. (No.	E, W. M., in the coun W.) ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdivication being shown	Wasco of Seconision) throughout of	o be	, Tp	(No. N.) map.	4 S
7. 13 (No. E. or 5. The miles in length E. 13 E. (No. E. or W. 15.	M. M., in the coun ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdirecation being shown or other works is	Wasco to the second sec	o be	, Tp mpanying	(No. N. o	4 S
7. 13 (No. E. or 5. The miles in length E. 13 E. (No. E. or W. 15.	M. M., in the coun ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdivication being shown	Wasco to the second sec	o be	, Tp mpanying	(No. N. o	4 S
7. 13 (No. E. or 5. The miles in length E. 13 E. (No. E. or W. 15.	M. M., in the coun ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdirecation being shown or other works is	Wasco	o be	, Tp mpanying	(No. N. o	4 S
R. (No. E. or w. (No. E. or w. 6. The no. E. or w. 6. The no. e. or w. (No. E. or w. 6. The no. e. or w. (No. E. or w. 6. The no. e. or w. (No. E. or w. 6. The no. e. or w. (No. E. or w. 6. The no. e. or w. (No. E. or w. 6. The no. e. or w. 6. The no. e. or w. (No	M. M., in the coun ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdirecation being shown other works is	Wasco	o be	, Tp mpanying	(No. N. o	4 S
(No. E. or 5. The miles in length R. 13 E (No. E. or W 6. The m	W.) W.) ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdirection being shown other works is	Wasco to the control of throughout of the control o	o be	mpanying	(No. N. map.	4 S
(No. E. or 5. The miles in length R. 13 E (No. E. or W 6. The m	M. M., in the coun ditch (Main ditch, th, terminating in the W. M., the proposed logame of the ditch, canal of the dit	canal or pipe line) NW NE (Smallest legal subdirection being shown or other works is	Wasco top	o be	feet, le	(No. N. o map.	4 S or S.)
R. (No. E. or 5. The miles in length R. 13 E (No. E. or W 6. The m	M. M., in the coun ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdivecation being shown other works is	Wasco top	o be	mpanying	(No. N. or map.	botton
R. (No. E. or 5. The miles in length R. 13 E. (No. E. or W. 6. The m. Co. The	M. M., in the coun ditch (Main ditch, th, terminating in the W. M., the proposed logame of the ditch, canal of the dit	canal or pipe line) NW NE (Smallest legal subdirection being shown or other works is	wasco top of constructio dam of gra	o be	feet, le	(No. N. map.	botton
R. (No. E. or 5. The miles in length R. 13 E. (No. E. or W 6. The m	ditch (Main ditch, th, terminating in the	canal or pipe line) NW NE (Smallest legal subdirection being shown other works is	Wasco top of construction dam of graind dam)	o be	mpanying	(No. N. map.	botton
R. (No. E. or 5. The miles in length R. 13 E. (No. E. or W 6. The m	ditch (Main ditch, th, terminating in the W. M., the proposed lower and of the ditch, canal of the	canal or pipe line) NW NE (Smallest legal subdirection being shown other works is	Wasco top of construction dam of graind dam)	o be	mpanying	(No. N. map.	botton

4	me newayare.	Width on t	op (at wate	$r line) \dots$		feet; widt	th on botton
	feet; dept	h of water	1 2	feet; grade	1	feet	fall per or
housand feet.		·		· · · · · · · · · · · · · · · · · · ·		,	
* .		miles from	headgate.	Width on top	(at water i	line)	
	feet; width	•	-				
	feet fo						
			·		48 - 4 		
	<u> </u>	· · · · · · · · · · · · · · · ·				**	•••••
				·•····································		•••••	
				•••••		••••••	•••••
FILL IN	THE FOLLOW	VING INFO	RMATION	WHERE T	HE WATE	R IS USED	FOR:
Irrigation—							
9. The lan	d to be irrigate	ed has a tot	al area of	22.6		acres, lo	cated in eac
smallest legal s	ubdivision, as f	follows:				n which you inten	
	1. A. 1		e area of land i	in each smallest	legal subdivision	n which you inten	d to irrigate)
	7.6 A 1					******************	
					**************	·····	•••••••
							·····
	·····						
::	·						
				ti ka			· · · · · · · · · · · · · · · · · · ·
				11 + 8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		<u> </u>	
				- A - A		4.1	
<u> </u>		(If more spa	uce required, att	ach separate she	et)		
7		(If more spa	uce required, att	ach separate she	et)		
Power, Mining		(If more spa	uce required, att	ach separate she	et)		
Power, Mining	G, MANUFACTUR	(If more space space) (If more	ace required, att	tach separate she	et)		
Power, Minino 10. (a) Tot (b) Tot	G, MANUFACTUR	(If more space space) EING, OR TRACE COWER to be	uce required, att ansportatio developed Head)	tach separate she	et)	theoretical	horsepowe
Power, Minino 10. (a) Tot (b) Tot	G, MANUFACTUR tal amount of p	(If more space space) EING, OR TRACE COWER to be	uce required, att ansportatio developed Head)	tach separate she	et)	theoretical	horsepowe
Power, Mining 10. (a) Tot (b) Tot (c) The	G, MANUFACTUR tal amount of p tal fall to be uti e nature of the	(If more space of the control of the	ce required, att NSPORTATIO developed Head)	ach separate sheen Purposes— feet. ich the power	et)	theoretical	horsepowe
Power, Mining 10. (a) Tot (b) Tot (c) The	G, MANUFACTUR tal amount of p tal fall to be util e nature of the	(If more space of the space of	tce required, att INSPORTATIO developed Head) eans of whi	egal subdivision)	et)	theoretical	horsepowe
Power, Mining 10. (a) Tot (b) Tot (c) The (d) Suc	G, MANUFACTUR tal amount of p tal fall to be util e nature of the ch works to be i	(If more space of the space of	tce required, att INSPORTATIO developed Head) eans of whi	ach separate she N PURPOSES— feet. ch the power egal subdivision)	· is to be de	theoretical	horsepowe
Power, Mining 10. (a) Tot (b) Tot (c) The (d) Suc	G, MANUFACTUR tal amount of p tal fall to be util e nature of the	(If more space of the space of	tce required, att INSPORTATIO developed Head) eans of whi	ach separate she N PURPOSES— feet. ch the power egal subdivision)	· is to be de	theoretical	horsepowe
Power, Mining 10. (a) Tot (b) Tot (c) The (d) Suc	G, MANUFACTUR tal amount of p tal fall to be util e nature of the ch works to be i, R water to be ret	(If more space of the space of	Head) (L W. M. y stream? point of ret	tach separate she N PURPOSES— feet. ich the power egal subdivision) (Yes or No urn	is to be de	theoretical eveloped of Sec	horsepowe
POWER, MINING 10. (a) Tot (b) Tot (c) The (d) Suc	G, MANUFACTUR tal amount of p tal fall to be util e nature of the ch works to be i, R water to be ret	(If more space of the space of	Head) (L W. M. y stream? point of ret	tach separate she N PURPOSES— feet. ich the power egal subdivision) (Yes or No urn	is to be de	theoretical eveloped of Sec	horsepowe
Power, Mining 10. (a) Tot (b) Tot (c) The (d) Suc (p)	tal amount of partial to be utilized to be utilized to be utilized to be included the works to be included to be returned to be returned.	(If more space in the space in	Head) cans of whi W. M. y stream? point of ret.	tach separate sheen Purposes— feet. ich the power egal subdivision) (Yes or No urn (No. N. or S.)	is to be de	theoretical eveloped of Sec	horsepowe

	and a
(Name of) County, having a present p	population of, and an
stimated population ofin 191	
	13, 14, and 15 in all cases)
12. Estimated cost of proposed works, \$	One wear from date of approval
13. Construction work will begin on or before	and feel 120m date of approve
14. Construction work will be completed on or	before Two years from date of approval
15. The water will be completely applied to the	proposed use on or before
	Three years from date of approval
	works, prepared in accordance with the rules of th
State Water Board, accompany this application.	George J Burlingame
	(Name of applicant)
	by A N Bonney
Signed in the presence of us as witnesses:	
(Name)	(Address of Witness)
(2),, (Name)	(Address of Witness)
Remarks:	
	A section of the sect
STATE OF OREGON, County of Marion,	
This is to certify that I have examined the f	foregoing application, together with the accompanying
	n or completion, as follows:
maps and data, and recar to the earner for economic	
In order to retain its priority, this application	must be returned to the State Engineer, with corre
In order to retain its priority, this application tions, on or before	

5

Application No. 6515

Permit No. 4069

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

2 2
Division No2 District No
This instrument was first received
in the office of the State Engineer as
Salem, Oregon, on the day
of, 191.9
at 1:30 o'clock P.M.
Returned to applicant for correction
Corrected application received
Approved: May 15 1919
Recorded in Book No15 o
Permits, on Page 4069
Percy A Cupper
1 map RS State Engineer

STATE OF OREGON,

County of Marion,

88

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject

\$6.45

to such reasonable rotation system as may be ordered b	y the proper State officer	
The right to the use of water herein grante	d is limited to irrigation	n pur poses
		······································
The amount of water appropriated shall be limited	to the amount which can be app	plied to beneficial
use and not to exceed. 0.3	cubic feet per second, or its equ	ivalent in case of
rotation. The priority date of this permit is	May 2, 1919	
Actual construction work shall begin on or before	Movr 15 1990	and shall
thereafter be prosecuted with reasonable diligence and b	e completed on or before	
	June 1, 1921	/20
Complete application of the water to the proposed a	use shall be made on or before	<u></u>
	October 1, 1922	
WITNESS my hand thisday of	May, 1919	
	Parcy A Cumar	

State Engineer.

Permits for power development are subject to the limitation of franchise as provided in Section 6633, Lord's Oregon Laws, and the payment of annual fees as provided in Chapter 213, Session Laws of 1915.

This form approved by the State Water Board, March 11, 1909.