

SM- (RECEIVED)

Permit No. 40710

MAR - 1 1976

WATER DIVISION
SALEM, OREGON

*APPLICATION FOR PERMIT
"CERTIFICATE NO. 65275"

To Appropriate the Public Waters of the State of Oregon

I, Ernest Isaacbart (Name of applicant)
of Box 369 Hill Rt. (Mailing address), Langlois (City),
State of Oregon, 97450 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Cogville River (Name of stream),
a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 1.84
cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation 1.78 C.F.S. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Dairy Barn Use 0.05 C.F.S. #1 490
Domestic 0.01 C.F.S. 480

4. The point of diversion is located 2530 ft. N. and 280 ft. E. from the S.W. corner of Sec. 34 (Section or subdivision)

P.O.D. #3 located 1510' N. & 800' W from the S.E. corner of Sec. 33 being within the NE 1/4 SE 1/4 of Sec. 33. P.O.D. #4 located 3300' N & 3070' W from the S.E. corner of Sec. 33 being within the SE 1/4 NW 1/4 of Sec. 33. Both in same township & range as P.O.D. #1 & #2. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the 182 SW 1/4 SW 1/4 of Sec. 34, Tp. 27 S. (Give smallest legal subdivision) (N. or S.)

R. 13 W., W. M., in the county of Coos (E. or W.)

5. The Pipe Line (Main ditch, canal or pipe line) to be 3000 Ft. (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 33, Tp. 27 S. (Smallest legal subdivision) (N. or S.)

R. 13 W., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 910 ft. length on top directly out of run feet, length at bottom feet; material to be used and character of construction Loose rock, concrete, masonry.

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Div. #4, 25 horse power electric pump (Size and type of pump)

Div. #3 15 horse power electric pump, sprinkler system (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
Div. #2 electric pressure system for stock house, barn
Div. #1 10 horse power electric sprinkler system

A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
27 S.	13 W.	33	NW 1/4 NW 1/4	17.1
			SW 1/4 NW 1/4	1.1
			NE 1/4 NW 1/4	6.4
			SE 1/4 NW 1/4	15.6
			SW 1/4 NE 1/4	24.1
			SE 1/4 NE 1/4	7.4
			NW 1/4 SE 1/4	6.0
			NE 1/4 SE 1/4	34.0
			SE 1/4 SE 1/4	6.0
		34	SW 1/4 SW 1/4	24.8A Domestic Dairy Barn Use
				102.5

16891

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Permanent Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? Yes
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One (1)

(Answer questions 11, 12, 13, and 14 in all cases)

X 11. Estimated cost of proposed works, \$ 16,000

12. Construction work will begin on or before April 1, 1976

13. Construction work will be completed on or before April 1, 1977

14. The water will be completely applied to the proposed use on or before April 1, 1978

x Ernest [Signature]
(Signature of applicant)

Remarks: Division #1 will have about 650' of 5" main line & 32 sprinklers. Division #2 supplies the farm, stock, & house & water runs thru chlorinating system. Division #3 has at present 600' of main line & 32 sprinklers. More main line will have to be added to complete this system. Division #4 has about 800' of 6" 45' main line and 65 sprinklers.

THIS APPLICATION PREPARED BY:

Francis P. Coppwell

FROM INFORMATION FURNISHED BY THE APPLICANT.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.81 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Coquille River

The use to which this water is to be applied is irrigation, domestic use for one family, and use in Dairy Barn, being 0.005 c.f.s. for domestic, 0.01 c.f.s. for dairy, and 1.78 c.f.s. for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 1, 1976

Actual construction work shall begin on or before September 16, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 16th day of September, 19 76

James E. Larson
WATER RESOURCES DIRECTOR

Application No. 40710
Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1 day of March, 1976, at 11 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 40710 of Permits on page

STATE ENGINEER

Drainage Basin No. 17 page 12A
Fees 93.00