

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1115 ft.; size at intake, 2" in.; size at 1115 ft. from intake 1" in.; size at place of use 1" in.; difference in elevation between intake and place of use, 60' - 75' ft. Is grade uniform? Yes Estimated capacity, .29 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 S	8 W	35	NW $\frac{1}{4}$ SW $\frac{1}{4}$	Dom. & 4 acres
			fire protection	

(If more space required, attach separate sheet)

(a) Character of soil clay

(b) Kind of crops raised small vegetable garden, grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of
 County, having a present population of
 (Name of)
 and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1200.00
12. Construction work will begin on or before June 1, 1977
13. Construction work will be completed on or before June 1, 1978
14. The water will be completely applied to the proposed use on or before June 1, 1979

Rita A. Kilder
 (Signature of applicant)
Stephanie Kilder

Remarks:

The North Half of the North Half of the Northwest Quarter of the Southwest Quarter of
 Section 35, Township 37 South, Range 8 West of the Willamette Meridian, Josephine
 County, Oregon.

*I have deleted Fire protection from this
 Motor Right. Rita A. Kilder*

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
 maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with
 corrections on or before August 11, 1976.

WITNESS my hand this 10th day of June, 1976.

JAMES E. SEXSON

Director

By

Vestal R. Garner
 Vestal R. Garner

Water Rights Engineer

RECEIVED

AUG - 21 1976

WATER RESOURCES DEPT.
 SALEM, OREGON

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.085 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring and Clear Creek, being 0.005 from spring for domestic and 0.08 c.f.s. from Clear Creek for irrigation.

COLLECTION AND COLLECTION

The use to which this water is to be applied is domestic use for one family and irrigation.

If for irrigation, this appropriation shall be limited to 1/50th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 26, 1976

Actual construction work shall begin on or before September 16, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19 78.

Complete application of the water to the proposed use shall be made on or before October 1, 19 79.

WITNESS my hand this 16th day of September, 19 76


JAMES E. BROWN
WATER RESOURCES DIRECTOR

Application No. 24301
Permit No. 40774

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 26 day of May,
19 76, at 8 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 40774 of
Permits on page 15

STATE ENGINEER
Drainage Basin No. 15 page 56N
Fees \$5.00