CERTIFICATE NO. 50971

WATER RECUBRIES DEPT *APPLICATION FOR PERMIT

REGINED

To Appropriate the Public Waters of the State of Oregon

I, Brundige & Popken Trucking, Inc. (Name of applicant)	
of Rt. 4. Box 691-H	Roseburg
State of Oregon , 97470 , do hereby make	application for a permit to appropriate the
following described public waters of the State of Oregon, SUB	
If the applicant is a corporation, give date and place of i	
Oregon	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	010110 01
1. The source of the proposed appropriation is	(Name of stream)
, a tributary of	
2. The amount of water which the applicant intends to ap	
cubic feet per second to be pumped into 1 acre pond (If water is to be used from more the	and from pond to field an one source, give quantity from each)
3. The use to which the water is to be applied is	
4. The point of diversion is located 4120 ft. S	and 2480 ft. E from the NW
corner of Sec. 2, T28S, R7W (Section or subdivision	
(If preferable, give distance and bearing to sec	tion corner)
(If preferable, give distance and bearing to see (If there is more than one point of diversion, each must be described being within the SE1, SW1	Use separate sheet if necessary) f Sec. 2 , Tp. 285 ,
(If preferable, give distance and bearing to see (If there is more than one point of diversion, each must be described being within the SE4, SW4	Use separate sheet if necessary) f Sec. 2 , Tp. 288
(If preferable, give distance and bearing to see (If there is more than one point of diversion, each must be described being within the SE1, SW1 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe	tion corner) Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S.)
(If there is more than one point of diversion, each must be described being within the SE1, SW1 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch, canal or pipe line)	Use separate sheet if necessary) f Sec. 2 , Tp. 288 (N. or S)
(If preferable, give distance and bearing to see (If there is more than one point of diversion, each must be described being within the SE4, SW4 Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SW4, SW4 Gmallest legal subdivision)	tion corner) Use separate sheet if necessary) f Sec. 2 , Tp. 28S (N. or S.) to be 1000 to (Miles or feet) f Sec. 2 , Tp. 28S (N. or S.)
(If preferable, give distance and bearing to see (If there is more than one point of diversion, each must be described being within the SE1, SW1 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SW1 SW1 (Smallest legal subdivision) R. 7 , W. M., the proposed location being shown to see the seal subdivision of the seal subdivision o	Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S) to be 1000! (Miles or feet) f Sec. 2 , Tp. 285 (N. or S)
(If there is more than one point of diversion, each must be described being within the SE4, SW4 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SW4, SW4 (Smallest legal subdivision) R. 7 W , W. M., the proposed location being shown to DESCRIPTION OF WOLD Diversion Works—	tion corner) Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S.) to be 1000* (Miles or feet) f Sec. 2 , Tp. 285 (N. or S.) hroughout on the accompanying map.
(If there is more than one point of diversion, each must be described being within the SE4, SW4 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SW4, SW4 (Smallest legal subdivision) R. 7 W , W. M., the proposed location being shown to DESCRIPTION OF WOLD Diversion Works—	tion corner) Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S.) to be 1000* (Miles or feet) f Sec. 2 , Tp. 285 (N. or S.) hroughout on the accompanying map.
(If there is more than one point of diversion, each must be described being within the SE1, SW1 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch. canal or pipe line) in length, terminating in the SW1, SW1 (Smallest legal subdivision) R. 7 W , W. M., the proposed location being shown to DESCRIPTION OF WOIL Diversion Works— 6. (a) Height of dam None feet, length on together than one of the second state of t	Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S) to be 1000* (Miles or feet) f Sec. 2 , Tp. 285 (N. or S) hroughout on the accompanying map. RKS
(If there is more than one point of diversion, each must be described being within the SEL, SWL (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SWL, SWL (Smallest legal subdivision) R. 7 , W. M., the proposed location being shown to DESCRIPTION OF WOLLD (E. or W.) Diversion Works— 6. (a) Height of dam None feet, length on top feet; material to be used and character of constants.	Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S) to be 1000! (Miles or feet) f Sec. 2 , Tp. 285 (N. or S.) hroughout on the accompanying map. RKS feet, length at bottom ruction (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must be described being within the SE1, SW1 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch. canal or pipe line) in length, terminating in the SW1, SW1 (Smallest legal subdivision) R. 7 W , W. M., the proposed location being shown to DESCRIPTION OF WOIL Diversion Works— 6. (a) Height of dam None feet, length on top feet; material to be used and character of constants.	Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S) to be 1000 to (Miles or feet) f Sec. 2 , Tp. 285 (N. or S) hroughout on the accompanying map. RKS feet, length at bottom ruction (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must be described being within the SE1, SW1 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SW1, SW1 (Smallest legal subdivision) R. 7 , W. M., the proposed location being shown to DESCRIPTION OF WOLLD Diversion Works— 6. (a) Height of dam None feet, length on to grow and brush, timber crib, etc., wasteway over or around cham) (b) Description of headgate (Timber, concret	Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S) to be 1000* (Miles or feet) f Sec. 2 , Tp. 285 (N. or S.) hroughout on the accompanying map. RKS feet, length at bottom ruction (Loose rock, concrete, masonry, concrete, masonry)
(If there is more than one point of diversion, each must be described being within the SE1, SW1 (Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas (E. or W.) 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SW1, SW1 (Smallest legal subdivision) R. 7 , W. M., the proposed location being shown to DESCRIPTION OF WO! Diversion Works— 6. (a) Height of dam None feet, length on top feet; material to be used and character of construction of headgate (Timber, concrete	Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S) to be 1000! (Miles or feet) f Sec. 2 , Tp. 285 (N. or S.) hroughout on the accompanying map. RKS feet, length at bottom ruction (Loose rock, concrete, masonry, e. e. etc., number and size of openings)
(If there is more than one point of diversion, each must be described being within the SE, SW, Give smallest legal subdivision) R. 7 W , W. M., in the county of Douglas 5. The Irrigation pipe (Main ditch, canal or pipe line) in length, terminating in the SW, SW, SW, (Smallest legal subdivision) R. 7 W , W. M., the proposed location being shown to (Smallest legal subdivision) C. Or W.) DESCRIPTION OF WO! Diversion Works— 6. (a) Height of dam None feet, length on top feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material to be used and character of constant feet; material feet; mat	Use separate sheet if necessary) f Sec. 2 , Tp. 285 (N. or S) to be 1000! (Miles or feet) f Sec. 2 , Tp. 285 (N. or S.) hroughout on the accompanying map. RKS feet, length at bottom ruction (Loose rock, concrete, masonry, e. e. etc., number and size of openings)

dgate. At hea	dgate: width on t	op (at water	· line)	feet; width on bottom
feet; depth of water		feet; grade	feet fall per one	
usand feet. (b) At		iles from I	neadgate: width on top (at w	oater line)
	feet; width on bo	ottom	feet; depth o	f water feet,
de	feet fall 1	per one tho	usand feet.	
m intake	in.; s	ize at place	of use in.; d	in.; size at ft lifference in elevation between
	sec. ft.			Estimated capacity
	Range E. or W. of	rigatea, or	place of use	
Township North or South	Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
28S	7W	22	NW2,SW2	3 2
:			NEł,SWł	<u>‡</u>
			SWł, SWł	81/2
			S€4,SW4	1½
		(If more	space required, attach separate sheet)	
(b) Kin	d of crops raised	Alfa	lfa	
Power or Min	ing Purposes			
		ower to be	developed	theoretical horsepow
(b) (Quantity of water	r to be used	for power	sec. ft.
	•		feet	
			(nead)	to be developed
(a)	Such works to he	located in		of Sec.
				-
	or s.) R			
			ny stream?(Yes or No)	
(a)	If so, name strea			, R, W

Municipal or Domestic Supply—	4088
10. (a) To supply the city of	······································
	population of
nd an estimated population of	in 19
(b) If for domestic use state number of fo	imilies to be supplied
(Answer questions 11, 12	, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$5,00	00,00
	June 25, 1976
	before Sept. 30, 1976
	proposed use on or before July 15, 1976
	Laward John
	(Signature d'applicant)
Remarks:	
Remarks:	
	······································
County of Marion ss.	
County of Marton,	
This is to certify that I have examined the fo	regoing application, together with the accompany
naps and data, and return the same for	
In order to retain its priority, this applica	tion must be returned to the State Engineer, v
orrections on or before	, 19
WITNESS my hand this day of	, 19
	,
	STATE ENGINE
	By

PERMIT

STATE O	F OREGON,)
Countr	of Marion	ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

SODJ		granted is limited to the	ū		ed to beneficial use
and si		0.18 cubic feet			
		t in case of rotation with			
	The use to which	this water is to be applie	d is irrigation		
	If for irrigation,	this appropriation shall	be limited to1/8	Oth o	f one cubic foot per
	P	t for each acre irrigated			
, ,		acre feet per acre			•
· ·	on of each year				
(**) ₃		,			
	fu.				
	•••••••••••••			•••••••••••••••••••••••••••••••••••••••	
·······					
	•••••••••••••••••••••••••••••••••••••••				······································
••••••		······································			
••••••				•••••••••••	
and sl	hall be subject to	such reasonable rotation	a system as may be o	rdered by the p	proper state officer.
	The priority date	of this permit is	July 16, 19	76	······································
	Actual construction	on work shall begin on o	r beforeDec	ember 14, 197	7 and shall
therea	ifter be prosecuted	d with reasonable diligen	ce and be completed	on or before Oct	ober 1, 19 <mark>78</mark>
	Complete applicat	tion of the water to the p	roposed use shall be r	nade on or befor	e October 1, 1979
		nd this 14th day o		19.76	0
			Jame	2 P. Se	em .
			WATER RESOURCE	ES DIRECTOR	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	u · u				
	7)	egon		fo	Z C
20	BLI	ved i n, Or M.			ENGIN
QQ	MIT THE STATE EGON	salen Salen		40888	STATE ENGINEER
∓ 0888	TH THE SON	irrst er at		40	
	PERMIT DPRIATE THE RS OF THE OF OREGON	was fi	: :	No.	37 .
Yo.	PE DPRI RS O OF C	rument wo State Engi 6 day of 8 o'cl	lican	book	. Vo.
Permit No.	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the Lay of ALL 19.76, at 8 o'clock H. M.	Returned to applicant: Approved:	Recorded in book No mits on page	Drainage Basin No.
Perr		s inst f the dt	ed to	on on	ie Ba
	TO	This ir office of the on the 19.76, at	Returned Approved:	Recorded	* Drainag Fees
	"				(0 C)