APPLICATION FOR A PERMIT

To Appropriate the Public Waters of the State of Oregon

7	Charles harve;			
	Wonder			o sonhino
of	(Postoffice)	,	County of	o se phine
State of	Oregon	, do hereby make	application for a	permit to appropriate the
following des	scribed public waters o	f the State of Oregon	subject to existing	g rights:
If the an	mlicant is a corporation	n, give date and place	of incorporation	,
_, up	· · · · · · · · · · · · · · · · · · ·	, 0	· -	
		Wi	otome Umpek	
1. The s	cource of the proposed	appropriation is	of Slate Tree	e of stream) K River
	······································	, tributary of	Applegate	River
2. The a	mount of water which	the applicant intends t	to apply to beneficia	al use is one-quarter
$(\frac{1}{4})$ 0	of cubic feet pe	r $second.$		
3. The u	se to which the water is		(Irriga	ation, power, mining, manufacturing,
domestic supplies	s, etc.)	Irrigation	~ 	
4 The n	noint of diversion is loce	ated 2844 ft. N 56	• 58 E to NE c	or, of Sec. 8 T 37 S
4. 1 ne p	·	R 7 W.W.M.	listance and bearing to se	ection corner)
			***************************************	•
		, ,		
being within	the $SW_{4}^{\frac{1}{4}}$ of $NE_{4}^{\frac{1}{4}}$	of	Sec. 8	, Tp. 37 S
				(No. N. or S.)
R. (No. E. or	, W. M., in the cou	nty of		
				about 2,000 ft.
	(Main dite	ch, canal or pipe line)		
miles in lengt	th, terminating in the	SE4 Of NE4 (Smallest legal subdivis	of Sec	, Tp37 S
	W. M., the proposed			
(NO. E. OF W	(·)			
. 6. The n				
	Hall Homestead	DI cen		
		DESCRIPTION OF	WORKS	
DIVERSION W	Vorks			
		fact length on to	" 25	feet, length at bottom
· ·				
				(Loose rock, concrete
	crib at present. to and brush, timber crib, etc.,			y over dam
masoury, rock				
(h) 1		Timber, one	opening, about	18" X 12"
(b) I	Description of headgate.	Timber, one	opening, about concrete, etc., number an	18" X 12" nd size of openings)

from headgate. At headgate: Width on top (at water line) 25 fee	et; width on bottom
18 feet; depth of water feet; grade inch to bo	
thousand feet.	
(b) At miles from headgate. Width on top (at water line)	3 ft.
feet; width on bottom 2 ft. feet; depth of water	
grade feet fall per one thousand feet.	
Small farm ditch with about 12" bottom width, 10" depth, 1:	1 side slopes,
fall of .7 ft. in 100 ft.	
FILL IN THE FOLLOWING INFORMATION WHERE THE WATER IS	USED FOR:
9. The land to be irrigated has a total area of 16.5 a	cres, located in each
smallest legal subdivision, as follows: (Give area of land in each smallest legal subdivision which	
Give area of land in each smallest legal subdivision which $3\frac{1}{2}$ of Sec. 8 T 37 S R 7 W.W.M.	you intend to irrigate)
NOTE: This application is for an additional 15 acres, a pre	evious permit
for water for la acres having been granted.	
6 acres to be irrigated in the Southwest $\frac{1}{4}$	
102 acres in the Southwast quarter of NE Section 8.	
The ditch to be ½ mile long,& 2 ft. wide on bottom 2.3 ft. on top.	
(If more cross required attach consists sheet)	
(If more space required, attach separate sheet) POWER, MINING, MANUFACTURING, OR TRANSPORTATION PURPOSES—	
10. (a) Total amount of power to be developed	onetical homeomore
	vreucai norsepower
(b) Total fall to be utilizedfeet.	••
(c) The nature of the works by means of which the power is to be develop	ed
(d) Such works to be located in of Sec	1
(Legal subdivision)	
Tp, R, W. M. (No. N. or S.) (No. E. or W.)	
(e) Is water to be returned to any stream? (Yes or No)	
(f) If so, name stream and locate point of return	
, Sec., , Tp ., , R ., (No. N. or S.) , R . (No. E.)	
	

UNICIPAL SUPPLY—	
11. To supply the city of	
(Name of) County, having a present popul	ation of, and an
stimated population ofin 191	
(Answer questions 12, 13, 14,	and 15 in all cases)
12. Estimated cost of proposed works, \$ 200.	
13. Construction work will begin on or before	
14. Construction work will be completed on or befo	Juna 1 1920
15. The water will be completely applied to the prop	June 1, 1920
Duplicate maps of the proposed ditch or other work	cs, prepared in accordance with the rules of the
State Water Board, accompany this application.	
	Charles Harvey Hall
	(Name of applicant) Wonder, Josephine Co., Ore.
G'	
Signed in the presence of us as witnesses:	Wonder, Josephine Co. Ore
(1) Jay Day (Name)	(Address of Witness)
(2) Wm. Childers,	Wonder, Josephine Co., Ore.
(Name)	(Address of Withess)
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by	25' long, and a ditch as shown on the map place at the present time, and it is concrete in the same location, and to
Remarks: A timber crib dam 3½' high by 12" bottom by 10" depth, is in	25' long, and a ditch as shown on the map place at the present time, and it is concrete in the same location, and to about the same location.
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in	25' long, and a ditch as shown on the map place at the present time, and it is concrete in the same location, and to about the same location.
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in	25' long, and a ditch as shown on the mapplace at the present time, and it is concrete in the same location, and to about the same location.
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in	25' long, and a ditch as shown on the mapplace at the present time, and it is concrete in the same location, and to about the same location.
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, ss.	25' long, and a ditch as shown on the mapplace at the present time, and it is concrete in the same location, and to about the same location.
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, County of Marion, Ss.	25' long, and a ditch as shown on the mapplace at the present time, and it is concrete in the same location, and to about the same location.
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, County of Marion, This is to certify that I have examined the foregone	25' long, and a ditch as shown on the mapplace at the present time, and it is concrete in the same location, and to about the same location. oing application, together with the accompanying
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, County of Marion, Ss.	25' long, and a ditch as shown on the mapplace at the present time, and it is concrete in the same location, and to about the same location. oing application, together with the accompanying
Remarks: A timber crib dam 32 high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, County of Marion, This is to certify that I have examined the foregomaps and data, and return the same for correction or answer to Question 9, & maps	25' long, and a ditch as shown on the mapplace at the present time, and it is concrete in the same location, and to about the same location. oing application, together with the accompanying completion, as follows:
Remarks: A timber crib dam 31 high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, County of Marion, This is to certify that I have examined the foregomaps and data, and return the same for correction or answer to Question 9, & maps In order to retain its priority, this application mus	25° long, and a ditch as shown on the man place at the present time, and it is concrete in the same location, and to about the same location. oing application, together with the accompanying completion, as follows:
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoeness and data, and return the same for correction or an answer to Question 9, & maps In order to retain its priority, this application must tions, on or before May 31, 191	25' long, and a ditch as shown on the man place at the present time, and it is concrete in the same location, and to about the same location. oing application, together with the accompanying completion, as follows: t be returned to the State Engineer, with correc-
Remarks: A timber crib dam 3½ high by 12" bottom by 10" depth, is in proposed to replace the dam by slightly enlarge the ditch in STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoeness and data, and return the same for correction or an answer to Question 9, & maps In order to retain its priority, this application must tions, on or before May 31, 191	25° long, and a ditch as shown on the man place at the present time, and it is concrete in the same location, and to about the same location. oing application, together with the accompanying completion, as follows:

Application No. 6509

15

Permit No. 4089

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. 1 District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30 day of April ,1919, at 6:30 o'clock A.M.

Returned to applicant for correction May 1, 1919

Corrected application received May 20, 1919

Approved:

Jun 6 1919

Recorded in Book No. 15 of Permits, on Page 4089.

\$5.55

State Engineer.

Percy A Cupper

1 map RS

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, subject to the following limitations and conditions: If for irrigation, this appropriation shall be limited to one-eightieth of one cubic foot per second, or its equivalent, for each acre irrigated, and shall be subject

The right to the use of water here:	in granted is limited to irrigation
purposes.	
The amount of water appropriated shall be limited	to the amount which can be applied to beneficial
use and not to exceed	cubic feet per second, or its equivalent in case of
rotation. The priority date of this permit is	April 30, 1919
Actual construction work shall begin on or before	June 6, 1920
thereafter be prosecuted with reasonable diligence and b	e completed on or before
	June 1, 1921
Complete application of the water to the proposed	use shall be made on or before
	October 1, 1922
WITNESS my hand this day of day	June, 1919
	Percy A Cupper

State Engineer.

evelopment are subject to the limitation of franchise as provided in Section 6683, Lord's Oregon Laws, and the provided in Chapter 213, Session Laws of 1915.