

RECEIVED

Permit No.

40955

JUL 2 8 1976

WATER RESOURCES DEPT. *APPLICATION FOR PERMIT
SALEM, OREGON

*CERTIFICATE NO. 47968

To Appropriate the Public Waters of the State of Oregon

I, Mountain Fir Lumber Co., Inc. (Name of applicant)

of P.O. Box 158 (Mailing address), Tygh Valley (City)

State of Oregon, 97063 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
January 1, 1969, Independence, Oregon

1. The source of the proposed appropriation is Mayfield Spring (Name of stream)

....., a tributary of White River

2. The amount of water which the applicant intends to apply to beneficial use is 0.89 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Industrial Use and for Sprinkling Logs. (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
0.29 cu. ft./sec. sprinkling log decks; balance for fire protection, sanitation, shop, and office.

4. The point of diversion is located 120 ft. S (N. or S.) and 275 ft. W (E. or W.) from the SW corner of Section 10 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 NE 1/4 (Give smallest legal subdivision) of Sec. 16, Tp. 4S (N. or S.)

R. 13E (E. or W.), W. M., in the county of Wasco

5. The Pipe Line (Main ditch, canal or pipe line) to be 2735' (Miles or feet) in length, terminating in the SW 1/4 NE 1/4, SE 1/4 NE 1/4, NW 1/4 NE 1/4 (Smallest legal subdivision) of Sec. 10, Tp. 4S (N. or S.)

R. 13E (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifugal, high pressure pump; (Size and type of pump)
20 h.p. electric motor. Lifted 2' ± (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 5428 ft.; size at intake, 8" in.; size at 1000 ft. from intake 6" in.; size at place of use 6" in.; difference in elevation between intake and place of use, 31' ft. Is grade uniform? Yes Estimated capacity, .89 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4S	13E	10	SW $\frac{1}{4}$ NE $\frac{1}{4}$	Industrial Use and Sprinkling log decks.
4S	13E	10	SE $\frac{1}{4}$ NE $\frac{1}{4}$	Industrial Use and Sprinkling log decks.
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	Industrial Use and Sprinkling log decks.

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.89 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mayfield Spring

The use to which this water is to be applied is Log Deck Sprinkling, fire suppression system, shop and office use.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 28, 1976

Actual construction work shall begin on or before December 21, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 21st day of December, 1976

James E. Sisson
WATER RESOURCES DIRECTOR

Application No. 54217
Permit No. 40955

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of July 1976, at 2:05 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. 40955 of Permits on page

STATE ENGINEER

Drainage Basin No. 5 page 38C
Fees 25.00