

SM- RECEIVED

AUG - 5 1976

Permit No. 40979

CERTIFICATE NO. 47865

WATER RESOURCES DEPT SALEM, OREGON

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C.R. Schubert (Name of applicant)

of Rt. #1 Weston (Mailing address)

State of Oregon 97886, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Schubert Spring (Name of stream)

a tributary of Grande Ronde R.

2. The amount of water which the applicant intends to apply to beneficial use is 5 GPM cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic for one cabin (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 75 ft. N and 1110 ft. W from the Center corner of Section 32 Township 4N Range 38E (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 of Sec. 32, Tp. 4N (Give smallest legal subdivision) (N. or S.)

R. 38 SE W. M., in the county of Umatilla (E. or W.)

5. The Pipe line to be 75 feet (Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 NW 1/4 of Sec. 32, Tp. 4N (Smallest legal subdivision) (N. or S.)

R. 38E W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Perferated Culvert (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 HP Electric (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied One Family

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 300.00
- 12. Construction work will begin on or before Completed, 1976
- 13. Construction work will be completed on or before October 1, 1976
- 14. The water will be completely applied to the proposed use on or before October 1, 1977

C. R. Schuber  
(Signature of applicant)

Remarks: This spring has provided the cabin a domestic supply of water since 1956.

In the summer months the spring vanishes out of sight near the state hiway. In the winter months when the flow picks up the water flows into a drian near the hiway after joining this water it makes its way to Langdon Lake.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By ..... ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Schubert Spring

The use to which this water is to be applied is domestic use for one family

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 5, 1976

Actual construction work shall begin on or before December 21, 1977 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 21st day of December, 1976.

*James E. Sisson*  
WATER RESOURCES DIRECTOR

Application No. 54614  
Permit No. 40979

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5 day of August, 1976, at 8 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of 40979  
Permits on page

STATE ENGINEER

Drainage Basin No. 7 page 2E

Fees 25.00