

RECEIVED

"CERTIFICATE NO. 54798" Permit No. 41052

AUG 30 1976

*APPLICATION FOR PERMIT

RESOURCES DEPT.

To Appropriate the Public Waters of the State of Oregon

I, David E. & Doris J. Craven (Name of applicant) of P.O. Box 597 (Mailing address), Reedsport (City), State of OR, 97467 (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring & Browns Creek (Name of stream), a tributary of N.E. Smith River

2. The amount of water which the applicant intends to apply to beneficial use is 0.025 cubic feet per second (If water is to be used from more than one source, give quantity from each)

See Remarks

3. The use to which the water is to be applied is domestic including irrigation of lawn less than 1/2 acre in area, stock, & irrigation of spring (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 110 ft. N and 990 ft. W from the NE corner of Lot 8 (NE 1/4 NE 1/4) T20S R10W WM Section 5 Browns Creek; 350' S & 1000' W from same corner & being within Lot 8 (NE 1/4 NE 1/4) Sec 5 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

Spring being within the Lot 1 (NE 1/4 NE 1/4) of Sec. 5, Tp. 20S, R. 10W, W. M., in the county of Douglas (Give smallest legal subdivision) (N. or S.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description pump at creek not determined yet (Size and type of pump) (Size and type of engine or motor to be used, total head water to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 500 ft.; size at intake, 3 in.; size at ft. from intake in.; size at place of use 1 1/2 in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>20S</u>	<u>10W</u>	<u>5</u>	<u>Lot 8 (NE 1/4 NE 1/4)</u>	<u>down, stock, 1/2 A</u>

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of _____
(Name of) _____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$.....
- 12. Construction work will begin on or before
- 13. Construction work will be completed on or before Oct 1977
- 14. The water will be completely applied to the proposed use on or before Oct 1978

Daniel E. Craven
(Signature of applicant)
Daniel E. Craven

Remarks: spring: domestic for house & cabin } 0.01 cfs
small lawn at house
stock ^{water} for less than 10 head 0.005 cfs
Browns Creek

supplemental supplies for domestic } deficiencies in
irrigation 0.01 cfs supply of spring
made up by creek

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring and Browns Creek, water to be appropriated from spring for domestic and stock when available with any deficiency in the available supply from the spring to be made up by appropriation from creek providing the total quantity diverted shall not exceed 0.015 c.f.s.

The use to which this water is to be applied is domestic use for two families, stock, and irrigation, being 0.01 c.f.s. for domestic and 0.005 c.f.s. for stock from spring and 0.01 c.f.s. for irrigation from Browns Creek.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 30, 1976

Actual construction work shall begin on or before January 12, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979. Extended to Oct. 1979

WITNESS my hand this 12th day of January, 1977.

James E. Sisson
WATER RESOURCES DIRECTOR

Application No. 54723
Permit No. 41052

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30 day of August 1976, at 7:55 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 41052 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 20 Y
Fees 60.00