REGEIVED

WATER RESOURCES DEPTI SALEM, OREGON

*APPLICATION FOR PERMIT "CERTIFICATE NO. 59063

To Appropriate the Public Waters of the State of Oregon

	I, Doria L. Aud			
of	Chico Rt.	(Name of	,	
•	(Ma	ailing address)	(City)	
	f Oregon	(Zip Code)	make application for a permit to appropr	iate the
follow	ng described public wa	iters of the State of Orego	n, SUBJECT TO EXISTING RIGHTS:	
1	f the applicant is a corp	poration, give date and pla	ce of incorporation	•••••
1	. The source of the pro	oposed appropriation is	Prairie Crk. & Unn. Stream	
		, a tributary	of Wallowa River - Grande Ronde	Rive
2	P. The amount of water	which the applicant intend	is to apply to beneficial use is4.23	:
		3.72 from Prairie Crl	m more than one source, give quantity from each)	
3	3. The use to which the		Irrigation	
		to to to upplied to	(Irrigation, power, mining, manufacturing, domestic suppli-	es, etc.)
ie Crk	•	2110	N. 1800 W.	••••••
Stm. 4	. The point of diversio	on is located1950 ft.	No and 2320 ft. We from the (E. or W.)	SE
corner	ofsection 1			•
		(2000)	B404171810111	
•				
•••••			•	
			•	
	· · · · · · · · · · · · · · · · · · ·			
		(If preferable, give distance and bear	ing to section corner)	
	(If there is more that	(If preferable, give distance and bear on one point of diversion, each must be	ing to section corner) described. Use separate sheet if necessary)	
	(If there is more than pithin the (both) NW	(If preferable, give distance and bear in one point of diversion, each must be	described. Use separate sheet if necessary) of Sec. 1 To. 2 S.	
	(If there is more than pithin the (both) NW	(If preferable, give distance and bear in one point of diversion, each must be	described. Use separate sheet if necessary) of Sec. 1 To. 2 S.	
R	oithin the(both) NW (G. 44 E, W. M., in the or W.)	(If preferable, give distance and bear on one point of diversion, each must be $\frac{1}{\sqrt{2}}$ SF $\frac{1}{2}$ ive smallest legal subdivision) county of Wallowa	described. Use separate sheet if necessary) of Sec. 1 , Tp. 2 S. (N. o	
R	oithin the(both) NW (G. 44 E, W. M., in the or W.)	(If preferable, give distance and bear on one point of diversion, each must be $\frac{1}{\sqrt{2}}$ SF $\frac{1}{2}$ ive smallest legal subdivision) county of Wallowa	described. Use separate sheet if necessary) of Sec. 1 , Tp. 2 S. (N. o	r S.)
R	(If there is more than pitchin the (both) NW (G. 44 E, W. M., in the or w.)	(If preferable, give distance and bear n one point of diversion, each must be L SEL ive smallest legal subdivision) county of Wallowa beline	ing to section corner) described. Use separate sheet if necessary) of Sec. 1, Tp. 2, S. (N. o) 1- 3500 feet to be 2- 2000 feet	r S.)
R	(If there is more than pithin the(both) NW (G. 44 E.s, W. M., in the or w.) The main pip (M. th, terminating in the	(If preferable, give distance and bear in one point of diversion, each must be I SF 1 ive smallest legal subdivision) county of Wallowa county of Wallowa county of Wallowa county of SF 1 (Smallest legal subdivision)	described Use separate sheet if necessary	r S.)
R	(If there is more than pithin the(both) NW (G. 44 E.s, W. M., in the or w.) The main pip (M. th, terminating in the	(If preferable, give distance and bear in one point of diversion, each must be I SF 1 ive smallest legal subdivision) county of Wallowa county of Wallowa county of Wallowa county of SF 1 (Smallest legal subdivision)	ing to section corner) described. Use separate sheet if necessary) of Sec. 1, Tp. 2, S. (N. o) 1- 3500 feet to be 2- 2000 feet	r S.)
R	(If there is more than pithin the(both) NW (G. 44 E.s, W. M., in the or w.) The main pip (M. th, terminating in the	ive smallest legal subdivision) county of Wallowa seline lain ditck Farance line 2- SW SE 1 (Smallest legal subdivision) composed location being s	ing to section corner) described. Use separate sheet if necessary) of Sec. 1, Tp. 2 S. (N. o) 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1, Tp. 2 S. (N. o) hown throughout on the accompanying means the section of the section	r S.)
R	(If there is more that pithin the(both). NW (G. 44 E.s, W. M., in the or w.) The main pip (M. th., terminating in the	(If preferable, give distance and bear in one point of diversion, each must be I SF 1 ive smallest legal subdivision) county of Wallowa county of Wallowa county of Wallowa county of SF 1 (Smallest legal subdivision)	ing to section corner) described. Use separate sheet if necessary) of Sec. 1, Tp. 2 S. (N. o) 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1, Tp. 2 S. (N. o) hown throughout on the accompanying means the section of the section	r S.)
R	(If there is more than pithin the(both) NW (G. 44 Es, W. M., in the or W.) The main pip (M. th, terminating in the	(If preferable, give distance and bear on one point of diversion, each must be I SE ive smallest legal subdivision) county of Wallowa beline lain ditch Fabra properties 2- SW (Smallest legal subdivision) composed location being separated to the proposed location of the properties of the proposed location of the properties o	ing to section corner) described. Use separate sheet if necessary) of Sec. 1, Tp. 2.S.s. (N. o 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1, Tp. 2.S.s. (N. o) hown throughout on the accompanying many many many many many many many many	r S.)
R	(If there is more than pithin the (both) NW (G. 44 E, W. M., in the or w.) The main pip (M. th., terminating in the 44 E, W. M., the (E. or w.) On Works— (a) Height of dam	(If preferable, give distance and bear in one point of diversion, each must be L. SEL ive smallest legal subdivision) county of Wallowa county of Wallowa coline tain ditch Each Market line) 2- SWL SEL (Smallest legal subdivision) correspond to cation being some proposed location being some present legal subdivision) perconsideration of the state	described. Use separate sheet if necessary) of Sec. 1 , Tp. 2 S. (N. o) 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1 , Tp. 2 S. (N. o) hown throughout on the accompanying many many many many many many many many	rs.) nap.
R	(If there is more than pithin the (both) NW (G. 44 E, W. M., in the or w.) The main pip (M. th., terminating in the 44 E, W. M., the (E. or w.) On Works— (a) Height of dam	(If preferable, give distance and bear in one point of diversion, each must be L. SEL ive smallest legal subdivision) county of Wallowa county of Wallowa coline tain ditch Each Market line) 2- SWL SEL (Smallest legal subdivision) correspond to cation being some proposed location being some present legal subdivision) perconsideration of the state	ing to section corner) described. Use separate sheet if necessary) of Sec. 1, Tp. 2.S. (N. o 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1, Tp. 2.S. (N. o) hown throughout on the accompanying many feet, length at sof construction	r s.) nap.
R	(If there is more than pithin the(both). NW (G. 44. Es, W. M., in the corw.) The main pip (M. th., terminating in the	(If preferable, give distance and bear in one point of diversion, each must be L SF 1/2 live smallest legal subdivision) county of Wallowa beline tain ditck Floats hipe line) 2- SW 2E 1/2 (Smallest legal subdivision) proposed location being s DESCRIPTION Of feet, length to be used and character of	described. Use separate sheet if necessary) of Sec. 1 , Tp. 2 S. (N. o) 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1 , Tp. 2 S. (N. o) hown throughout on the accompanying many many many many many many many many	r s.) nap.
R	(If there is more than pithin the	(If preferable, give distance and bear in one point of diversion, each must be I SF 1 ive smallest legal subdivision) county of Wallowa beline tain ditch Fara Mark bipe line) 2 - SW 2 SF 1 (Smallest legal subdivision) proposed location being s DESCRIPTION Of feet, length to be used and character of over or around dam)	ing to section corner) described. Use separate sheet if necessary) of Sec. 1 , Tp. 2 S. (N. o 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1 , Tp. 2 S. (N. o) hown throughout on the accompanying many many many many many many many many	r S.) r S.) nap. bottom
R	(If there is more than pithin the	(If preferable, give distance and bear in one point of diversion, each must be I SF 1 ive smallest legal subdivision) county of Wallowa beline tain ditch Fara Mark bipe line) 2 - SW 2 SF 1 (Smallest legal subdivision) proposed location being s DESCRIPTION Of feet, length to be used and character of over or around dam)	ing to section corner) described. Use separate sheet if necessary) of Sec. 1 , Tp. 2 S. (N. o 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1 , Tp. 2 S. (N. o) hown throughout on the accompanying many many many many many many many many	r S.) r S.) nap. bottom
R	(If there is more than pithin the(both). NW (G. 44. E.s, W. M., in the or W.) The main pip (M. th, terminating in the	(If preferable, give distance and bear in one point of diversion, each must be I SFI live smallest legal subdivision) county of Wallowa beline lain ditch Fana problet line) 2 - SW SFI (Smallest legal subdivision) proposed location being s DESCRIPTION of feet, length to be used and character of over or around dam) gate (Timbo	ing to section corner) I described. Use separate sheet if necessary) Of Sec. 1. , Tp. 2. S. (N. o.	r S.) r S.) nap. bottom
R	(If there is more than pithin the(both). NW (G. 44. E.s, W. M., in the or W.) The main pip (M. th, terminating in the	(If preferable, give distance and bear in one point of diversion, each must be I SFI live smallest legal subdivision) county of Wallowa beline lain ditch Fana problet line) 2 - SW SFI (Smallest legal subdivision) proposed location being s DESCRIPTION of feet, length to be used and character of over or around dam) gate (Timbo	ing to section corner) I described. Use separate sheet if necessary) Of Sec. 1. , Tp. 2. S. (N. o.	r S.) r S.) nap. bottom
R	(If there is more than pithin the(both). NW (G. 44. E.s, W. M., in the or W.) The main pip (M. th, terminating in the	(If preferable, give distance and bear in one point of diversion, each must be I SFI live smallest legal subdivision) county of Wallowa beline lain ditch Fana problet line) 2 - SW SFI (Smallest legal subdivision) proposed location being s DESCRIPTION of feet, length to be used and character of over or around dam) gate (Timbo	ing to section corner) I described. Use separate sheet if necessary) Of Sec. 1. , Tp. 2. S. (N. o.	r S.) r S.) nap. bottom
R	(If there is more than pithin the(both). NW (G. 44. E.s, W. M., in the or w.) The main pip (M. th, terminating in the	(If preferable, give distance and bear in one point of diversion, each must be I SF 1 live smallest legal subdivision) county of Wallowa county	ing to section corner) described. Use separate sheet if necessary) of Sec. 1 , Tp. 2 S. (N. o 1- 3500 feet to be 2- 2000 feet (Miles or feet) of Sec. 1 , Tp. 2 S. (N. o thown throughout on the accompanying many many many many many many many many	r S.) nap.

anal System or	Pipe Line—			41063
. •	-	each point of o	canal where materially changed	l in size, stating miles from
eadgate. At hea	dgate: width on 1	top (at water	line)	feet; width on bottom
	feet; depth of w	ater	feet; grade	feet fall per one
ousand feet. (b) At	n	niles from he	eadgate: width on top (at wate	r line)
	feet; width on b	ottom	feet; depth of w	pater feet;
rade	feet fall	per one thous	sand feet.	
(c) Length	1- 350 of pipe, 2- 200	00 00	size at intake, 6	1000 n.; size atft.
	U		6 f use6 in.; diffe	
ntake and place		ft. Is	s grade uniform? Yes	Estimated capacity,
8. Locatio	n of area to be in	rrigated, or pl	ace of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S.	44 E.	1	N E ¹ / ₄ NE ¹ / ₄	62.1
			$NW_{4}^{\frac{1}{2}} NE_{4}^{\frac{1}{2}}$	41.4
		· · · · · · · · · · · · · · · · · · ·	SW ¹ / ₄ NE ¹ / ₄	8.2
			SE ¹ NE ¹	36.4
			NW SE L	0.5
			NE ¹ / ₄ SE ¹ / ₄	0.1 148.7 Prairie (
		and the second s	total-	148.7 Prairie (
		1	NW¼ SE¼	4.6
water and the state of the stat			SW2 SE2	15.8 20.4 Unn. Stre
		<u> </u>	total-	20.4 Unn. Stre
			Combined total-	169.1
(a) Chard	acter of soilS		e required, attach separate sheet)	
			ain	•
Power or Minii	-	ones to be dee	veloped	theoretical horsenower
			•	•
			or power	sec. jt.
			(Head) feet.	
(d) T	he nature of the	works by mea	ens of which the power is to be	developed
(e) S	uch works to be	located in	(Legal subdivision)	of Sec.
	, R(No.			
			stream?(Yes or No)	
			·	
(g) I	f so, name strean	i ana iocate p	ooint of return	

(i) The nature of the mines to be served

10. (a) To supply the city of		4106
	, having a present population of	***************************************
and an estimated population of		es de la companya de La companya de la companya de
(b) If for domestic use st	tate number of families to be supplied	
	(Answer questions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of propose	ed works, \$ 60,000	
12. Construction work will be	egin on or before1 Sept. 1976	***************************************
13. Construction work will be	completed on or before 1 Sept. 1978	•••••
14. The water will be complete	ely applied to the proposed use on or before 1 Sept	• 1979
· · · · · · · · · · · · · · · · · · ·	Dona L'a	01
	(Signature of applicant)	det
Remarks:		•••••••••••••••••••••••••••••••••••••••
	•	
•		•••••••••••••••••••••••••••••••••••••••
	*	•••••••••••••••••••••••••••••••••••••••
		• .
		•••••••••••••••••••••••••••••••••••••••
		•••••••••••••••••••••••••••••••••••••••
· ·		•
		······································
L		
STATE OF OREGON, ss.		
Combination of Marion,	examined the foregoing application, together with the	
0) \$		
meps-and data, and return the sam	e for correction and completion.	••••••
Solution its prior		•••••••••••••••••••••••••••••••••••••••
•	rity, this application must be returned to the State	Engineer, with
corrections on or before	uanuary 3, 19.77.	
Wilmunga		
WITNESS my hand this 1st	day ofNovember	, 19 <u>7</u> .6
	JAMES E. SEXSON	

STATE	OF	OREGON,)
Coun	tu o	of Marion.	ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

			3.4			
	The right herein	granted is limited to	the amount	of water wh	ich can be applied	to beneficial use
and s	hall not exceed	4.23 cubic 1	feet per secon	ıd measured	at the point of div	version from the
strear	n, or its equivale	nt in case of rotation	with other w	ater users, f	rom Prairie Cre	ek and an
unna	amed stream, b	eing 3.72 c.f.s.	from Prairi	e Creek ar	nd 0.51 c.f.s. f	rom the
unne	med stream.		•	·····	•	
	The use to which	h this water is to be ap	oplied is <u>ir</u>	rigation.		
	d or its equivaler	this appropriation sh	ted and sh	all be fur	ther limited to	a diversion
of r	ot to exceed	3½ acre feet per a	cre for ea	ch acre ir	rigated during	the irrigation
seas	on of each yea	ar,	••••••••••••	••••	<u>-</u>	
	••••					•
						•••••••••••••••••••••••••••••••••••••••
				•		•••••••••••••••••••••••••••••••••••••••
•••••••••••••••••••••••••••••••••••••••	•		•	•••••		•••••
	••••••••••••••••••••••••	•				• • • • • • • • • • • • • • • • • • • •
•••••••••	`			•••••		
••••••	••••••			•••••		••••••
and si	nall be subject to	such reasonable rota	tion system (as may be o	rdered by the prop	er state officer.
						••
	The priority date	e of this permit is				
		e of this permit is	Septemb	er 2, 1976		
	Actual construct	ion work shall begin o	Septemb	er 2, 1976	January 12, 1978	and shall
	Actual construct	ion work shall begin o	Septembon or before and be	er 2, 1976	January 12, 1978	3 and shall or 1, 19.78
	Actual construct fter be prosecute Complete applica	ion work shall begin or with reasonable dilication of the water to the	Septembon or before and be the proposed u	er 2, 1976 completed of the see shall be m	January 12, 1978 on or before Octobe nade on or before O	3 and shall or 1, 19.78
	Actual construct fter be prosecute Complete applica	ion work shall begin o	Septembon or before and be the proposed u	er 2, 1976 completed of the see shall be m	January 12, 1978 on or before Octobe nade on or before O	3 and shall or 1, 19.78
	Actual construct fter be prosecute Complete applica	ion work shall begin or with reasonable dilication of the water to the	September on or before a sigence and be see proposed using ay of	er 2, 1976 completed of the see shall be m	January 12, 1973 on or before Octobe nade on or before O	3 and shall or 1, 19.78
	Actual construct fter be prosecute Complete applica	ion work shall begin or with reasonable dilication of the water to the	September on or before a sigence and be see proposed using ay of	e completed ese shall be m	January 12, 1973 on or before Octobe nade on or before O	and shall or 1, 19.78
	Actual construct fter be prosecute Complete applica	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before a sigence and be see proposed using ay of	e completed ese shall be m	January 12, 1978 on or before Octobe nade on or before O, 19.77 ES DIRECTOR	and shall or 1, 19.78
therea	Actual construct fter be prosecute Complete applica WITNESS my ho	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before a sigence and be see proposed using ay of	e completed ese shall be m	January 12, 1978 on or before Octobe nade on or before O, 19 77 ES DIRECTOR	and shall or 1, 19.78
therea	Actual construct fter be prosecute Complete applica WITNESS my ho	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before a sigence and be see proposed using ay of	e completed ese shall be m	January 12, 1978 on or before Octobe nade on or before O, 19 77 ES DIRECTOR	and shall or 1, 19.78. ctober 1, 19.79.
therea	Actual construct fter be prosecute Complete applica WITNESS my ho	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before a sigence and be see proposed using ay of	e completed ese shall be m	January 12, 1978 on or before Octobe nade on or before O, 19.77 ES DIRECTOR	and shall or 1, 19.78
therea	Actual construct fter be prosecute Complete applica WITNESS my ho	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before a sigence and be see proposed using ay of	e completed ese shall be m	January 12, 1973 on or before Octobe nade on or before O 19 77 ES DIRECTOR	and shall or 1, 19.78. ctober 1, 19.79.
therea	Actual construct fter be prosecute Complete applica WITNESS my ho	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before digence and be the proposed way of	e completed ese shall be m	January 12, 1973 on or before Octobe nade on or before O 19 77 ES DIRECTOR	and shall or 1, 19.78 ctober 1, 19.79
thereo	Actual construct fter be prosecute Complete applica WITNESS my ho	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before digence and be the proposed way of	e completed ese shall be m	January 12, 1973 on or before Octobe nade on or before O 19 77 ES DIRECTOR	and shall or 1, 19.78 ctober 1, 19.79
thered	Actual construct fter be prosecute Complete applica WITNESS my ho	ument was first received in the State Engineer at Salem, Oregon, day of Sclock M. A o'clock M. M.	September on or before digence and be the proposed way of	e completed ese shall be m January R RESOURC	January 12, 1973 on or before Octobe nade on or before O, 19 77 ES DIRECTOR	and shall or 1, 19.78 ctober 1, 19.79
therea	Actual constructs fter be prosecute Complete applica WITNESS my ha	int was first received in the most strain the most strain the most strain of the water to the most strain of the most strain the most stra	September on or before a sigence and be see proposed u ay of	e completed ese shall be m	January 12, 1978 on or before Octobe nade on or before O 19 77 ES DIRECTOR	and shall or 1, 19.78. ctober 1, 19.79.
	Actual construct fter be prosecute Complete applica WITNESS my ho	ion work shall begin of with reasonable dilitation of the water to the and this	September on or before a sigence and be see proposed u ay of	e completed ese shall be m	January 12, 1973 on or before Octobe nade on or before O 19 77 ES DIRECTOR	and sha er 1, 19.78 ctober 1, 19.79