

RECEIVED

RECEIVED

Permit No. 41070

7 1976

SEP 10 1976

CERTIFICATE NO. 50647

WATER RESOURCES DEPT.
SALEM, OREGON

WATER RESOURCES DEPT.
APPLICATION FOR PERMIT
SALEM, OREGON

To appropriate the Public Waters of the State of Oregon

I, DAYTON SAND & GRAVEL CO.
(Name of applicant)
of P.O. BOX 177, MC MINNVILLE, OREGON 97128
(Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation
November 8, 1960 McMinnville, OR

1. The source of the proposed appropriation is slough
(Name of stream)
, a tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 1.2
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is manufacturing
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 200 ft. S and 200 ft. W from the N.E.
(N. or S.) (E. or W.)
corner of Dayton City Limits ON 1600 ft S and 1200 ft W from
(Section or subdivision)
the N.E. corner of Section 17 T₂S R₃W
W.M. in the county of Yamhill
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the City of Dayton SE¹/₄ of NE¹/₄ of Sec. 17, Tp. 4S,
(Give smallest legal subdivision) (N. or S.)
R. 3W, W. M., in the county of Yamhill

5. The Pump and Pipe Line to be 300 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the City of Dayton SE¹/₄ of NE¹/₄ of Sec. 17, Tp. 4S,
(Smallest legal subdivision) (N. or S.)
R. 3W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Centrifical Pump
(Size and type of pump)
3.7" input 2 1/2" output 15 H.P.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... Complete.....

12. Construction work will begin on or before .. Complete

13. Construction work will be completed on or before .. Complete

14. The water will be completely applied to the proposed use on or before August 30, 1976

D. J. Allen
(Signature of applicant)

Remarks: We are and have been historically using this slough as make-up

water for the Dayton Sand & Gravel Co. settling pond. This is

for evaporation & seepage losses.

Evap. & seepage loss

The pond dimensions are as follows:

# 1	60' x 120' x 12'	=	1.2 af
# 2	30' x 90' x 90'		1.0 "
# 3	125' x 180'		3.70 af
# 4	60' x 70' x 100'		1.10 af

All pond range from 10' - 12' deep when they are cleared.

total 7.00 af

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before November 8, 1976.

WITNESS my hand this 7th day of September, 1976.

JAMES E. SEXSON
Director

By *Vestal R. Garner*
Vestal R. Garner

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a slough

The use to which this water is to be applied is manufacturing (sand-gravel plant)

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

This permit is issued subject to the maintenance and use of adequate treatment facilities to remove the sediment before returning the water to the stream.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 7, 1976

Actual construction work shall begin on or before January 12, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 12th day of January, 1977.

James E. Sisson
WATER RESOURCES DIRECTOR

Application No. 54749
Permit No. 41070

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of September, 1976, at 10:00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 41070 of Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 90B27

Fees