SEP 2 91976

WATER RESOURCES DEPT SALEM, OREGON

*APPLICATION FOR PERMIT

"CERTIFICATE NO. 60081

To Appropriate the Public Waters of the State of Oregon

I, Francis W. Henney
of 3570 Galls Creek Road Gold Hill (Mailing address)
State of Oregon , 97525 do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Bear Gulch Spring, a tributary
of Galls Creek , a tributary of Rogue River
2. The amount of water which the applicant intends to apply to beneficial use is • Ol c.f.s.
cubic feet per second
3. The use to which the water is to be applied is domestic, including 0.5 ac. lawn & (Irrigation, power, mining, manufacturing, domestic supplies, etc.) garde
4. The point of diversion is located south easterly 750. ft. and ft. from the center (N. or S.)
corner of Section 4 (Section or subdivision)
670'5 370'E from C/4 Cor, Sec 4
being within the
5. The pipeline to be 1800 feet (Main ditch, canal or pipe line) (Miles-or feet)
in length, terminating in the SE% NE% of Sec. 4, Tp. 37 S (Smallest legal subdivision)
R
DESCRIPTION OF WORKS Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction spring to be boxed (Loose rock, concrete, masonry,
in using rock & concrete rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description all gravity flow (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

eadgate. At he	adgate: width on to	op (at water l	ine)	feet; width on bottom
feet; depth of water			feet; grade	feet fall per one
ousand feet. (b) At	m	iles from hed	idgate: width on top (at	water line)
				ı of water feet;
				i of water feet;
rade	feet fall p	er one thouse	and feet.	
(c) Lengt	h of pipe,18	00 ft.; s	ize at intake, 114	in.; size at ft.
om intake	in.; si	ze at place of	use 114 in.;	difference in elevation between
ntake and place	of use, -240	ft. Is	grade uniform?	yes Estimated capacity,
		. .		,
	•	igated, or pla	-	
Township	Range E. or W. of			
North or South	Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
37 S	3 W	4	SE% NE%	domestic includin
Medicina program Manifoldscolor Aprila destruyenda in Arabi III essayan in Arabi III			1	0.5 ac. lawn & gard
and the second				
ter te v version de l'individuale en unables de un ser une editerne en une ellerne en une ellerne en une el une				
			4977	
rifer riferrosci esclivitar displanda madrascorrena. Prastrumena colo se es la sestima				
1-147 distribution (distribution distribution distributio				
		THE COMPANY AND ASS. A COMPANY DESCRIPTION OF AN ARCHITECTURE AND ASS.		
	<u> </u>		required, attach separate sheet)	
(a) Chard	acter of soil		clay loam	
(b) Kind	of crops raised]	awn and garden	
Downer on Minis	a a Dumana			
Power or Minima $9 - (a) T$		per to be deve	lonad	theoretical horsepower
				-
			power	•
(c) To	otal fall to be utili	ized	(Head)	t.
(d) T	he nature of the w	orks by me an	s of which the power is t	to be developed
·····		·····		
(e) Si	uch works to be lo	cated in		of Sec
			(Legal subdivision)	
	S.) R. (No. E.			
(f) Is	water to be retur	ned to any st	ream?(Yes or No)	
(g) If	so, name stream o	and locate poi	int of return	
	······································	Sec	, Tp	, R, W. M.
				S.) (NO. E. O. W.)

PERMIT

STATE	OF OREGO	· 1
Coun	ty of Mario	n. ss

Application No. 54829

This is to certify that I have examined the foregoing application and do hereby grant the same

SUBJ	ECT TO EXISTI	NG RIGHTS and the	following lin	nitations an	d conditions:	g g. and the dame,		
	The right herein	granted is limited to the	he amount o	f water whi	ch can be applie	d to beneficial use		
and sh	nall not exceed	0.01 cubic fe	et per secon	d measured	at the point of	diversion from the		
stream, or its equivalent in case of rotation with other water users, from Bear Gulch Spring								
		this water is to be app						
						* .		
		this appropriation sha						
second	l or its equivalen	t for each acre irrigate	ed					
••••••						••••••		
•••••	•••••••••••••••••••••••••••••••••••••••							
	••••••							

•••••	•••••							
••••••	••••		***********					
	•							
ana si		such reasonable rotat				roper state officer.		
		e of this permit is						
		ion work shall begin or						
therea	ifter be prosecute	d with reasonable dilig	genc e and be	completed o	on or before Oct	ober 1, 19 <mark>78</mark>		
	Complete applica	tion of the water to the	e proposed us	se shall be n	nade on or before	October 1, 19.79		
	WITNESS my ho	and this14th da	y of J	anuary	19.77			
				James	ES DIRECTOR	XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		
			WAI	ER RESOURC	SES-DIRECTOR	ASSACANAAAA		
	•~ 	, 5, 6	ĭ	;	of	: 11		
	ບ	in the regon,			0	MEER Z		
	PUBLI	wed m, 0			63	state engineer page 78 Z (
23	E PUB	recei Land			60	state page		
411	HE THE	irrst er at			17	Ŋ		
♥	PERMIT PRIATE TH SS OF THE OF OREGON	was finginee	nt:		No.			
70	PE OPRI OF (nent wo te Engi day of	licar		book	No.		
Permit No.	PERN APPROPRIATE WATERS OF T	trume Stat	app		l in b page	Basin No		
Perr		This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of Legtenskir.	Returned to applicant	ed:		ye Bu		
	TO	This in office of t.	turn	Approved:	Recordec	Drainage Fees		
		on 01	&	Az	Pe	Drai: Fees		