

RECEIVED

MAY 17 1976

WATER RESOURCES DEPT  
SALEM, OREGON

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, HOOD RIVER IRRIGATION DISTRICT  
(Name of applicant)  
of Route 3, Hood River, Oregon 97031  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is  
(Name of stream)  
a tributary of the Hood River

2. The amount of water which the applicant intends to apply to beneficial use is  
cubic feet per second. 12.99  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is for the application of spray  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
on orchards and frost protection.

4. The point of diversion is located ft. and ft. from the  
(N. or S.) (E. or W.)  
corner of  
(Section or subdivision)  
all the diversion points of the District

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. Tp.  
(Give smallest legal subdivision) (N. or S.)  
R. W. M., in the county of  
(E. or W.)

5. The District will utilize the existing ditches and pipelines  
(Main ditch, canal or pipe line) to be  
(Miles or feet)  
in length, terminating in the of Sec. Tp.  
(Smallest legal subdivision) (N. or S.)  
R. W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam the District will utilize its currently existing works.  
feet, length on top feet, length at bottom  
feet; material to be used and character of construction  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



**Application No. 50680**  
**Permit No. 41178**

Application No. 50680 Hood River Irrigation District

Attachment for Items No. 1 and No. 2

Sources	cfs spraying	cfs frost protection
Gate Creek	0.22	0.54
Dead Point Creek	0.61	1.56
Unnamed stream	0.21	0.54
Ditch Creek	0.63	1.56
Green Point Creek	0.40	1.01
North Fork Green Point Creek	0.40	1.02
South Fork Pine Creek	0.41	1.02
North Fork Pine Creek	0.41	1.02
Indian Creek	0.41	1.02
	<hr/>	<hr/>
Total	3.70	9.29

All water to be delivered by the High Line Ditch, the Low Line Ditch or Indian Creek.

The High Line Ditch will carry 3.02 cubic foot per second of water from Gate Creek, Dead Point Creek, the unnamed stream and Ditch Creek for use on 586.1 acres.

The Low Line Ditch will carry 9.97 cubic foot per second of water from Green Point Creek, North Fork Green Point Creek, Dead Point Creek, South Fork Pine Creek, North Fork Pine Creek, Ditch Creek and Indian Creek for use on 1938.4 acres. Water will also be taken directly from Indian Creek.

Application No. 50680  
 Permit No. 41178

Application No. 50680 Hood River Irrigation District

Attachment for Item No. 8

T.	R.	Sec.	¼	¼	Acres	T.	R.	Sec.	¼	¼	Acres	
3N	10E	33	SW	NE	2.4	2N	10E	10	SE	SW	35.2	
			SW	NW	6.8				SW	SE	33.0	
			SE	NW	16.8				SE	SE	11.1	
			NE	SW	36.7				15	NE	NE	2.0
			NW	SW	10.9					NW	NE	32.0
			SW	SW	1.8					SW	NE	2.6
			SE	SW	24.8					NE	NW	38.6
			NW	SE	1.3					NW	NW	39.0
			SW	SE	32.4					SW	NW	30.9
			SE	SE	9.3					SE	NW	26.8
2N	10E	3	NW	SW	3.6	NE	SW	1.2				
			SW	SW	17.4	NW	SW	13.0				
			4	NE	NE	37.9	16	NE		NE	40.0	
				NW	NE	26.1		NW	NE	38.8		
				SW	NE	23.9		SW	NE	37.8		
				SE	NE	33.8		SE	NE	20.7		
				NE	NW	36.6		NE	NW	35.0		
				NW	NW	8.4		NW	NW	24.6		
				SE	NW	8.8		SW	NW	36.9		
				NE	SW	21.6		SE	NW	38.0		
NW	SW	10.8		NE	SW	32.0						
SW	SW	12.8		NW	SW	38.4						
SE	SW	37.8	SW	SW	36.1							
NE	SE	38.2	SE	SW	3.0							
NW	SE	31.3	NE	SE	5.2							
SW	SE	13.6	17	NW	SE	13.8						
SE	SE	28.2		NE	NE	27.1						
5	NE	SE		NE	SE	16.4	NW	NE	16.3			
				8	NE	NE	16.4	SW	NE	5.4		
					NW	NE	2.0	SE	NE	37.0		
					SW	NE	13.4	NE	NW	16.0		
					SE	NE	36.4	NW	NW	39.6		
					SW	NW	0.1	SW	NW	22.8		
					SE	NW	9.2	SE	NW	16.2		
					NW	SW	21.0	NE	SW	23.4		
			SW		SW	29.2	NW	SW	9.5			
			NE		SE	33.2	SW	SW	10.8			
NW	SE	1.8	SE		SW	11.5						
SW	SE	8.0	NE	SE	35.2							
SE	SE	36.6	NW	SE	26.0							
9	NE	NE	NE	NE	27.5	SW	SE	13.6				
			NW	NE	37.6	SE	SE	30.2				
			SW	NE	26.4	18	NE	NE	28.0			
			SE	NE	30.6		19	SE	SE	15.4		
			NE	NW	38.6			20	NE	NE	7.2	
			NW	NW	27.2				NW	NE	0.2	
			SW	NW	34.0				NE	NW	24.6	
			SE	NW	35.8				NW	NW	19.0	
			NE	SW	31.2				SW	NW	0.9	
			NW	SW	31.6				SE	NW	6.6	
SW	SW	30.5	SW	SW	12.1							
SE	SW	24.6	21	NW	NW				0.6			
NE	SE	40.3		29	NW	NW			0.7			
NW	SE	23.8			30	NE	NE		7.8			
SW	SE	35.0				Total			2524.5			
SE	SE	37.6										
10	NW	NW					NW	NW	21.4			
							SW	NW	27.8			
							NE	SW	21.0			
							NW	SW	16.9			
							SW	SW	38.0			

**Application No. 50680**  
**Permit No. 41178**

Application No. 50680 Hood River Irrigation District

Attachment for Item No. 4

Points of Diversion Located:

Gate Creek: 6940'N & 14820'W from the SE corner, SW $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 34, being within the NE $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 30, T 2N, R 9E, W.M.

Ditch Creek: 1820'S & 1270'W from the E $\frac{1}{4}$  corner, Section 14, being within the SE $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 14; 1740'N & 330'W from the E $\frac{1}{4}$  corner, Section 24, being within the NE $\frac{1}{4}$  NE $\frac{1}{4}$ , Section 24, T 2N, R 9E, W.M.; 150'N & 2470'E from the W $\frac{1}{4}$  corner, Section 19, being within the SE $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 19, T 2N, R 10E, W.M.

Indian Creek: 2030'N & 2530'E from the SW corner, Section 17, being within the NE $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 17; 260'S & 100'E from the NW corner, Section 16, being within the NW $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 16; 1240'S & 1910'W from the NE corner, Section 9, being within the NW $\frac{1}{4}$  NE $\frac{1}{4}$ , Section 9, T 2N, R 10E, W.M.

Unnamed Stream: 5110'N & 1060'W from the SE corner, Section 34, being within the SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 27, T 2N, R 9E, W.M.

Dead Point Creek: 4700'N & 2820'W from the SE corner, Section 34, being within the NE $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 34; 370'S & 1570'E from the NW corner, Section 2, being within the NE $\frac{1}{4}$  NW $\frac{1}{4}$ , Section 2, T 2N, R 9E, W.M.

Green Point Creek: 430'S & 5670'E from the NW corner, Section 9, being within the SE $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 4, T 1N, R 9E, W.M.

North Fork Green Point Creek: 340'N & 7090'E from the NW corner, Section 9, being within the SE $\frac{1}{4}$  SW $\frac{1}{4}$ , Section 3, T 1N, R 9E, W.M.

South Fork Pine Creek: 875'N & 1700'W from the SE corner, Section 25, being within the SW $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 25, T 2N, R 9E, W.M.

North Fork Pine Creek: 1920'N & 1310'W from the SE corner, Section 25, being within the NE $\frac{1}{4}$  SE $\frac{1}{4}$ , Section 25, T 2N, R 9E, W.M.

Municipal or Domestic Supply—

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
(Name of)  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... none.....
- 12. Construction work will begin on or before ..... n/a.....
- 13. Construction work will be completed on or before ..... n/a.....
- 14. The water will be completely applied to the proposed use on or before .....

HOOD RIVER IRRIGATION DISTRICT

By: *Frank W. Summers*  
(Signature of applicant)  
Chairman of the Board

Remarks: Water to be used for spray purposes during the crop year beginning in the spring from approximately February 15th of each year through approximately the 15th of November, depending on weather, the existence of bugs and pests and other variables in the orchards, and for frost protection commencing February 15 of each year through May 15.

Diversions and place of use as shown on Sheets No. 1 and 2 of maps made in connection with the Inchoate Rights of Hood River regarding Hood River Irrigation District.

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for ..... correction and completion.....

In order to retain its priority, this application must be returned to the State Engineer, with correction on or before ..... December 9....., 19 76.

WITNESS my hand this ..... 9th..... day of ..... September....., 19 76.

*Vestal R. Garner*  
Vestal R. Garner

JAMES E. SEXSON  
Director

RECEIVED

NOV 22 1976

WATER RESOURCES DEPT  
SALEM, OREGON

STATE OF OREGON, }  
County of Marion, } ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 12.99 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Gate, Dead Point, Ditch, Green Point, North Fork Green Point, South Fork Pine, North Fork Pine and Indian Creeks and unnamed creek in the quantities listed herein.  
The use to which this water is to be applied is orchard spraying and frost protection.

~~if for irrigation, this appropriation shall be limited to \_\_\_\_\_ cubic feet per second~~

Sources	Quantity for Spraying	Quantity for Frost Protection
Gate Creek	0.22	0.54
Dead Point Creek	0.61	1.56
Unnamed Stream	0.21	0.54
Ditch Creek	0.63	1.56
Green Point Creek	0.40	1.01
North Fork Green Point Creek	0.40	1.02
South Fork Pine Creek	0.41	1.02
North Fork Pine Creek	0.41	1.02
Indian Creek	0.41	1.02

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 17, 1976

Actual construction work shall begin on or before January 18, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 18th day of January, 1977

*James E. Serran*  
WATER RESOURCES DIRECTOR

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 50680  
Permit No. 41178

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. \_\_\_\_\_ District No. \_\_\_\_\_

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of May, 1976 at 8:00 o'clock A. M.

Returned to applicant: \_\_\_\_\_

Corrected application received: \_\_\_\_\_

Approved: \_\_\_\_\_

Recorded in book No. \_\_\_\_\_ of 41178  
Permits on page \_\_\_\_\_

STATE ENGINEER

Drainage Basin No. A Page 20A-28

Fees Paid 49.00