Permit No. 41213

DEC - 31976

"CERTIFICATE NO. _67074

WATER RESOURCES DEPT SALEM, OREGON

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	D 0 Por 7	T). () TO TO
	(Mailing address)	Butte Falls,
State of	Oregon , 97522	2, do hereby make application for a permit to appropriate the
ollowing desc	ribed public waters of the	State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the a	oplicant is a corporation, giv	ve date and place of incorporation
1. The	source of the proposed appr	opriation is Geppert Cr. and Buck Creek,
rib. of	S. Fk. Rogue River	, a tributary of Rogue River.
		applicant intends to apply to beneficial use is 1.07 (see rema
ubic feet per	second	vater is to be used from more than one source, give quantity from each)
		vater is to be used from more than one source, give quantity from each) be applied is domestic and irrigation (see remaindered in the control of the contro
	Buck Creek	2660
		1 1660 ft. S. and 800 ft. W. from the E1/4
orner of	Sec. 26, being wit	thin the SE¼ SE¼ of Section 26;
		Diversion is located 1240 feet South and 32
	from the E% corne	
	from the E% corne	er of Section 26 give distance and bearing to section corner)
feet West	If preferable, (If there is more than one point of di	er of Section 26 give distance and bearing to section corner)
feet West	(If there is more than one point of di the NEX SEX	er of Section 26 give distance and bearing to section corner)
feet West	(If there is more than one point of dishe	er of Section 26 give distance and bearing to section corner) iversion, each must be described. Use separate sheet if necessary) of Sec. 26 , Tp. 33 S. is subdivision) (N. or S.)
eing within to (E. or W.) 5. The	(If there is more than one point of di the NE% SE% (Give smallest lega, W. M., in the county of main ditch (Main ditch, canal	er of Section 26 give distance and bearing to section corner) liversion, each must be described. Use separate sheet if necessary) of Sec. 26 , Tp. 33 S. (N. or S.) Jackson. to be 8,700 feet or pipe line) (Miles or feet)
feet West eing within to E. S. E. 5. The n length, terr	(If there is more than one point of di the NEW SEW (Give smallest lega, W. M., in the county of Main ditch (Main ditch canal ninating in the NEW SW) (Smallest	er of Section 26 give distance and bearing to section corner) iversion, each must be described. Use separate sheet if necessary) of Sec. 26 , Tp. 33 S. il subdivision) Jackson. to be 8,700 feet or pipe line) (Miles or feet) st legal subdivision) of Sec. 23 , Tp. 33 S. (N. or S.)
feet West eing within to 5. The n length, terr	(If preferable, of the E% corne (If preferable, of the is more than one point of disherence is disherence is more than one point of disherence is more than one	er of Section 26 give distance and bearing to section corner) iversion, each must be described. Use separate sheet if necessary) of Sec. 26 , Tp. 33 S. is subdivision) Jackson. to be 8,700 feet or pipe line) of Sec. 23 , Tp. 33 S. (N. or S.) distance and bearing to section corner) of Sec. 26 , Tp. 33 S. (N. or S.) location being shown throughout on the accompanying map.
peing within to the state of th	(If preferable, of the E% corner (If preferable, of the E% SE% (Give smallest legal), W. M., in the county of main ditch (Main ditch canal) (Smallest), W. M., the proposed leads of the corner of the county of the county of the canal of the	give distance and bearing to section corner) liversion, each must be described. Use separate sheet if necessary) of Sec. 26 , Tp. 33 S. , li subdivision) (N. or S.) Jackson. to be 8,700 feet or pipe line) (Miles or feet) set legal subdivision) (N. or S.) location being shown throughout on the accompanying map. ESCRIPTION OF WORKS
feet West eing within to 3. E. 5. The n length, terr 1. 3. E. (E. or w.) Diversion Wo 6. (a)	(If preferable, of the E% corner (If preferable, of the is more than one point of disherence is more than one point of dis	give distance and bearing to section corner) iversion, each must be described. Use separate sheet if necessary) of Sec. 26. , Tp. 33. S. , il subdivision) to be 8.700 feet or pipe line) to be 8.700 feet or pipe line) of Sec. 23. , Tp. 33. S. , ist legal subdivision) location being shown throughout on the accompanying map. ESCRIPTION OF WORKS feet, length on top feet, length at bottom
eing within to the second within to the second within the second w	(If preferable, of the E% corner (If preferable, of the is more than one point of disherence is more than one point of dis	give distance and bearing to section corner) liversion, each must be described. Use separate sheet if necessary) of Sec. 26 , Tp. 33 S. , li subdivision) (N. or S.) Jackson. to be 8,700 feet or pipe line) (Miles or feet) set legal subdivision) (N. or S.) location being shown throughout on the accompanying map. ESCRIPTION OF WORKS
eing within to the constant of	(If preferable, of the E% corne (If preferable, of the III) (If there is more than one point of disherent in the III) (Give smallest legal in, W. M., in the county of Imain ditch (Main ditch canal in the III) (Smallest) (Smallest) (Smallest) DE TRIANGLE (The III) (give distance and bearing to section corner) Iversion, each must be described. Use separate sheet if necessary) of Sec. 26. , Tp. 33 S. (N. or S.) Jackson. to be 8.700 feet or pipe line) of Sec. 23. , Tp. 33 S. (N. or S.) location being shown throughout on the accompanying map. ESCRIPTION OF WORKS feet, length on top feet, length at bottom and character of construction (Loose rock, concrete, masonry.
feet West leing within to 3. E. (E. or W.) 5. The n length, term (E. or W.) Oiversion Wo 6. (a)	(If preferable, of the E% corne (If preferable, of the III) (If there is more than one point of disherent in the III) (Give smallest legal in, W. M., in the county of Imain ditch (Main ditch canal in the III) (Smallest) (Smallest) (Smallest) DE TRIANGLE (The III) (give distance and bearing to section corner) Iversion, each must be described. Use separate sheet if necessary) of Sec. 26. , Tp. 33 S. (N. or S.) Jackson. to be 8,700 feet or pipe line) of Sec. 23. , Tp. 33 S. (N. or S.) location being shown throughout on the accompanying map. ESCRIPTION OF WORKS feet, length on top feet, length at bottom and character of construction (Loose rock, concrete, masonry.
feet West peing within to the second within to the second within to the second within the second with	(If preferable, of the E% corne (If preferable, of the is more than one point of dishere is more than one point of dishe NE% SE% (Give smallest lega, W. M., in the county of main ditch (Main ditch, canal ninating in the NE% SW) (Smallest,, W. M., the proposed legal to be used feet; material to be used cription of headgate	give distance and bearing to section corner) Iversion, each must be described. Use separate sheet if necessary) of Sec. 26. , Tp. 33 S. (N. or S.) Jackson. to be 8.700 feet or pipe line) of Sec. 23. , Tp. 33 S. (N. or S.) location being shown throughout on the accompanying map. ESCRIPTION OF WORKS feet, length on top feet, length at bottom and character of construction (Loose rock, concrete, masonry.

			er line)2.5	
and feet.			•Ofeet; grade2 • 5	
			headgate: width on top (at wate	
			feet; depth of t	water feet;
	feet fall	;	•	
(c) Length	of pipe,	ft	; size at intake,	in.; size at ft.
n intake	in.;	size at place	of use in.; diffe	erence in elevation between
ke and place	of use,	ft.	Is grade uniform?	Estimated capacity,
8. Location		rrigated, or	place of use	
Township	Range E. or W. of			
North or South	Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S.	3 E.	23	NW¼ SE¼	37.0 acres (Buck (
			SE¼ SE¼	30.0 acres (Buck
			SW1/4 SE1/4	5.0 acres (Buck (
			NE¼ SW¼	3.1 acres (Buck
			SE% SW%	3.5 acres (Buck
		26	NE¼ NE¼	(Buck (Cour family domestic
			SW14 NE14	6.4 acres (Gepper
	Name of the last o		Total	85.0 acres
(a) Charac	ter of soil		ace required, attach separate sheet)	
			pasture.	
(5) 12000	j crops ruiseu.	•••••••••••••••••••••••••••••••••••••••		
ver or Mining	•		i	
			eveloped	
			or power	sec. ft.
(c) Tota	al fall to be ut	ilized	(Head) feet.	
(d) The	nature of the 1	works by me	ans of which the power is to be	developed
	/			
(e) Suc	h works to be	located in	(Legal subdivision)	of Sec,
	, R			
			stream?(Yes or No)	
			point of return	······
,				
	,	Sec	, Tp.	, R W. M.
			oe applied is	

10. (a) To supply the city of	(4) families.
(b) If for domestic use state number of families to be supplied four (Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$5,000.00	(4) families.
(b) If for domestic use state number of families to be supplied four (Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$.5,000.00	(4) families.
(b) If for domestic use state number of families to be supplied four (Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$.5.,000.00 12. Construction work will begin on or before	
(Answer questions 11, 12, 13, and 14 in all cases) 11. Estimated cost of proposed works, \$5,000.00 12. Construction work will begin on or before	
11. Estimated cost of proposed works, \$5,000.00	of priority.
12. Construction work will begin on or before	of priority.
13. Construction work will be completed on or before October 1, 1	of priority.
14 The spater spill be completely and lied to the	978.
14. The water will be completely applied to the proposed use on or beforeQ	ctober 1. 1979.
* M. HPin	e Po
(Signature of appli	icant)
Julia M. Leng	gle
Remarks: The amount of water and the use to which th	e water is to b
pplied is 0.98 c.f.s. for irrigation and 0.01 c.f.s.	for domestic fr
uck Creek and 0.08 c.f.s. for irrigation from Geppert	Creek.
	`
	•••••••••••••••••••••••••••••••••••••••
	· · · · · · · · · · · · · · · · · · ·
	•••••••••••••••••••••••••••••••••••••••
	•••••••••••••••••••••••••••••••••••••••
TATE OF OREGON,	
County of Marion, ss.	
This is to certify that I have examined the foregoing application, together w	ith the accompanying
aps and data, and return the same for	
and data, and return the same jor	
In order to retain its priority, this application must be returned to the	State Engineer, with
rrections on or before	•
WITNESS my hand this day of	10
	, 13
	STATE ENGINEER

ASSISTANT

STATE	OF	OREGON,)	
Coun	tai c	of Marion.	}	ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

				high san he applied	to homoficial use
		anted is limited to the			
		1.07 cubic feet	•		
		in case of rotation wit			
Creek,	being 0.01 c.	f.s. from Buck Cr	eek and 1.06 c.f.	s. from Geppert	Creek.
T_{I}	ne use to which th	his water is to be appl	ied is domestic use	e for one family	and irrigation
		rom Geppert Creek			
•	mestic.				
		his appropriation shal	l he limited to 1	/80th of c	me cubic foot per
		for each acre irrigate			
of not	to exceed 42	acre feet per acı	re for each acre	irrigated during	ule IIIIgacion
season	of each year	2			
	•				
					•••••
***********	·				
		:			
					•••••••••••••••••••••••••••••••••••••••
	······				
and sha	ill be subject to	such reasonable rotat	ion system as may b	e ordered by the pr	oper state officer.
and sha	ill be subject to	such reasonable rotate	ion system as may b December 3, 1976 December 27, 1976	e ordered by the pr for 0.09 c.f.s. 5 for 0.98 c.f.s.	oper state officer.
T	he priority date	of this permit is	December 27, 1976	for 0.98 c.1.8.	;
T A	The priority date Actual construction	of this permit is on work shall begin or	n or before Jan	nuary 18, 1978	and shall
T A thereaf	The priority date Actual construction ter be prosecuted	of this permit is on work shall begin or I with reasonable dilig	n or before	nuary 18, 1978 ed on or before Octo	ober 1, 19.78
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat	of this permit is on work shall begin or	n or before	nuary 18, 1978 ed on or before Octo	ober 1, 19.78
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1880	of this permit is on work shall begin or I with reasonable dilig tion of the water to the	n or beforeJan gence and be complete e proposed use shall be	nuary 18, 1978 ed on or before Octo Extended to Octo oe made on or before	and shall
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1880	of this permit is on work shall begin or I with reasonable dilig	n or beforeJan gence and be complete e proposed use shall be	nuary 18, 1978 ed on or before Octo Extended to Octo oe made on or before	and shall
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1880	of this permit is on work shall begin or I with reasonable dilig tion of the water to the	n or beforeJan gence and be complete e proposed use shall be	nuary 18, 1978 ed on or before Octo Extended to Octo oe made on or before	and shall
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1880	of this permit is on work shall begin or I with reasonable dilig tion of the water to the	n or before	ruary 18, 1978 ed on or before Octobe made on or before 19.77	and shall ber 1, 19.78 1979 October 1, 19.79
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1880	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	ruary 18, 1978 ed on or before Octobe made on or before 19.77	and shall ber 1, 19.78 1979 October 1, 19.79
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octo Friended to Octo oe made on or before 19.77 URCES DIRECTOR	and shall ber 1, 19.78 1979 October 1, 19.79
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octobe made on or before made on or before URCES DIRECTOR	and shall ber 1, 19.78. 1979 October 1, 19.79
thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octobe made on or before made on or before URCES DIRECTOR	and shall ber 1, 19.78. 1979 October 1, 19.79
thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octo Friended to Octo oe made on or before 19.77 URCES DIRECTOR	ober 1, 19.78 1979 October 1, 19.79
T A thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octobe made on or before 19.77 URCES DIRECTOR	and shall ber 1, 19.78 1979 October 1, 19.79
thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octobe made on or before 19.77 URCES DIRECTOR	and shall ber 1, 19.78 1979 October 1, 19.79
thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octobe made on or before 19.77 URCES DIRECTOR	and shall ober 1, 19.78 October 1, 19.79 ARREST RESIDENT ARREST RESIDENT
thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octobe made on or before 19.77 URCES DIRECTOR	and shall ober 1, 19.78. October 1, 19.79 October 1, 19.79
thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1980 WITNESS my har	of this permit ison work shall begin on work shall begin on a with reasonable diligation of the water to the and this	n or before	nuary 18, 1978 ed on or before Octobe made on or before 19.77 URCES DIRECTOR	and shall ober 1, 19.78. October 1, 19.79 October 1, 19.79
thereaf	The priority date Actual construction ter be prosecuted Complete applicat Extended to Oct. 1 1960 WITNESS my har	the Engineer at Salem, Oregon, day of	n or before Jan gence and be complet e proposed use shall to	nuary 18, 1978 ed on or before Octobe made on or before oe made on or before URCES DIRECTOR	and shall ber 1, 19.78 1979 October 1, 19.79