

RECEIVED

Permit No. 41297

CERTIFICATE NO. 51651

WATER RESOURCES DEPT  
SALEM, OREGON

\*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, James R. Olson & Laurie C. Olson  
(Name of applicant)

of P. O. Box 667 (570 Pioneer Way), Winchester  
(Mailing address) (City)

State of Oregon, 97495, do hereby make application for a permit to appropriate the  
(Zip Code)

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Unpqua River  
(Name of stream)

, a tributary of Unpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.005  
cubic feet per second  
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Irrigation: Lawns & garden

4. The point of diversion is located #1 - 260 #1-140  
#2 - 245 ft. S and #2-230 ft. E from the N. W.  
(N. or S.) (E. or W.)

corner of Section 30  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N.W. 1/4 N.W. 1/4 of Sec. 30, Tp. 26 South,  
(Give smallest legal subdivision) (N. or S.)

R. 5 West, W. M., in the county of Douglas  
(E. or W.)

5. The pipe line to be 300' feet  
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the N.W. 1/4 N.W. 1/4 of Sec. 30, Tp. 26 S.  
(Smallest legal subdivision) (N. or S.)

R. 5 W., W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom  
feet; material to be used and character of construction  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description two 1 1/2 HP Electric  
(Size and type of pump)  
40 gallons per minute  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..... 1000.00.....

12. Construction work will begin on or before ..... completed.....

13. Construction work will be completed on or before ..... completed.....

14. The water will be completely applied to the proposed use on or before .....

..... completed.....

*James R. Olson*  
(Signature of Applicant)  
*Laurie C. Olson*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 3, 1977

Actual construction work shall begin on or before February 3, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978

Complete application of the water to the proposed use shall be made on or before October 1, 1979

WITNESS my hand this 3rd day of February, 1977

*James O. Nelson*  
WATER RESOURCES DIRECTOR STATE ENGINEER

Application No. 55072  
Permit No. 41297

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3 day of January, 1977, at 11 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 41297 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 26K  
Fees