

RECEIVED

Permit No. 41308

APR 19 1976

WATER RESOURCES DEPT
SALEM, OREGON

ASSIGNED, See Misc. Rec., Vol. 6 Page 828

*APPLICATION FOR PERMIT

CERTIFICATE NO. 53069

To appropriate the Public Waters of the State of Oregon

I, Rash Dairy Harold L. Rash and Mable G. Rash
(Name of applicant)

of Rt. 1, Box 69 (Mailing address), Boardman (City)

State of Oregon 97818 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Rash Dairy

Dec. 2, 1966 Morrow County, Oregon

1. The source of the proposed appropriation is Drainage water mostly from Rash Dairy
(Name of stream)
or Gantenbein field, a tributary of Columbia River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.58
cubic feet per second or 264 gpm
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 60 ft. S and 694 ft. E from the W $\frac{1}{4}$
(N. or S.) (E. or W.)
corner of SEEXIX Sec. 13
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 13, Tp. 4N
(Give smallest legal subdivision) (N. or S.)

R. 25 E, W. M., in the county of MORROW
(E. or W.)

5. The pipeline to be 700 ft
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 14, Tp. 4 N
(Smallest legal subdivision) (N. or S.)

R. 25 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry.)

Collection sump for surface and tile drain outlets is a 9' diameter steel culvert
rock and brush, timber crib, etc., wasteway over or around dam) pipe 16 ft long buried flush with surrounding land

(b) Description of headgate _____ water level is to top of pipe.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____ 4 inch centrifugal pump with _____
(Size and type of pump)
_____ 25 hp electric motor
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 15,000.00.....

12. Construction work will begin on or before Started.....

13. Construction work will be completed on or before June 15, 1976.....

14. The water will be completely applied to the proposed use on or before June 15, 1976.....

Harold Rash pres
Mabel S. Rash Sec.
(Signature of applicant)

Remarks: None of the water proposed for use on this site is from wells all will come from farm drainage from the Rash Dairy or Henry Gantenbein alfalfa field an area of approximately 100 acres, surface or tile drainage.

Use of water from the sump will be on land that has a primary right under West Extension Irrigation District on 35 acres. Since the water will be applied with a wheel move lateral there is no practical way to separately irrigate the other five acres in this 40 acre tract, because they are not located where this can be done. Both the primary and the supplemental water will be applied through this system to the entire 40 acre tract at least during part of the season.

The five acres shaded on the map are the approximate locations of the land which is not covered by the W. E. I. D. water right and we are now requesting a primary right from the sump for these acres.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT
41308

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.58 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed drainageway

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 19, 1976

Actual construction work shall begin on or before March 21, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 21st day of March, 1977.

James E. Sessor
WATER RESOURCES DIRECTOR

Application No. 54163
Permit No. 41308

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19 day of April
1976, at 11.00 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
41308
Permits on page

STATE ENGINEER

Drainage Basin No. 7 page 2E

Fees