

SM- RECEIVED

Permit No. 41396

JAN 20 1977

WATER RESOURCES DEPT
SALEM, OREGON

*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 6 Page 1121

CERTIFICATE NO. 51652

To Appropriate the Public Waters of the State of Oregon

I, Artis A. Parker (Name of applicant)

of North Umpqua Highway (Mailing address), Glide (City)

State of Oregon, 97443 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River (Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125 cubic feet per second (If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation & domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 500 ft. S (N. or S.) and 1150 ft. W (E. or W.) from the center corner of Section 10 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SW 1/4 (Give smallest legal subdivision) of Sec. 10, Tp. 26S (N. or S.)

R. 3W (E. or W.), W. M., in the county of Douglas

5. The pipeline (Main ditch, canal or pipe line) to be 200' (Miles or feet) in length, terminating in the NE 1/4 SW 1/4 (Smallest legal subdivision) of Sec. 10, Tp. 26S (N. or S.)

R. 3W (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

..... feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 h.p., electric (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 500
- 12. Construction work will begin on or before February 1977
- 13. Construction work will be completed on or before February 1978
- 14. The water will be completely applied to the proposed use on or before February 1979

Artis A. Parker
(Signature of applicant)

Remarks:

RECEIVED
MAR 15 1977

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before April 25, 1977.

WITNESS my hand this 23rd day of February, 1977.

JAMES E. SEXSON
Director ~~STATE ENGINEER~~
By *Vestal R. Garner*
Vestal R. Garner ~~STATE ENGINEER~~

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

41396

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.013 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is irrigation and domestic use for one family, being 0.008 c.f.s. for irrigation and 0.005 c.f.s. for domestic

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 20, 1977

Actual construction work shall begin on or before April 4, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1978.

Complete application of the water to the proposed use shall be made on or before October 1, 1979.

WITNESS my hand this 4th day of April 1977.

James E. Jensen
WATER RESOURCES DIRECTOR

Application No. 55135
Permit No. 41396

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20 day of January, 1977, at 11 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. 41396 of Permits on page

STATE ENGINEER

Drainage Basin No. 16 page 26 K
Fees 4500