## RECEIVED

JAN111977
WATER MESCURCES DEPT
SALEM. OREGON

## \*APPLICATION FOR PERMIT

Permit No. 41454

CERTIFICATE NO. 53496

## To Appropriate the Public Waters of the State of Oregon

of .	Route 1, Box 107 Wallowa (Mailing address) (City)
Sta	te ofOregon, 97885 , do hereby make application for a permit to appropriate th
	owing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation N/A
	1. The source of the proposed appropriation is
•••••	, a tributary of Grande Ronde River
	2. The amount of water which the applicant intends to apply to beneficial use is
cub	ic feet per second being .043 from Unnamed Spring Br. &
	3. The use to which the water is to be applied is for stock water (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
corr	N. 81°58' W. 1551 feet  4. The point of diversion is located N. 66°11t' E. 3378 N8 feet ft. ft. from the SW Section 11
cor	ner ofSastion 11 (Section or subdivision)
rin	(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  11  1 N.  SW 1/4 SE 1/4  Tp. 1 S.
o.em	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
oen	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  Within the SW 1/4 State shallest legal subdivision)  42 E.  (E. of W.)  W. M., in the county of Wallowa  S. The main ditch to be 600
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  SW 1/4 STGive shallest legal subdivision)  42 E.  (E. of W.)  W. M., in the county of Wallowa  (E. of W.)  (Main ditch, canal or pipe line)  (Miles or feet)
R	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  Within the SW 1/4 State shallest legal subdivision)  42 E.  (E. of W.)  W. M., in the county of Wallowa  S. The main ditch to be 600
in l	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  SW 1/4 STGIVE SM allest legal subdivision)  42 E.  (Exorwin), W. M., in the county of Wallowa  5. The main ditch to be 600  (Main ditch, canal or pipe line)  (Miles or feet)  ength, terminating in the SE1/4 SW 1/4 of Sec. 11 , Tp. 1 N.  (Smallest legal subdivision)
in l R.	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  Within the SW 1/4 SF Give shallest legal subdivision)  42 E.  (E. of W.)  W. M., in the county of
in l R.	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  Within the SW 1/4 SF Give shallest legal subdivision)  42 E.  (E. of W.)  W. M., in the county of
R Div	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  SW 1/4 SW 1/4  Within the SW 1/4 SW 1/4  (E. or W.)  Where is more than one point of diversion, each must be described. Use separate sheet if necessary)  1 N.
R Div	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4 SW 1/4  SW 1/4 SE 11
R Div	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  SW 1/4 SW 1/4  Within the SW 1/4 SW 1/4  (E. or W.)  Where is more than one point of diversion, each must be described. Use separate sheet if necessary)  1 N.
R Div	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4 SW 1/4  SW 1/4 SE 11
in l	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  SW 1/4 SW 1/4  OW 1/4  SGI 1/4  S

Canal System or 7. (a) Giv		mal sub and survival. 22	<b>41454</b> lly changed in size, stating miles from	
			feet; width on botto	
TO MOWING JUCK				feet fall per o
(b) At	·····	miles from head	dgate: width on top (at we	ater line)
······································	feet; width on	bottom	feet; depth of	f water fe
		l per one thousa		
				in.; size at
				fference in elevation betwe
* **		jt. 18 g	rade uniform?	Estimated capaci
8. Location	of area to be	irrigated, or plac	e of use	
Township	Range E. or W. of			
North or South	Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
_ / N	42 E	11	5 /4 SW/4	STOCK.
-			:	
,				
				24,7
				. 8
				- 74
				,
(a) Charact	er of soil	(If more space req	uired, attach separate sheet)	
		,		,
(0) Kina o	crops raisea	•••••••••••••••••••••••••••••••••••••••		
wer or Mining				
9. (a) Tota	l amount of po	wer to be develop	oed	theoretical horsepowe
(b) Quan	ntity of water	to be used for po	wer	sec. ft.
(c) Tota	l fall to be uti	lized	Head)	
			(Head)  f which the power is to be	danalamad
	• •			aevetopea
(a) C				
				of Sec
	1	or W.)		
(f) Is we	iter to be retui	rned to any stream	m?(Yes or No)	
(g) If so	, name stream	and locate point	of return	
				, R, W. N
(h) The	use to which n	ower is to he ann	(No. N. or S.)	(No. E. or W.)
		rines to be served		

10. (a) To supply the city of	41454
(Name of)	
nd an estimated population of in 19 in 19	
(b) If for domestic use state number of families to be sup	oplied
(Answer questions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$0-	
12. Construction work will begin on or before0-	
13. Construction work will be completed on or beforeNot	Applicable
14. The water will be completely applied to the proposed use on	or before Now in use.
Lyne	(Signature of applicant)
Remarks: I have a permit #38048 for irrigation p	HITDOSES T. an analasina
for stock water from the same source; The previous p	
to-apply for stock water also.	
ad of sneep. It is just for barnyard purposes. No	s passed to a trough. The
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.	s passed to a trough. The k cows, a beef and a few new construction nor expens
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No	s passed to a trough. The k cows, a beef and a few new construction nor expens
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.	s passed to a trough. The k cows, a beef and a few new construction nor expens
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.	s passed to a trough. The k cows, a beef and a few new construction nor expens
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.	s passed to a trough. The k cows, a beef and a few new construction nor expens
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.	s passed to a trough. The k cows, a beef and a few new construction nor expens
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.	s passed to a trough. The k cows, a beef and a few new construction nor expens
I have a pipe inserted into the ditch by which water i mber of head drinking out of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.	s passed to a trough. The k cows, a beef and a few new construction nor expens
TATE OF OREGON,	s passed to a trough. The k cows, a beef and a few new construction nor expens
Thate of or or of this trough is just 2 mil ad of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.  TATE OF OREGON,  County of Marion,	s passed to a trough. The k cows, a beef and a few new construction nor expens
This is to certify that I have examined the foregoing application.	s passed to a trough. The k cows, a beef and a few new construction nor expens
This is to certify that I have examined the foregoing application.	s passed to a trough. The k cows, a beef and a few new construction nor expens
This is to certify that I have examined the foregoing application.	s passed to a trough. The k cows, a beef and a few new construction nor expens
This is to certify that I have examined the foregoing applications is the strong of th	s passed to a trough. The k cows, a beef and a few new construction nor expens
That a pipe inserted into the ditch by which water imber of head drinking out of this trough is just 2 mile and of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.  STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application maps and data, and return the same for correction and contractions on or before	s passed to a trough. The k cows, a beef and a few new construction nor expens on, together with the accompanyiompletion.
Thate a pipe inserted into the ditch by which water imber of head drinking out of this trough is just 2 mile and of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.  That of OREGON, County of Marion,  This is to certify that I have examined the foregoing application and data, and return the same for correction and contact the correction	s passed to a trough. The k cows, a beef and a few new construction nor expens on, together with the accompanyiompletion.
This is to certify that I have examined the foregoing application and data, and return the same for	s passed to a trough. The k cows, a beef and a few new construction nor expens on, together with the accompanyiompletion.
That a pipe inserted into the ditch by which water imber of head drinking out of this trough is just 2 mile and of sheep. It is just for barnyard purposes. No involved. No changes are anticipated.  STATE OF OREGON,  County of Marion,  This is to certify that I have examined the foregoing application maps and data, and return the same for correction and contractions on or before	s passed to a trough. The k cows, a beef and a few new construction nor expens on, together with the accompanyiompletion.

 STATE OF OREGON, County of Marion,

## 41454

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	hall not exceed	granted is limited to the amount of water which can be applied to ben  0.005 cubic feet per second measured at the point of diversion  at in case of rotation with other water users, from an unnamed str	n from the
••••••			
***********	••••		••••••
	The use to which	this water is to be applied is stock purposes	••••••
***********		<u></u>	••••••
****	Tf fan inniantian		
		this appropriation shall be limited to	
second	a or its equipalen	t for each acre irrigated	•••••
********	•••••		•••••
**********	V 1		
*********			
••••••			•••••
••••••	·····		•••••
••••••	•••••		:
************	••••••		
and si	hall he subject to	such reasonable rotation system as may be ordered by the proper sto	
una si		e of this permit is	ite ojjicer.
		ion work shall begin on or beforeApril 27, 1978	and shall
there		d with reasonable diligence and be completed on or before October 1, 19	
		tion of the water to the proposed use shall be made on or before October	
		and this27th day of	r 1, 19
		James Elexan	<b>)</b> ;, ;,
		WAZER RESOURCES DIRECTOR ADMIN	XXXXXXXX
	н		4
	b	at Salem, Oregon.  Annueny  A.1454  STATE ENGINEER	25
7	IT THE PUBLIC IE STATE ON	Salem, Orego Mulany M. M. A1454	38
145	E PUB	Sale Sale A 4.	page Z
4		first k	
	PERM APPROPRIATE WATERS OF IT	was finaginee of of of orclock o'clock k No.	b
No.	PERS OF	State Engi day of day of applicant:  in book N page	No.
Permit No.	PAPPROP WATERS	the St  the St  tt  d to ap  ded in  on pa	Basin 33
Ä	TO	This instrument was first received in the ice of the State Engineer at Salem, Oregon, the May of Amuaty  Z, at a o'clock M.  Proved:  Recorded in book No.  41454  **TATE ENGINEER**	tinage Basin No

. Application No. 55096