RECEIVED

*APPLICATION FOR PERMIT

CERTIFICATE NO: 51495

WHRCES DEPT!

To Appropriate the Public Waters of the State of Oregon

I, Palmer Creek Water District Improvement Companion
of Box (Mailing address), Day ton
(Mailing address) (City)
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
Deloriqual application
1. The source of the proposed appropriation is Willame He River
a tributary of COLUMBIA RIVER
2. The amount of water which the applicant intends to apply to beneficial use is 1.38
cubic feet per second
3. The use to which the water is to be applied is
4. The point of diversion is located 4700 ft. N. and 1290 ft. E. from the SE corner of 6.4 DLC 58 (Section or subdivision)
(Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is wore than one noise of discourse
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the(Give smallest legal subdivision) of Sec, Tp(N. or S.)
R. J. W. M., in the county of
5. The Canal (Main ditch, canal or pipe line) to be 2 /2 /2 /2 /3/ (Miles or feet)
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE/4 SW/4 of Sec. 29, Tp. 55 (Smallest legal subdivision)
R. 3 W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate
(c) If water is to be pumped give general description See original application
(c) If water is to be pumped give general description See Criginal application (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)
previous applications

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Tanal System or Pipe Line— 7. (a) Give dimensions at each point of canal where materially changed in size, stating mileadgate. At headgate: width on top (at water line) feet; depth of water feet; grade feet; grade feet; depth of water line) feet; width on bottom feet; width on bottom feet; depth of water line) feet; width on bottom feet; depth of water line) feet; width on bottom feet; depth of water line) feet; width on bottom feet; depth of water line) feet; width on bottom feet; depth of water line) feet; width on bottom feet; depth of water line) feet; width on top (at water line) feet; depth of care in elegting (at water line) feet; width on top (at water line) feet; depth of care in leave line; with lane line	per o
eadgate. At headgate: width on top (at water line) feet; width on feet; depth of water feet; depth of water feet; depth of water feet; width on top (at water line) feet; width on bottom feet; depth of water fact feet; width on bottom feet; depth of water fact feet; width on bottom feet; depth of water fact feet; width on bottom feet; depth of water fact feet; width on bottom feet; depth of water fact feet; width on bottom feet; depth of water fact feet; width on bottom fact feet; depth of water fact feet; width on bottom fact feet; depth of water fact feet; width on bottom fact feet; depth of water fact feet; width on top (at water line) feet; depth of water fact feet; depth of water fact feet; width on top (at water line) feet; depth of water fact feet; width on top (at water line) feet; depth of water fact feet	per o
feet; depth of water feet; grade feet fall	per o
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water rade feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at rom intake in.; size at place of use in.; difference in elepqtion to take and place of use, ft. Is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use Township North or South Williamste Meridian Forty-acre Tract Number Acres To Be It. TYS R3W SELION FORTY-acre Tract Number Acres To Be It. SELIVY SELY SE	fe
feet; width on bottom feet; depth of water	fe
feet fall per one thousand feet. (c) Length of pipe, ft.; size at intake, in.; size at intake in.; size at intake, in.; size at intake in.; size at place of use in.; difference in elepation that intake and place of use, ft. Is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use Township Forty-acre Tract Number Acres To Be Irrigated for South Williamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated for South Forty-acre Tract Num	betwe capaci
(c) Length of pipe, ft.; size at intake, in.; size at	betwe capaci
take and place of use, ft. Is grade uniform? Estimated of sec. ft. 8. Location of area to be irrigated, or place of use Township North or South Williametic Meridian Section Forty-acre Tract Number Acres To Be Itr YS R3W 29 SW/4 NE/4 3./ NE/4 SW/4 SE/4 31.0 SE/4 SW/4 SE/4 31.0 SE/4 SE/4 SW/4 SE/4 3.0 SE/4 SE/4 SW/4 SE/4 3.0 SE/4 SE/4 SW/4 SE/4 3.3 NW/4 SE/4 SE/4 3.3	betwe capaci
Township South Place of use, sec. ft. 8. Location of area to be irrigated, or place of use Township Range Row Williamette Meridian Section Forty-acre Tract Number Acres To Be Irr T. 45 R3W 29 SW/4 NE/4 3./ Number Acres To Be Irr Number Acres	capaci
Sec. ft. 8. Location of area to be irrigated, or place of use	
8. Location of area to be irrigated, or place of use Township Range Range William et Meridian Section Forty-acre Tract Number Acres To Be Irry	
Township North or South Williamette Meridian Section Forty-acre Tract Number Acres To Be Iry 7.4% 7.3%	
$NE'/y \leq U'/y \qquad 13.4$ $5E//y \leq U'/y \qquad 8.0$ $NW/y \leq E'/y \qquad 31.0$ $5U'/y \leq E'/y \qquad 19.5$ $5U'/y \qquad NE'/y \qquad 3.0$ $5E'/y \qquad NE'/y \qquad 0.3$ $NE'/y \qquad SE'/y \qquad 3.3$ $NU'/y \qquad SE'/y \qquad 3.3$ $NU'/y \qquad SE'/y \qquad 28.89$ $110, 49$ (If more space required, attach separate sheet) $110, 49$	rigated
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
SE/4 SU/4 8.0 $NW/4 SE/4 31.0$ $SU/4 SE/4 19.5$ $SU/4 NE/4 3.0$ $SE/4 NE/4 0.3$ $NE/4 SE/4 3.3$ $NU/4 SE/4 28.80$ $1/0,49$ (a) Character of soil WULAMETTE, Amply & DAYTON	
The state of soil William Fitt. Amy by End 19.5 1	
The state of soil William FITT, Amily $\stackrel{?}{=}$ Dayton	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
(If more space required, attach separate sheet) (a) Character of soil WULAMETTE, Amyty ξ Dayton	
(If more space required, attach separate sheet) (a) Character of soil $UUUAMETTE$, $AMIHY$ E $DAYTON$	
(If more space required, attach separate sheet) (a) Character of soil WULAMETTE, AMILY & DAYTON	
(If more space required, attach separate sheet) (a) Character of soil WULAMETTE, AMILY & DAYTON	
(If more space required, attach separate sheet) (a) Character of soil WULAMETTE, AMILY & DAYTON	
(a) Character of soil WULAMETTE, AMILY & DAYTON	
(a) Character of soil WULAMETTE, AMILY & DAYTON	
ower or Mining Purposes—	
9. (a) Total amount of power to be developed theoretical hors	senou
(b) Quantity of water to be used for powersec. ft.	
(c) Total fall to be utilized feet.	
(d) The nature of the works by means of which the power is to be developed	

(e) Such works to be located in	•
p, R, W. M. (No. N. or S.) (No. E. or W.)	
(No. N. or S.) (No. E. or W.) (f) Is water to be returned to any stream?	
(g) If so, name stream and locate point of return	
(h) The use to which power is to be applied is	2727

(i) The nature of the mines to be served

Iumicipal or Domestic Supply—	41499
10. (a) To supply the city of	
	g a present population of
d an estimated population of	
•	umber of families to be supplied
	r questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed work	
12. Construction work will begin on	or before
13. Construction work will be comple	leted on or before
14. The water will be completely app	plied to the proposed use on or before October 1, 1977
	Palmer Creek Water District Improvement
	Sec. & Tiea Gignature of applicant)
	Sec. & Tlea Gignature of applicant)
D	
Remarks:	
· · · · · · · · · · · · · · · · · · ·	<u></u>
CATE OF OREGON, ss.	
County of Marion,)	
This is to certify that I have examin	ined the foregoing application, together with the accompanying
aps and data, and return the same for	
In order to retain its priority, th	his application must be returned to the State Engineer, with
rrections on or before	
WITNESS my hand this	. day of, 19, 19
<i>a</i> = 5	STATE ENGINEER
	Part in the second seco

ASSISTANT

STATE OF OREGON,) ss.

41499

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	The right herein	granted is limited to t	the amount of water wh	iich can be applied to	beneficial us
and sh	nall not exceed	1.38 cubic fe	eet per second measured	d at the point of dive	ersion from th
		and the second second	vith other water users, j		
•••••••			······································		·
•••••			3		(§
	The use to which	this water is to be ap	plied isirrigation		
	· ·				
	If for irrigation,	this appropriation she	all be limited to 1	/80th of one	e cubic foot p
			ed and shall be fu		#
	*		cre for each acre i	M.	i
	on of each yea	.			
					
	•••••••••••••••••••••••••••••••••••••••		er.	······································	
***********	•••••••••••••••••••••••••••••••••••••••	······································			
•••••••••••	•••••				
••••••	***************************************		<u> </u>		
••••••••	•••••			<u> </u>	
therea	Actual construct efter be prosecute Complete applica	ion work shall begin o	rebruary 25, 1977 on or before	l on or before October	**
	WIINESS MY M	ina inis	iy ofAPELL	B /2	· •
		Magazi. Santana	WATER RESOURCE	ES DIRECTOR	KMAKKKKK
		Yer		1 19 19 19 19 19 19 19 19 19 19 19 19 19	
Permit No.	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 25 th day of FERUARY. 1977, at 8:45. o'clock. A. M.	Returned to applicant: Approved:	Recorded in book No. 41499 Permits on page STATE ENGINEER	Drainage Basin No. 2. page 645.