

*APPLICATION FOR PERMIT

"CERTIFICATE NO. 63630"

To appropriate the Public Waters of the State of Oregon

ASSOCIATION

I, WESTERN OREGON CONFERENCE/OF SEVENTH-DAY ADVENTISTS of 605 S. E. 39th Avenue, Portland, Oregon 97214, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation November 18, 1903 Portland, Oregon

1. The source of the proposed appropriation is Wastewater from Laurelwood Academy Sewage Treatment Plant & holding lagoon pond, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cfs. Maximum of 24.14 acre-feet per year

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located 630 ft. North and 2270 ft. W. from the S.E. corner of Sec. 5, T2S, R3W

being within the SW 1/4 of Sec. 5, Tp. 2S, R. 3W, W. M., in the county of Washington

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate ... (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description ... (Size and type of pump) ... (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use Laurelwood Academy Campus Property

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Data includes T2S, R3W, Section 5, NE 1/4 SW 1/4, 13.0 and T2S, R3W, Section 5, SE 1/4 SW 1/4, 6.2.

(If more space required, attach separate sheet)

(a) Character of soil SILT & SANDY CLAY

(b) Kind of crops raised Hay cover crop

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet. (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec. (Legal subdivision)

Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 20,000.....

12. Construction work will begin on or before March 1, 1977.....

13. Construction work will be completed on or before May 1, 1977.....

14. The water will be completely applied to the proposed use on or before July 1, 1977.....

WESTERN OREGON CONFERENCE ASSOCIATION
OF SEVENTH - DAY ADVENTISTS

(Signature of applicant)
[Handwritten Signature]

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.24 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from wastewater from Laurelwood Academy Sewage Treatment Plant and reservoirs to be constructed under application no. R-55228, permit no. R 6574

The use to which this water is to be applied is irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R- 6574

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 11, 1977

Actual construction work shall begin on or before June 30, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 30th day of June, 1977

James E. Sedson
Water Resources Director

Application No. 55229
Permit No. 41526

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of February, 1977, at 1:53 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 62 B 23

Fees 20.00