

SM-

RECEIVED

58185

41606

Permit No.

FEB-21 1977

WATER RESOURCES DEPT *APPLICATION FOR PERMIT
SALEM, OREGON

CERTIFICATE NO. 46511

To Appropriate the Public Waters of the State of Oregon

I, Blue Mountain Camp, Inc. (Name of applicant)
of 8 N.E. 5th Avenue Milton-Freewater (Mailing address) (City)
State of Oregon 97862 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation
July 13, 1922 Umatilla County

- 1. The source of the proposed appropriation is Two Springs (Name of stream), a tributary of Couse Creek.
2. The amount of water which the applicant intends to apply to beneficial use is 15 GPM cubic feet per second. Spring number one will be the first source of water, with spring number two will make up the deficiency.
3. The use to which the water is to be applied is Domestic for cabins, used both in summer and winter.
4. The point of diversion is located #1 1140 ft. S and #2 600 ft. S and 3000 ft. W from the corner of Section 35, Township 4N, Range 37E.

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the #1 NE 1/4 NW 1/4 #2 NE 1/4 NW 1/4 of Sec. 35, Tp. 4N, R. 37E, W. M., in the county of Umatilla.

5. The Pipe line to be 4100 Feet in length, terminating in the #1 NE 1/4 NW 1/4 #2 NE 1/4 NW 1/4 of Sec. 35, Tp. 4N, R. 37E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

- 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction.
(b) Description of headgate.
(c) If water is to be pumped give general description #1 Gravity flow system, #2 15 HP submersible.

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, #1 3000 ft.; size at intake, 3" in.; size at ft. from intake 2" in.; size at place of use 2" in.; difference in elevation between intake and place of use, #2 100' ft. Is grade uniform? No. Estimated capacity, #1 15 GPM #2 15 GPM sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4N	37E	35	NE 1/4	X

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)

(d) The nature of the works by means of which the power is to be developed
 (e) Such works to be located in of Sec.
 (Legal subdivision)

Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)
 (g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

Municipal or Domestic Supply—

41606

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 14 Cabins.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$#1 5,000 and #2 1,900
- 12. Construction work will begin on or before Completed
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before Completed

Blue Mountain Camp, Inc.
By: Don Rhodes
President (Signature of applicant)

Remarks: This application is to have first preference over an application
filed by me, in the name of Julius Scofield.

Julius A. Scofield
Signature

RECEIVED RECEIVED

MAY 10 1977
WATER RESOURCES DEPT.
SALEM, OREGON

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for correction and completion.

In order to retain its priority, this application must be returned to the State Engineer, with
corrections on or before May 11, 19 77.
July 18, 1977

WITNESS my hand this 11th day of March, 19 77.
16th May 1977

JAMES E. SEXSON
Director
By: Vestal R. Garner
Vestal R. Garner

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.03 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring # 1, with the deficiency made up from spring # 2.

The use to which this water is to be applied is domestic use for 14 families.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 2, 1977

Actual construction work shall begin on or before September 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 14th day of September 1977.

James E. Larson
Water Resources Director

Application No. 55180
Permit No. 41606

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2 day of February 1977, at 11 o'clock P. M.

Returned to applicant:

Approved:

Recorded in book No. of Permits on page

STATE ENGINEER

Drainage Basin No. 7 page 245

Fees