

RECEIVED

CERTIFICATE NO. 61701

41642

FLBOS 1977
WATER RESOURCES DEPT
SALEM, OREGON

Permit No.

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, John Michael Porter
(Name of applicant)
of P.O. Box 154, MOSIER
(Mailing address) (City)
State of ORE, 97040, do hereby make application for a permit to appropriate the
(Zip Code)
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is MOSIER CREEK
(Name of stream)
....., a tributary of COLUMBIA RIVER
- The amount of water which the applicant intends to apply to beneficial use is 0.01 cfs.
cubic feet per second
(If water is to be used from more than one source, give quantity from each)
- The use to which the water is to be applied is HOUSE, LAWN & GARDEN
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
- The point of diversion is located 500 ft. N and 200 ft. W from the S.E.
(N. or S.) (E. or W.)
corner of SW 1/4, NW 1/4 of SEC 12 T1N, R 11E
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NW 1/4 of Sec. 12, Tp. 1N
(Give smallest legal subdivision) (N. or S.)
R. 11E, W. M., in the county of WASCO

JMP

5. The to be
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the of Sec., Tp.
(Smallest legal subdivision) (N. or S.)
R., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3/4 hp gold gun booster pump
(Size and type of pump)
250' VERTICAL, 500' RUN
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 550 ft.; size at intake, 2 in.; size at 350 ft. from intake 4 in.; size at place of use 2 in.; difference in elevation between intake and place of use, 75 ft. Is grade uniform? NO Estimated capacity, 1 sec. ft.

8. Location of area to be irrigated, or place of use

| Township North or South | Range E or W of Willamette Meridian | Section | Forty-acre Tract | Number Acres To Be Irrigated |
|-------------------------|-------------------------------------|---------|-----------------------------------|------------------------------|
| 1 N | 11 E | 12 | SW $\frac{1}{4}$ NW $\frac{1}{4}$ | DOMESTIC INC. LAWN & GARDEN |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

(If more space required, attach separate sheet)

(a) Character of soil
 (b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
(Head)
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before BEGUN

13. Construction work will be completed on or before OCT. 77

14. The water will be completely applied to the proposed use on or before OCT. 77

John M. Porter
(Signature of applicant)

Remarks: THE LEGAL DESCRIPTION IS AS I
HAVE INDICATED, ON OUR DEED.

RECEIVED
MARRIAGE
DIVISION
MARRIAGE
DIVISION

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction and completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before June 13, 1977.

WITNESS my hand this 13th day of April, 1977.

James E. Sexson, Director
~~XXXXXXXXXX~~
By Vestal R. Garner
Vestal R. Garner ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mosier Creek

The use to which this water is to be applied is domestic use for one family, including the irrigation of lawn and garden not to exceed 1/2 acre in area.

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 22, 1977

Actual construction work shall begin on or before September 14, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979.

Complete application of the water to the proposed use shall be made on or before October 1, 1980.

WITNESS my hand this 14th day of September, 1977

James E. Sisson
Water Resources Director

Application No. 55370
Permit No. 41612

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22 day of February, 1977, at 8 o'clock P.M.

Returned to applicant:

Approved:

Recorded in book No. of

Permits on page

STATE ENGINEER

Drainage Basin No. 4 page 69

Fees