

RECEIVED

APR 4 1977
RESOURCES DEPT.
OREGON

Permit No. **41665**

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Peter C. Cotting (Name of applicant)
of Star Route, Box 43 (Mailing address), Gates (City),
State of Oregon, 97346 (Zip Code), do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed stream (Name of stream),
a tributary of Santiam River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 ^{fec}
cubic feet per second 0.5 FOR IRR. 0.05 DOMESTIC 0.05 STOCK
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is irrigation, domestic, livestock
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 270 ft. N and 1130 ft. E from the center ^{fec}
corner of Section 25, Township 9 South, Range 3 East of the Willamette meridian.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the SW 1/4 of NE 1/4 of Sec. 25, Tp. 9 South,
(Give smallest legal subdivision) (N. or S.)

R. 3 East, W. M., in the county of Marion
(E. or W.)

5. The pipeline (Main ditch, canal or pipe line) to be 2250 (Miles or feet)
in length, terminating in the SW 1/4 of SE 1/4 of Sec. 25, Tp. 9 South,
(Smallest legal subdivision) (N. or S.)
R. 3 East, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 1 feet, length on top 4 feet, length at bottom
4 feet; material to be used and character of construction loose rock
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

* A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Municipal or Domestic Supply—

10. (a) To supply the city of n/a
County, having a present population of
(Name of) and an estimated population of in 19

(b) If for domestic use state number of families to be supplied 1

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$
- 12. Construction work will begin on or before existing line
- 13. Construction work will be completed on ~~or before~~ July 1974
- 14. The water will be completely applied to the proposed use on or before July 1974

Peter C. Cutting
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before , 19

WITNESS my hand this day of , 19

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is irrigation, domestic use for one family and stock use; being 0.05 c.f.s. for irrigation, 0.005 c.f.s. for domestic use and 0.005 c.f.s. for stock use.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 4, 1977

Actual construction work shall begin on or before September 28, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 28th day of September 1977

James C. Larson
Water Resources Director

Application No. 55607
Permit No. 41665

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 4 day of April 1977, at 10:17 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. of
Permits on page

STATE ENGINEER

Drainage Basin No. 2 page 50-0
Fees 60.00