

RECEIVED
MAR - 8 1977
WATER RESOURCES DEPT
SALEM, OREGON

Permit No. **41670**
RECEIVED
MAR - 11 1977
WATER RESOURCES DEPT

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Gale E. Stevenson (Name of applicant)
of Rt. 1, Box 1440 (Mailing address), Bandon, (City)
State of Oregon, 97411 (Zip Code), do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

- The source of the proposed appropriation is Green Gulch Creek (Name of stream), a tributary of Four Mile Creek
- The amount of water which the applicant intends to apply to beneficial use is 1.91 cubic feet per second (If water is to be used from more than one source, give quantity from each)
- The use to which the water is to be applied is Irrigation 0.20, Temperature Control 20, Flood Harvest of Cranberries 1.5 and irrigation of garden 0.01 (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
- The point of diversion is located 685 ft. N and N30° W from the SE corner of NB1 NB1 of Sec. 12 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NB1 NB1 of Sec. 12, Tp. 30S R. 15 W., W. M., in the county of Coos (Give smallest legal subdivision) (N. or S.) (E. or W.)

- The Pipe Line (Main ditch, canal or pipe line) to be 660 ft. (Miles or feet) in length, terminating in the NB1 NB1 of Sec. 12, Tp. 30S R. 15 W., W. M., the proposed location being shown throughout on the accompanying map. (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 20 hp Electric (Size and type of pump)
 (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated. Such forms can be secured without charge, together with instructions, by addressing the State Engineer, Salem, Oregon 97310.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use Coos County

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
30S	15 W.W.M.	12	NW 1/4 NE 1/4 & NW 1/4 NE 1/4	2 1/2
			NE 1/4 NE 1/4	0.5 AC. IRR. & 1.5 IRR. Temp. cont. & Harvest of Cranberries
			NW 1/4 NE 1/4	0.5 AC. IRR. Temp. CONTROL & Harvest of Cranberries

(If more space required, attach separate sheet)

(a) Character of soil Peat

(b) Kind of crops raised Cranberries & Veget. ble Garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____, County, having a present population of _____
(Name of) _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1,725.00

12. Construction work will begin on or before 4-1-77

13. Construction work will be completed on or before 4-1-78

14. The water will be completely applied to the proposed use on or before 4-1-79

Gale E. Stevenson
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

RECEIVED
APR 3 1978
WATER RESOURCES DEPT.
SALEM, OREGON

STATE ENGINEER
By _____
ASSISTANT

7689 1518

PERMIT

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.30 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Green Gulch Creek

The use to which this water is to be applied is irrigation, temperature control and harvesting of cranberries; being 0.06 c.f.s. for irrigation, 0.3 c.f.s. for temperature control and 0.1 c.f.s. for harvesting

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year for cranberries. If for the irrigation of any other crop, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated, and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 5, 1977

Actual construction work shall begin on or before September 28, 1978 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1979

Complete application of the water to the proposed use shall be made on or before October 1, 1980

WITNESS my hand this 28th day of September, 1977

[Signature]
Water Resources Director

PK
Application No. 55619
Permit No. 41670

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8 day of March, 1977 at 11 o'clock A. M.

Returned to applicant:

Approved:

Recorded in book No. _____ of _____ Permits on page _____

STATE ENGINEER

Drainage Basin No. 12 page 418

Fees _____

60.00
refund 12.00